What is claimed is:

1. A method of preventing or treating atherosclerosis or restenosis in a mammal, comprising administering to said mammal an effective amount of the compound selected from the group consisting of structures of Formula I, Formula II, Formula III, Formula IV, Formula V and Formula XI; wherein Formula I is

Ι

or a pharmaceutically acceptable salt thereof wherein A is:

- a) $-CH_2-$, or
- b) -NH-;

 R^{I-1} , R^{I-2} , R^{I-3} and R^{I-4} are independently

- a) -H,
- b) halo,
- C) -CN,
- d) $-NO_2$,
- e) ^{I-}aryl,
- f) ¹⁻het,
- g) $-OR^{I-5}$,
- h) C_{1-12} alkyl,
- i) C_{1-12} alkyl substituted with one to three -CN, halo, -NO₂, OR^{I-5}, -C(=0)R^{I-5}, -COOR^{I-5}, het, aryl, -SR^{I-5}, -OR^{I-6}, -NR^{I-7}R^{I-8}, -OP(=0)(R⁹)₂, -OPH(=0)R^{I-9}, -OC(=0)R^{I-10}, -O-glycyl, -O-valyl, or -O-lysyl,
- j) $-C \equiv CR^{I-11}$,
- k) $-CH=CH-R^{I-12}$,

```
-(CH_2)_m-C(=0)R^{1-13},
       1)
              -SR<sup>I-14</sup>,
       m)
              -C (=S) R^{I-15}
       n)
              -(CH_2)_m - SO_i R^{I-13},
       0)
              -NR^{I-7}R^{I-8},
       p)
             -NHSO<sub>i</sub>R<sup>I-13</sup>,
       q)
              R^{I-1} and R^{I-2} taken together are ^{I-}het or C_{4-6}
       r)
                     cycloalkyl, or
              R^{I-2} and R^{I-3} taken together are I^{-}het or C_{4-6}
       s)
                     cycloalkyl;
R^{I-5} is
              Η.
       a)
              C_{1-8} alkyl, optionally substituted with one to
       b)
              three -OH, CN, C_{1-4} alkoxy, halo, -NO<sub>2</sub>, <sup>I-</sup>het or
              1-aryl,
              I-aryl, or
       C)
              I-het:
       d)
R^{I-6} is
             -SO_2C_{1-6} alkyl,
       a)
              -SO_2-(CH_2)_m-^{1-}aryl, or
       b)
              -SO_2-(CH_2)_m-^{1-}het;
R^{I-7} and R^{I-8} are independently
       a)
              C_{1-8} alkyl, optionally substituted with one to
       b)
              three -NO_2, halo, -CN, OR^5, ^{1}-aryl, ^{1}-het, C_{3-6}
              cycloalkyl, C_{1-6} alkynyl, C_{1-6} alkenyl, -SR^{14}, or
                -NR^{I-16}R^{I-17},
              1-aryl,
       C)
              <sup>I-</sup>het,
       d)
              -(CH_2)_m-C(=0)OR^{I-5}
       e)
              -(CH_2)_m-C(=0)R^{1-5}, or
        f)
              R<sup>I-7</sup> and R<sup>I-8</sup> taken together to form <sup>I-</sup>het;
        g)
R<sup>I-9</sup> is
              -OH, or
        a)
             -OC_{1-8} alkyl;
        b)
```

$R^{\text{I-10}}$ is

- a) H,
- b) C_{1-8} alkyl,
- $-NR^{I-7}R^{I-8},$
- d) C_{1-8} alkyl substituted with one to two halo, $^{1-}$ het, $-NR^{1-7}R^{1-8}$, $-COOH-O(CH_2)_mCOOH$ or -C (=O) N (C_{1-4} alkyl) (CH_2) $_nS$ (=O) $_2O^-M^+$

R^{I-11} is

- a) C_{1-8} alkyl,
- b) C_{1-8} alkyl substituted with one to three -CN, halo, $-NO_2$, $-COOR^{I-5}$, -C (=0) R^{I-5} , $-SR^{I-5}$, $^{I-}$ aryl, $-OR^{I-5}$, $-NR^{I-7}R^{I-8}$, -OP (=0) $(R^{I-9})_2$, -OPH (=0) R^{I-9} -OC (=0) R^{10} , -O-glycyl, -O-valyl, -O-lysyl or -O-seluptamatyl, or
- c) $-(CH_2)_{m}-^{1}-het;$

R^{I-12} is

- a) H,
- b) -CN,
- c) C_{1-8} alkyl,
- d) C_{1-8} alkyl substituted with one to three -CN, halo, -NO₂, -C(=0)R^{I-5}, -COOR^{I-5}, ^{I-}aryl, ^{I-}het, -SR^{I-5}, -OR^{I-5}, -NR^{I-7}R^{I-8}, -OP(=0)(R^{I-9})₂ or -OPH(=0)R^{I-9},
- e) $-C (=0) R^{I-5}$, or
- f) $-COOR^{I-5}$;

R^{I-13} is

- a) C_{1-8} alkyl,
- b) C_{1-8} alkyl substituted one to three -CN, halo, -NO₂, -C(=O)R^{I-5}, ^{I-}het, ^{I-}aryl, -COOR^{I-5}, -SR^{I-5}, -OR^{I-5} or -NR^{I-7}R^{I-8},
- c) I-het,
- d) ¹-aryl,
- $= NR^{I-7}R^{I-8},$
- f) OR¹⁻⁵, or
- g) halo;

```
R^{I-14} is
```

- a) C_{1-8} alkyl, or
- b) C_{1-8} alkyl substituted with one to three -CN, halo, -NO₂, -C(=O)R^{I-5}, -COOR^{I-5}, ^{I-}het, ^{I-}aryl, -OR^{I-5}, or -NR^{I-7}R^{I-8};

R^{I-15} is

- a) $-NH_2$, or
- b) $-NHNH_2$;

R^{I-16} and R^{I-17} is independently

- a) H,
- b) C_{1-4} alkyl,
- c) $-C(=0)C_{1-4}$ alkyl, or
- d) $-C(=O)-(CH)_m-aryl;$

aryl is phenyl or naphthyl, optionally substituted with R^{I-18} :

het is a 5-, 6- or 7-membered saturated or unsaturated heterocyclic ring having 1-3 heteroatoms selected from the group consisting of nitrogen, oxygen and sulfur, wherein the heteroclyclic ring is optionally fused to a benzene ring, wherein aryl, het and benzene ring are optionally substituted with R^{I-18};

R^{I-18} is

- a) halo,
- b) $-NO_2$,
- c) phenyl, optionally substituted with one to five -OH, -CN, halo, $-NO_2$, C_{1-6} alkyl, het, or OC_{1-4} alkyl,
- d) C_{1-8} alkyl, optionally substituted with one to three halo, -CN, -NO₂, aryl, -SR⁵, -OR⁵ or -NR¹⁻⁷R¹⁻⁸,
- e) OR⁵, or
- f) $-SO_2NH_2$;

 M^{I} is sodium, potassium or lithium atom; i^{I} is 1 or 2; m^{I} is 0, 1, 2, or 4;

 n^{I} is 1, 2, 3 or 4;

wherein Formula II is

II

wherein

 $R^{\text{II-1}}$ is $C_{1\text{--}7}$ alkyl, optionally substituted by hydroxy or $NR^{\text{II-4}}R^{\text{H5}};$

 $R^{\text{II-2}}$ is $C_{1\text{--}7}$ alkyl substituted by hydroxy or NR^4R^5 ;

 R^{II-3} is H, F or C_{1-7} alkoxy;

R^{II-4} and R^{II-5} together with N are a 5- or 6-membered heterocyclic moiety having 1-3 heteroatoms selected from the group consisting of nitrogen, oxygen and sulfur in which sulfur may be substituted by one (1) or two (2) oxygen atoms;

or a pharmaceutically acceptable salt thereof;

wherein, Formula III is

III

or a pharmaceutically acceptable salt thereof wherein, \mathbf{X}^{III} is

- a) 0, or
- b) S;

W is

- a) R^{III-2};
- b) NR^{III-7}R^{III-8},

- c) OR^{III-9}, or
- d) SO_iR^{III-9};

R^{III-1} is

- a) Cl,
- b) F,
- c) Br,
- d) CN, or
- e) NO_2 ;

R^{III-2} is

- a) $(CH_2CH_2O)_mR^{III-10}$,
- b) het^{III}, wherein said het^{III} is bonded via a carbon atom,
- c) C_{1-7} alkyl which may be partially unsaturated and is optionally substituted by one or more substituents selected from a group consisting of $NR^{III-7}R^{III-8}$, R^{III-11} , CN, SO_iR^{III-9} , or OC_{2-4} alkyl which is further substituted by het^{III} , OR^{III-10} , OC(=0) aryl^{III}, or $NR^{III-7}R^{III-8}$, or
- d) C_{3-8} cycloalkyl, which may be partially unsaturated and is optionally substituted by $R^{\text{III-11}}$, $NR^{\text{III-7}}R^{\text{III-8}}$, $SO_{i}R^{\text{III-9}}$, or C_{1-7} alkyl optionally substituted by $R^{\text{III-11}}$, $NR^{\text{III-7}}R^{\text{III-8}}$, or $SO_{i}R^{\text{III-9}}$;

$R^{\text{III-3}}$ is

- a) H,
- b) halo, or
- c) C_{1-4} alkyl, optionally substituted by one to three halo;

R^{III-4} is

- a) H,
- b) aryl^{III},
- c) het^{III},
- d) SO_2NHR^{III-12} ,
- e) CONHR^{III-12},
- f) $NR^{III-7}R^{III-8}$,

- g) NHCOR^{III-12},
- h) $NHSO_2R^{III-12}$,
- i) OC_{2-7} alkyl optionally substituted by -OH,
- j) SC_{2-7} alkyl optionally substituted by OH, or
- k) C_{1-8} alkyl which may be partially unsaturated and is optionally substituted by one or more substituents selected from a group consisting of N_3 , OR^{III-10} , $NR^{III-7}R^{III-8}$, halo, SO_iR^{III-9} , OR^{III-13} or R^{III-11} ;

R^{III-5} is

- a) H,
- b) halo,
- c) C≡CR^{III-14},
- d) $NR^{III-7}R^{III-8}$
- e) SO_2NHR^{III-12} ,
- f) het^{III}, or
- g) C_{1-7} alkyl, optionally substituted by OH;

R^{III-6} is

- a) H,
- b) halo,
- c) SC_{1-7} alkyl,
- d) C_{1-7} alkoxy, optionally substituted by one or more halo or OH, or
- e) C_{1-7} alkyl, which may be partially unsaturated and is optionally substituted by halo, $NR^{III-10}R^{III-10}$, $(CH_2)_nOR^{III-13}$, R^{III-11} , OC_{1-7} alkyl which is further substituted with III-het, $NR^{III-7}R^{III-8}$, or SO_1R^{III-9} ;

$R^{\text{III-7}}$ and $R^{\text{III-8}}$ are independently

- a) H,
- b) aryl^{III},
- c) C_{1-7} alkyl which may be partially unsaturated and is optionally substituted by one or more substituents selected from a group consisting

```
of NR^{III-10}R^{III-10}, CONR^{III-10}R^{III-10}, R^{III-11}, SO_iR^{III-9},
                 halo; or
                 \textbf{R}^{\text{III-7}} and \textbf{R}^{\text{III-8}} together with the nitrogen to
        d)
                 which they are attached to form a het III;
R<sup>III-9</sup> is
                aryl<sup>III</sup>,
        a)
                het<sup>III</sup>,
        b)
                 C_{3-8}cycloalkyl, or
        C)
                 C_{1-7}alkyl which may be partially unsaturated and
        d)
                 optionally substituted by one or more OR^{\text{III-10}},
                 Oaryl<sup>III</sup>, het<sup>III</sup>, aryl<sup>III</sup>, NR<sup>III-10</sup>R<sup>III-10</sup>, CN, SH,
                 SO<sub>i</sub>C<sub>1-6</sub> alkyl, SO<sub>i</sub> aryl<sup>III</sup>, halo, or
                 CONR<sup>III-10</sup>R<sup>III-10</sup>;
R<sup>III-10</sup> is
                 H, or
         a)
                 C_{1-7} alkyl, optionally substituted by OH;
        b)
R^{III-11} is
                 OR<sup>III-10</sup>,
         a)
                 Ohet<sup>III</sup>,
         b)
                 Oaryl<sup>III</sup>,
         C)
                 CO_2R^{III-10},
         d)
                 het<sup>III</sup>,
         e)
                  aryl<sup>III</sup>, or
         f)
         g)
                  CN;
R^{III-12} is
         a)
                 Η,
                 het<sup>III</sup>,
         b)
                aryl<sup>III</sup>,
         C)
                  C_{3-8} cycloalkyl, or
         d)
                  C_{1\text{--}7} alkyl optionally substituted by NR^{\text{III}\text{--}7}R^{\text{III}\text{--}8} ,
         e)
                  or R<sup>III-11</sup>;
 R^{III-13} is
         a)
                  (P=O)(OH)_2,
                  (P=0)(C_{1-7} \text{ alkoxy})_2,
         b)
                  CO(CH_2)_nCON(CH_3)(CH_2)_nSO_3^-M^+,
```

- d) an amino acid,
- e) $C(=0)^{III}$ -aryl,
- f) $C(=0)C_{1-6}alkyl$, optionally substituted by $NR^{\text{III}-10}R^{\text{III}-10}$, or
 - g) $CO(CH_2)_nCO_2H$;

R^{III-14} is

- a) het^{III},
- b) $(CH_2)_nOR^{III-13}$, or
- c) C_{1-7} alkyl substituted by one or more substituents selected from a group consisting of $R^{\text{III-11}}$, OC $_{1-7}$ alkyl which is further substituted with het^{III}, $NR^{\text{III-7}}R^{\text{III-8}}$, or $SO_{i}R^{\text{III-9}}$;
- aryl^{III} is a phenyl radical or an ortho-fused bicyclic carbocyclic radical wherein at least one ring is aromatic;
- het^{III} is a four- (4), five- (5), six- (6), or seven- (7) membered saturated or unsaturated heterocyclic ring having 1, 2, or 3 heteroatoms selected from the group consisting of oxygen, sulfur, and nitrogen, which is optionally fused to a benzene ring, or any bicyclic heterocycle group;
- wherein any aryl^{III} is optionally substituted with one or more substituents selected from the group consisting of halo, OH, CF₃, C_{1-6} alkoxy, and C_{1-6} alkyl which maybe further substituted by one to three SR^{III-10}, NR^{III-10}R^{III-10}, OR^{III-10}, or CO_2R^{III-10} ;
- wherein any het^{III} is optionally substituted with one or more substituents selected from the group consisting of halo, OH, CF₃, C_{1-6} alkoxy, oxo, oxine, and C_{1-6} alkyl which maybe further substituted by one to three SR^{III-10}, NR^{III-10} R^{III-10}, OR^{III-10}, or CO_2R^{III-10} ;

i^{III} is 0, 1, or 2;

m^{III} is 1, 2, or 3;

 n^{III} is 1, 2, 3, 4, 5, or 6; and

M is sodium, potassium, or lithium;

wherein Formula IV is

ΙV

or a pharmaceutically acceptable salt, racemate, solvate, tautomer, optical isomer or prodrug derivative thereof; wherein $R^{\text{IV-1}}$ is C_{1-6} alkyl, optionally substituted with

-OH, $-OC_{1-4}$ alkyl or het^{IV};

wherein C_{1-6} alkyl is optionally partially unsaturated; wherein het^{IV} is a radical of a five- or six-membered heterocyclic ring having one or two heteroatoms selected from the group consisting of oxygen, sulfur and N;

wherein Formula V is

$$R^{V-5}$$
 $R^{V-11}X^{V}$
 X^{V}
 R^{V-1}
 R^{V-4}
 R^{V-3}
 R^{V-2}

V

or a pharmaceutically acceptable salt, racemate, solvate, tautomer or optical isomer thereof wherein:

each X^{V} is independently O or S;

Y is Cl, F, Br, CN or NO₂;

 R^{V-1} , R^{V-2} , R^{V-3} and R^{V-4} are independently

- a) hydrogen,
- b) N_3 ,

- c) CN,
- d) fluoro,
- e) trifluoromethyl,
- f) aryl^v,
- g) het^v,
- h) $C_{V-1-V-8}$ alkyl, optionally substituted with R^{V-6} or OR^{V-7} , or
- i) R^{V-1} and R^{V-2} or R^{V-3} and R^{V-4} together with the carbon to which they are attached form C_{3-8} cycloalkyl or $_{V}$ -het;
- R^{V-5} is C_{1-8} alkyl, which may be partially unsaturated and optionally substituted with one to three N_3 , halo, CN, R^{V-6} or R^{V-7} ;

R^{V-6} is

- a) aryl^v,
- b) het^v,
- c) SO_iR^{v-8} ,
- d) OR^{V-8} ,
- e) $C (=0) OR^{V-8}$
- f) $C (=0) R^{V-8}$, or
- g) $NR^{V-8}R^{V-9}$;

R^{V-7} is

- a) $P(=0) (OR^{V-10})_{2}$
- b) $CO(CH_{V-2})_{j}CON(CH_3)(CH_2)_{k}SO_3^{-M}^{V+}$,
- c) an amino acid,
- d) $C(=0)C_{1-6}alkyl$, optionally substituted by $NR^{V-10}R^{V-10}$, or
- e) $CO(CH_2)_nCO_2H$;

R^{V-8} and R^{V-9} are independently

- a) hydrogen,
- b) C₃₋₈cycloalkyl,
- c) aryl^v,
- d) het^v, or
- e) C_{1-8} alkyl which is further optionally

substituted with one or more aryl^{V} , het^{V} , halo, CN , $\operatorname{CO}_2 \operatorname{R}^{V-10}$, $\operatorname{SO}_1 \operatorname{R}^{V-10}$, OR^{V-10} , $\operatorname{NR}^{V-10} \operatorname{R}^{V-10}$, CF_3 , or $\operatorname{C}_{3-8} \operatorname{cycloalkyl}$;

R^{V-10} is

- a) Hor
- b) C_{1-8} alkyl, optionally substituted with OH or OC_{1-4} alkyl;

R^{V-11} and R^{V-12} are independently

- a) hydrogen,
- b) halo,
- c) NO_2 ,
- d) CN,
- e) R^{V-6} ,
- f) $SO_iNR^{V-8}R^{V-9}$, or
- g) C_{1-8} alkyl, which may be partially unsaturated and optionally substituted with one to three N^{V-3} , halo, CN, R^{V-6} or OR^{V-7} ;

aryl v is

a phenyl radical, optionally fused with a saturated or unsaturated carbocyclic or heterocyclic ring; at each occurrence, aryl may be substituted with one or more halo, CN, $\text{CO}_2\text{R}^{\text{V}-10}$, $\text{SO}_i\text{R}^{\text{V}-10}$, $\text{OR}^{\text{V}-10}$, $\text{NR}^{\text{V}-10}\text{R}^{\text{V}-10}$, CF_3 , $\text{C}_{3\text{-8}}\text{cycloalkyl}$, or $\text{C}_{1\text{-4}}\text{alkyl}$ wherein $\text{C}_{1\text{-4}}\text{alkyl}$ is optionally substituted with $\text{OR}^{\text{V}-10}$;

het^v is

a four- (4), five- (5), six- (6), or seven- (7) membered saturated or unsaturated heterocyclic ring having 1, 2, or 3 heteroatoms selected from the group consisting of O, S, and NW $^{\rm V}$, wherein W $^{\rm V}$ is hydrogen, C₁₋₄alkyl, C(=0)OC₁₋₄alkyl or absent, wherein het $^{\rm V}$ is optionally fused with a benzene ring, a carbcyclic or a heterocyclic ring; at each occurrence, het $^{\rm V}$ may be substituted with one or more halo, CN, CO₂R $^{\rm V-10}$, SO_iR $^{\rm V-10}$, OR $^{\rm V-10}$, NR $^{\rm V-10}$ R $^{\rm V-10}$, C₁₋₄alkyl, CF₃, C₃₋₈cycloalkyl, oxo or oxine;

at each occurrence, a cycloalkyl may be substituted with C_{1-4} alkyl, OR^{V-10} , oxo, oxine, or a spiro fused $_{V-}$ het;

 i^{V} is 0, 1 or 2;

 j^{v} is 1, 2, 3, 4, 5, or 6;

 k^{V} is 1, 2, 3, 4, 5, or 6;

 n^{V} is 1, 2, 3, 4, 5, or 6;

 $exttt{M}^{ exttt{V}}$ is sodium, potassium, or lithium; and

wherein Formula XI is

XI

and pharmaceutically acceptable salts thereof,

wherein,

 X^{XI} is Cl, F, Br, CN, or NO_2 ;

 $R^{\rm XI-1}$ is H, halo, or $C_{1\text{-4}}$ alkyl optionally substituted by one to three halo;

 R^{XI-2} is

- a) H,
- b) halo,
- c) aryl^{XI},
- d) het^{XI}, wherein said het^{XI} is bound via a carbon atom,
- e) C_{1-7} alkyl which may be partially unsaturated and optionally substituted by one or more substituents of the group R^{XI-10} , $NR^{XI-7}R^{XI-8}$, halo, $(C=0)R^{XI-6}$, or $S(0)_mR^{XI-6}$,
- f) $NR^{XI-7}R^{XI-8}$,
- q) OR^{XI-11} ,
- h) SR^{XI-11},
- i) $NHSO_2R^{XI-6}$,
- j) S(O)_mR^{XI-6},

- k) (C=O) R^{XI-6} ,
- 1) $(C=0) OR^{XI-11}$,
- m) CHO,
- n) cyano, or
- o) C_{3-8} cycloalkyl which may be partially unsaturated and is optionally substituted by one or more substituents selected from halo, oxo, R^{XI-10} , C_{1-7} alkyl, or $NR^{XI-7}R^{XI-8}$;

R^{XI-3} is

- a) H,
- b) halo,
- c) OR^{11} , or
- d) C_{1-7} alkyl which may be partially unsaturated and optionally substituted by one or more substituents of the group OR^{XI-11} , SR^{XI-11} , $NR^{XI-7}R^{XI-8}$, or halo, or
- $R^{\rm XI-2}$ together with $R^{\rm XI-3}$ form a carbocyclic or saturated 5 or 6 membered het which may be optionally substituted by $NR^{\rm XI-7}R^{\rm XI-8}$, het attached through a carbon atom, or C_{1-7} alkyl which may be optionally substituted by $OR^{\rm XI-12}$;

R^{XI-4} is

- a) H,
- b) halo,
- c) OR^{XI-11}, or
- d) C_{1-7} alkyl which may be partially unsaturated and optionally substituted by one or more substituents of the group OR^{XI-11} , SR^{XI-11} , $NR^{XI-7}R^{XI-8}$, aryl^{XI}, halo, C_{3-8} cycloalkyl optionally substituted by OR^{XI-12} , or het^{XI} attached through a carbon atom, or
- e) $NR^{XI-7}R^{XI-8}$;

R^{XI-5} is

- a) H,
- b) halo,

- C) OR^{XI-11},
- d) $O(CH_2CH_2O)_nR^{XI-12}$,
- e) C₃₋₈cycloalkyl which may be partially unsaturated and is optionally substituted by one or more substituents selected from halo, OR^{XI-12}, SR^{XI-12}, oxo, C₁₋₇alkyl or NR^{XI-12}R^{XI-12},
- f) het^{XI},
- g) aryl^{XI},
- h) $NHSO_2R^{XI-6}$,
- i) $S(0)_m R^{XI-6}$,
- j) (C=O) R^{XI-6} ,
- $(C=0) OR^{XI-11}$,
- l) nitro,
- m) cyano,
- n) SR^{XI-11},
- o) $NR^{XI-7}R^{XI-8}$,
- p) C_{1-7} alkyl which may be partially unsaturated and is optionally substituted by one or more substituents selected from $NR^{XI-7}R^{XI-8}$, R^{XI-10} , $S(0)_mR^{XI-6}$, $(P=0)(0R^{XI-12})_2$, $(C=0)R^{XI-6}$, or halo,
- q) CHO,
- r) SCN,
- s) Any two adjacent R^{XI-5} substituents taken with the bond connecting them form an $aryl^{XI}$, or het XI , or
- Any two adjacent R^{XI-5} substituents taken together constitute a C_{3-6} alkyl chain which may be optionally substituted by R^{XI-9} , $NR^{XI-7}R^{XI-8}$, cyano, CO_2R^{XI-12} , OR^{XI-11} , SR^{XI-11} , or (=0);

 R^{XI-6} is

- a) C_{1-7} alkyl,
- b) $NR^{XI-11}R^{XI-11}$,
- c) aryl^{XI}, or
- d) het^{XI};

 R^{XI-7} and R^{XI-8} are independently

- a) H,
- b) aryl^{XI},
- c) C_{1-7} alkyl which may be partially unsaturated and is optionally substituted by one or more substituents selected from $S(0)_m R^{XI-6}$, $CONR^{XI-12}R^{XI-12}$, CO_2R^{XI-12} , $(C=0)R^{XI-9}$, het^{XI}, aryl^{XI}, cyano, or halo,
- d) C_{2-7} alkyl which may be partially unsaturated and is substituted by one or more substituents selected from $NR^{XI-12}R^{XI-12}$, OR^{XI-11} , or SR^{XI-11} ,
- e) C_{3-8} cycloalkyl which may be partially unsaturated and is optionally substituted by one or more substituents selected from halo, OR^{XI-12} , SR^{XI-12} , oxo, or $NR^{XI-12}R^{XI-12}$,
- f) (C=O) R^{XI-9} , or
- g) R^{XI-7} and R^{XI-8} together with the nitrogen to which they are attached for a het^{XI};

R^{XI-9} is

- a) aryl^{XI},
- b) het^{XI}, wherein said het^{XI} is bound through a carbon atom,
- c) C_{1-7} alkyl optionally substituted by aryl^{XI}, het^{XI}, cyano, OR^{XI-12} , SR^{XI-12} , $NR^{XI-12}R^{XI-12}$, or halo, or
- d) C_{3-8} cycloalkyl which may be partially unsaturated and is optionally substituted by one or more substituents selected from halo, OR^{XI-12} , SR^{XI-12} , or $NR^{XI-12}R^{XI-12}$;

$R^{\text{XI-10}}$ is

- a) OR^{XI-11} ,
- b) SR^{XI-11} ,
- CO_2R^{XI-12}
- d) het^{XI},
- e) aryl^{XI}, or
- f) cyano;

R^{XI-11} is

- a) H,
- b) aryl^{XI},
- c) het^{XI}, wherein said het^{XI} is bound through a carbon atom,
- d) C_{1-7} alkyl optionally substituted by $aryl^{XI}$, het^{XI} wherein said het^{XI} is bound through a carbon atom, C_{3-8} cycloalkyl optionally substituted by OR^{XI-12} , or halo,
- e) C_{2-7} alkyl substituted by OR^{XI-12} , SR^{XI-12} , or $NR^{XI-12}R^{XI-12}$, or
- f) C_{3-8} cycloalkyl which may be partially unsaturated and is optionally substituted by one or more substituents selected from halo, OR^{XI-12} , SR^{XI-12} , or $NR^{XI-12}R^{XI-12}$,

 R^{XI-12} is H, or C_{1-7} alkyl; each m^{XI} is independently 1 or 2; each n^{XI} is independently 1, 2, or 3;

wherein aryl^{XI} is a phenyl radical or an ortho-fused bicyclic carbocyclic radical wherein at least one ring is aromatic and is optionally substituted with one or more substituents selected from halo, OH, cyano, CO_2R^{XI-12} , CF_3 , C_{1-6} alkoxy, or C_{1-6} alkyl which may be further substituted by one to three SR^{XI-12} , $NR^{XI-12}R^{XI-12}$, OR^{XI-12} , or CO_2R^{XI-12} groups;

wherein het^{XI} is a four- (4), five- (5), six- (6), or seven- (7) membered saturated or unsaturated heterocyclic ring having 1, 2, or 3 heteroatoms selected from oxygen, sulfur, or nitrogen, which is optionally fused to a benzene ring, or any bicyclic heterocyclic group and wherein any het^{XI} is optionally substituted with one or more substituents selected from halo, OH, cyano, phenyl, CO₂R^{XI-12}, CF₃, C₁₋₆alkoxy, oxo, oxime, or C₁₋₆ alkyl which may be further substituted by one to three SR^{XI-12}, NR^{XI-12}R^{XI-12}, OR^{XI-12}, or CO₂R^{XI-12} groups; and

wherein halo is F, Cl, Br, I; or a pharmaceutically acceptable salt thereof.

2. The method of Claim 1, wherein the compound administered has the Formula ${\tt I}$

I

or a pharmaceutically acceptable salt thereof wherein A is:

- a) $-CH_2-$, or
- b) -NH-;

 R^{I-1} , R^{I-2} , R^{I-3} and R^{I-4} are independently

- a) -H,
- b) halo,
- c) -CN,
- d) $-NO_2$,
- e) aryl¹,
- f) het¹,
- g) $-OR^{I-5}$,
- h) C_{1-12} alkyl,
- i) C_{I-12} alkyl substituted with one to three -CN, halo, -NO₂, OR^{I-5}, -C(=0)R^{I-5}, -COOR^{I-5}, ^{I-}het, ^{I-}aryl, -SR^{I-5}, -OR^{I-6}, -NR^{I-7}R^{I-8}, -OP(=0)(R^{I-9})₂, -OPH(=0)R^{I-9}, -OC(=0)R^{I-10}, -O-glycyl, -O-valyl, or -O-lysyl,
- j) -C≡CR^{I-11},
- k) $-CH=CH-R^{I-12}$,
- 1) $-(CH_2)_m-C(=0)R^{I-13}$,
- m) $-SR^{I-14}$,
- $-C (=S) R^{I-15}$,

```
-(CH_2)_m - SO_iR^{I-13},
       0)
              -NR^{I-7}R^{I-8},
       p)
       q)
             -NHSO_iR^{I-13},
              R^{\text{I-1}} and R^{\text{I-2}} taken together are het or C_{4-6}
       r)
              cycloalkyl, or
              R^{I-2} and R^{I-3} taken together are het or C_{4-6}
              cycloalkyl;
R^{I-5} is
       a)
              Η,
              C_{1-8} alkyl, optionally substituted with one to
       b)
              three -OH, CN, C<sub>1-4</sub> alkoxy, halo, -NO<sub>2</sub>, het<sup>1</sup> or
              aryl<sup>I</sup>,
             aryl<sup>I</sup>, or
              het<sup>I</sup>;
       d)
R^{I-6} is
              -SO_2C_{1-6} alkyl,
       a)
              -SO_2-(CH_2)_m-aryl^I, or
             -SO_2-(CH_2)_m-het^{I};
R^{I-7} and R^{I-8} are independently
       a)
              Η,
              C_{1-8} alkyl, optionally substituted with one to
       b)
              three -NO_2, halo, -CN, OR^{I-5}, aryl, het, C_{3-6}
              cycloalkyl, C_{1-6} alkynyl, C_{1-6} alkenyl, -SR^{I-14},
              or -NR<sup>I-16</sup>R<sup>I-17</sup>,
             aryl<sup>1</sup>,
       C)
             het<sup>I</sup>,
       d)
             -(CH_2)_m-C(=0)OR^{I-5},
              -(CH_2)_m-C(=0)R^{I-5}, or
       f)
              R^{I-7} and R^{I-8} taken together to form het<sup>I</sup>;
R<sup>I-9</sup> is
              -OH, or
              -OC_{1-8} alkyl;
       b)
R^{I-10} is
              Η,
       a)
```

 C_{1-8} alkyl,

b)

- c) $-NR^{1-7}R^{1-8}$,
- d) C_{1-8} alkyl substituted with one to two halo, het^I, $-NR^{I-7}R^{I-8}$, $-COOH-O(CH_2)_mCOOH$ or $-C(=O)N(C_{1-4}$ alkyl)(CH₂)_nS(=O)₂O⁻M^{I+}

R^{I-11} is

- a) C_{1-8} alkyl,
- b) C_{1-8} alkyl substituted with one to three -CN, halo, $-NO_2$, $-COOR^{I-5}$, $-C(=O)R^{I-5}$, $-SR^{I-5}$, aryl^I, $-OR^{I-5}$, $-NR^{I-7}R^{I-8}$, $-OP(=O)(R^{I-9})_2$, $-OPH(=O)R^{I-9}$ $-OC(=O)R^{10}$, -O-glycyl, -O-valyl, -O-lysyl or -O-seluptamatyl, or
- $-(CH_2)_m-het^I;$

R^{I-12} is

- a) H,
- b) -CN,
- c) C_{1-8} alkyl,
- d) C_{1-8} alkyl substituted with one to three -CN, halo, -NO₂, -C(=0)R^{I-5}, -COOR^{I-5}, aryl^I, het^I, -SR^{I-5}, -OR^{I-5}, -NR^{I-7}R^{I-8}, -OP(=0)(R^{I-9})₂ or -OPH(=0)R^{I-9},
- e) $-C (=0) R^{1-5}$, or
- f) -COOR^{I-5};

R^{I-13} is

- a) C_{1-8} alkyl,
- b) C_{1-8} alkyl substituted one to three -CN, halo, $-NO_2$, -C (=0) R^{I-5} , het^I, aryl^I, $-COOR^{I-5}$, $-SR^{I-5}$, $-OR^{I-5}$ or $-NR^{I-7}R^{I-8}$,
- c) het¹,
- d) aryl^I,
- e) $-NR^{I-7}R^{I-8}$,
- f) OR¹⁻⁵, or
- q) halo;

R^{I-14} is

a) C_{1-8} alkyl, or

b) C_{1-8} alkyl substituted with one to three -CN, halo, -NO₂, -C(=0)R¹⁻⁵, -COOR¹⁻⁵, het¹, aryl¹, -OR¹⁻⁵, or -NR¹⁻⁷R¹⁻⁸;

 R^{I-15} is

- a) $-NH_2$, or
- b) $-NHNH_2$;

 R^{I-16} and R^{I-17} is independently

- a) H,
- b) C_{1-4} alkyl,
- c) $-C(=0)C_{1-4}$ alkyl, or
- d) $-C (=O) (CH)_{m}^{-1} aryl;$

 $aryl^{I}$ is phenyl or naphthyl, optionally substituted with R^{I-18} ;

het^I is a 5-, 6- or 7-membered saturated or unsaturated heterocyclic ring having 1-3 heteroatoms selected from the group consisting of nitrogen, oxygen and sulfur, wherein the heteroclyclic ring is optionally fused to a benzene ring, wherein aryl^I, het^I and benzene ring are optionally substituted with R^{I-18};

 R^{I-18} is

- a) halo,
- b) $-NO_2$
- c) phenyl, optionally substituted with one to five -OH, -CN, halo, $-NO_2$, C_{1-6} alkyl, het $^{\rm I}$, or OC_{1-4} alkyl,
- d) C_{1-8} alkyl, optionally substituted with one to three halo, -CN, -NO₂, aryl^I, -SR^{I-5}, -OR^{I-5} or -NR^{I-7}R^{I-8},
- e) OR^{1-5} , or
- f) $-SO_2NH_2$;

 M^{I} is sodium, potassium or lithium atom;

i^I is 1 or 2;

m^I is 0, 1, 2, or 4;

 n^{I} is 1, 2, 3 or 4;

- 3. The method of Claim 2, wherein the compound administered is
- (1) N-[(4-chlorophenyl)methyl]-4-hydroxy-7-(trifluoromethyl)-3-quinolinecarboxamide;
- (2) 7-amino-N-[(4-chlorophenyl)methyl]-4-hydroxy-3-quinolinecarboxamide;
- (3) N-[(4-chlorophenyl)methyl]-8-fluoro-4,6-dihydroxy-3-quinolinecarboxamide;
- (4) 6-bromo-N-[(4-chlorophenyl)methyl]-8-fluoro-3-quinolinecarboxamide;
- (5) N-[(4-chlorophenyl)methyl]-8-fluoro-4-hydroxy-6-iodo-3-quinolinecarboxamide;
- (6) N-[(4-chlorophenyl)methyl]-4-hydroxy-3quinolinecarboxamide;
- (7) N-[(4-chlorophenyl)methyl]-4-hydroxy-7-methoxy-3-quinolinecarboxamide;
- (8) N-[(4-chlorophenyl)methyl]-4-hydroxy-5,7-bis(trifluoromethyl)-3-quinolinecarboxamide;
- (9) N-[(4-chlorophenyl)methyl]-7-fluoro-4-hydroxy-3-quinolinecarboxamide;
- (10) N-[(4-chlorophenyl)methyl]-6-fluoro-4-hydroxy-3-quinolinecarboxamide;
- (11) $N-[(4-\text{chlorophenyl})\text{methyl}]-4-\text{hydroxy-}7-\text{methyl-}3-quinolinecarboxamide;}$
- (12) N-[(4-chlorophenyl)methyl]-8-fluoro-4-hydroxy-3-quinolinecarboxamide;
- (13) N-[(4-chlorophenyl)methyl]-4-hydroxy-6-nitro- 3-quinolinecarboxamide;
- (14) N-[(4-chlorophenyl)methyl]-5,6,7,8-tetrafluoro-4-hydroxy-3-quinolinecarboxamide;
- (15) N-[(4-chlorophenyl)methyl]-6,7,8-trifluoro-4-hydroxy-3-quinolinecarboxamide;
- (16) 6,7,8-trifluoro-4-hydroxy-3quinolinecarboxylic acid 2-(4-chlorophenyl)hydrazide;

- (17) N-[(4-chlorophenyl)methyl]-5,8-difluoro-4-hydroxy-3-quinolinecarboxamide;
- (18) N-[(4-chlorophenyl)methyl]-7,8-difluoro-4-hydroxy-3-quinolinecarboxamide;
- (19) 6-benzoyl-*N*-(4-chlorobenzyl)-4-hydroxy-3-quinolinecarboxamide;
- (20) N-[(4-chlorophenyl)methyl]-4-hydroxy-8-methoxy-3-quinolinecarboxamide;
- (21) 6-chloro-N-[(4-chlorophenyl)methyl]-4-hydroxy-3-quinolinecarboxamide;
- (22) N-[(4-chlorophenyl)methyl]-4-hydroxy-6-methyl-3-quinolinecarboxamide;
- (23) N-[(4-chlorophenyl)methyl]-4-hydroxy-6-methoxy-3-quinolinecarboxamide;
- (24) N-[(4-chlorophenyl)methyl]-6-cyano-4-hydroxy-3-quinolinecarboxamide;
- (25) 7-(acetylamino)-N-[(4-chlorophenyl)methyl]-4-hydroxy-3-quinolinecarboxamide;
- (26) N-[(4-chlorophenyl)methyl]-4-hydroxy-7-[(methylsulfonyl)amino]-3-quinolinecarboxamide;
- (27) N-[(4-chlorophenyl)methyl]-7-(dimethylamino)-4-hydroxy-3-quinolinecarboxamide;
- (28) 6-amino-N-[(4-chlorophenyl)methyl]-4-hydroxy-3-quinolinecarboxamide;
- (29) N-[(4-chlorophenyl)methyl]-4-hydroxy-6-[(methylsulfonyl)amino]-3-quinolinecarboxamide;
- (30) N-[(4-chlorophenyl)methyl]-6-(dimethylamino)-4-hydroxy-3-quinolinecarboxamide;
- (31) 6-(acetylamino)-N-[(4-chlorophenyl)methyl]-4-hydroxy-3-quinolinecarboxamide;
- (32) N-[(4-chlorophenyl)methyl]-4-hydroxy-7-(1-pyrrolyl)-3-quinolinecarboxamide;
- (33) N-[(4-chlorophenyl)methyl]-4-hydroxy-7-[(phenylsulfonyl)amino]-3-quinolinecarboxamide;

- (34) N-[(4-chlorophenyl)methyl]-4-hydroxy-7- [[(phenylmethyl)sulfonyl]amino]-3-quinolinecarboxamide;
- (35) N-[(4-chlorophenyl)methyl]-7-[[(4-chlorophenyl)sulfonyl]amino]-4-hydroxy-3-quinolinecarboxamide;
- (36) 8-fluoro-4-hydroxy-3-quinolinecarboxylic acid 2-(4-chlorophenyl)hydrazide;
- (37) N-[(4-chlorophenyl)methyl]-8-fluoro-4-hydroxy-6-methyl-3-quinolinecarboxamide;
- (38) (278) N-(4-chlorobenzyl)-8hydroxy[1,3]dioxolo[4,5-g]quinoline-7-carboxamide;
- (39) N-[(4-chlorophenyl)methyl]-4-hydroxy-6-iodo-3-quinolinecarboxamide;
- (40) N-[(4-chlorophenyl)methyl]-6-(cyanomethyl)-4- hydroxy-3-quinolinecarboxamide;
- (41) N-[(4-chlorophenyl)methyl]-4,5-dihydroxy-3-quinolinecarboxamide;
- (42) 7,8-dichloro-N-[(4-chlorophenyl)methyl]-4-hydroxy-3-quinolinecarboxamide;
- (43) N-[(4-chlorophenyl)methyl]-4,6-dihydroxy-3-quinolinecarboxamide;
- (44) N-[(4-chlorophenyl)methyl]-4,8-dihydroxy-3-quinolinecarboxamide;
- (45) 8-chloro-N-[(4-chlorophenyl)methyl]-4-hydroxy-3-quinolinecarboxamide;
- (46) N-[(4-chlorophenyl)methyl]-4-hydroxy-6-[[(1-phenyl-1H-pyrazol-5-yl)amino]sulfonyl]-3-quinoline-carboxamide;
- (47) N-[(4-chlorophenyl)methyl]-8-cyano-4-hydroxy-3-quinolinecarboxamide;
- (48) N-[(4-chlorophenyl)methyl]-4-hydroxy-8-nitro- 3-quinolinecarboxamide;
- (49) 7-amino-N-[(4-chlorophenyl)methyl]-4-hydroxy-8-methyl-3-quinolinecarboxamide;

- (50) N-[(4-chlorophenyl)methyl]-6-cyano-8-fluoro-4-hydroxy-3-quinolinecarboxamide;
- (51) 6-(aminothioxomethyl)-N-[(4-chlorophenyl)-methyl]-8-fluoro-4-hydroxy-3-quinolinecarboxamide;
- (52) N-[(4-chlorophenyl)methyl]-8-fluoro-4-hydroxy-6-(3-hydroxy-1-propynyl)-3-quinolinecarboxamide;
 - (53) 8-fluoro-4-hydroxy-6-iodo-3-
- quinolinecarboxylic acid 2-(4-chlorophenyl)hydrazide;
- (54) 8-fluoro-4-hydroxy-6-methyl-3quinolinecarboxylic acid 2-(4-chlorophenyl)hydrazide;
- (55) N-((4-chlorophenyl)methyl)-7-chloro-4-hydroxy-3-quinolinecarboxamide;
- (56) N-((4-chlorophenyl)methyl)-6-bromo-4-hydroxy-3-quinolinecarboxamide;
- (57) N-((4-chlorophenyl)methyl)-4-hydroxy-6-phenyl-3-quinolinecarboxamide;
- (58) N-((4-chlorophenyl)methyl)-8-chloro-4-hydroxy-5-trifluoromethyl-3-quinolinecarboxamide;
- (59) N-((4-chlorophenyl)methyl)-6,8-dimethoxy-4-hydroxy-3-quinolinecarboxamide;
- (60) N-((4-chlorophenyl)methyl)-6,7-dimethoxy-4-hydroxy-3-quinolinecarboxamide;
- (61) N-((4-chlorophenyl)methyl)-4-hydroxy-5-methyl-3-quinolinecarboxamide;
- (62) N-[(4-chlorophenyl)methyl]-6-
- (1,1-dimethylethyl)-4-hydroxy-3-quinolinecarboxamide;
- (63) N-[(4-chlorophenyl)methyl]-7,8-dihydro-4-hydroxy-6H-cyclopenta[q]quinoline-3-carboxamide;
- (64) N-[(4-chlorophenyl)methyl]-1,4-dihydro-8- (methylthio) -4-oxo-3-quinolinecarboxamide;
- (65) N-[(4-chlorophenyl)methyl]-9hydroxythiazolo[5,4-f]quinoline-8-carboxamide;
- (66) sodium 2-[(8-{[3-(3-{[(4-chlorobenzyl)amino]carbonyl}-4-hydroxy-6-quinolinyl)-2-

- propynyl]oxy}-8-oxooctanoyl) (methyl) amino]-1ethanesulfonate;
- (67) sodium 2-[(8-{[3-(3-{[(4chlorobenzyl)amino]carbonyl}-8-fluoro-4-hydroxy-6quinolinyl)-2-propynyl]oxy}-8-oxooctanoyl) (methyl)amino]1-ethanesulfonate;
- (68) sodium 2-[{8-[3-(3-{[(4chlorobenzyl)amino]carbonyl}-4-hydroxy-6quinolinyl)propoxy]-8-oxooctanoyl}(methyl)amino]-1ethanesulfonate;
- (69) N-(4-chlorobenzyl)-4-hydroxy-7-{[(1naphthylmethyl)amino]sulfonyl}-3-quinolinecarboxamide;
- (70) N-(4-chlorobenzyl)-4-hydroxy-7-(methylsulfanyl)-3-quinolinecarboxamide;
- (71) N-[(4-chlorophenyl)methyl]-4-hydroxy-6-[(phenylmethyl)thio]-7-(trifluoromethyl)-3quinolinecarboxamide;
- (72) 3-(3-{[(4-chlorobenzyl)amino]carbonyl}-4-hydroxy-6-quinolinyl)propyl hydrogen phosphonate;
- (73) N-[(4-chlorophenyl)methyl]-8-fluoro-4-hydroxy-6-(2-thiazolyl)-3-quinolinecarboxamide;
- (74) N-[(4-chlorophenyl)methyl]-8-fluoro-4-hydroxy-6-(2-thiophenyl)-3-quinolinecarboxamide;
- (75) $N-((4-\text{chlorophenyl})\text{methyl})-4-\text{hydroxy}-5-\text{trifluoromethyl}-3-quinolinecarboxamide;}$
- (76) N-((4-chlorophenyl)methyl)-8-fluoro-4-hydroxy-6-(2-methylphenyl)-3-quinolinecarboxamide;
- (77) N-((4-chlorophenyl)methyl)-6,7-difluoro-4-hydroxy-8-(tetrahydro-2H-pyran-4-oxy)-3-quinolinecarboxamide;
- (78) N-((4-chlorophenyl)methyl)-6,7-difluoro-4-hydroxy-8-methoxy-3-quinolinecarboxamide;
- (79) N-((4-chlorophenyl)methyl)-7,8-dimethoxy-6-fluoro-4-hydroxy-3-quinolinecarboxamide;

```
(80) N-((4-\text{chlorophenyl})\text{methyl})-6,8-\text{difluoro}-4-hydroxy-7-(4-(hydroxymethyl)phenoxy)-3-quinolinecarboxamide;
```

- (81) N-((4-chlorophenyl)methyl)-6,8-difluoro-4-hydroxy-7-methoxy-3-quinolinecarboxamide;
- (82) N-((4-chlorophenyl)methyl)-6,8-difluoro-4-hydroxy-7-(2-(methoxy)ethoxy)-3-quinolinecarboxamide;
- (83) N-((4-chlorophenyl)methyl)-6,7-difluoro-4-hydroxy-8-(2-(methoxy)ethoxy)-3-quinolinecarboxamide;
- (84) N-((4-chlorophenyl)methyl)-7,8-di(2-(methoxy)ethoxy)-6-fluoro-4-hydroxy-3quinolinecarboxamide;
- (85) N-((4-chlorophenyl)methyl)-6,8-difluoro-4-hydroxy-7-(1-methylethoxy)-3-quinolinecarboxamide;
- (86) N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-6-(1,3-thiazol-2-yl)-3-quinolinecarboxamide;
- (87) N-(4-chlorobenzyl)-6,8-difluoro-4- hydroxy-7-[(2-methoxyethyl)amino]-3-quinolinecarboxamide;
- (88) N-(4-chlorobenzyl)-6-(5-cyano-1-pentynyl)
 -8-fluoro-4-hydroxy-3-quinolinecarboxamide;
- (89) N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-6-(2-pyridinyl)-3-quinolinecarboxamide;
- (90) N'-(4-chlorophenyl)-4-hydroxy-6-iodo-3-quinolinecarbohydrazide;
- (91) N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-6-[2-(2-pyridinyl)ethynyl]-3-quinolinecarboxamide;
- (92) N-(4-chlorobenzyl)-6,8-difluoro-4- hydroxy-7-[(2-hydroxyethyl)amino]-3-quinolinecarboxamide;
- (93) N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-6-(4-hydroxy-1-butynyl)-3-quinolinecarboxamide;
- (94) N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-6-(3-methoxy-1-propynyl)-3-quinolinecarboxamide;
- (95) N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-6-(3-hydroxy-1-butynyl)-3-quinolinecarboxamide;

- (96) 6-(4-bromo-2-thienyl)-N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-3-quinolinecarboxamide;
- (97) N-(4-chlorobenzyl)-8-fluoro-6-(hydrazino-carbothioyl)-4-hydroxy-3-quinolinecarboxamide;
- (98) N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-6-(4-hydroxybutyl)-3-quinolinecarboxamide;
- (99) N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-6-(5-methyl-1,3,4-thiadiazol-2-yl)-3-quinolinecarboxamide;
- (100) N-(4-chlorobenzyl)-4-hydroxy-7-(3-hydroxy-1-propynyl)-3-quinolinecarboxamide;
- (101) 7-(aminocarbothioyl)-N-(4-chlorobenzyl)-4-hydroxy-3-quinolinecarboxamide;
- (102) N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-6-(3-methoxypropyl)-3-quinolinecarboxamide;
- (103) N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-6-[(Z)-4-hydroxy-1-butenyl]-3-quinolinecarboxamide;
- (104) N-(4-chlorobenzyl)-6-(5-cyanopentyl)-8-fluoro-4-hydroxy-3-quinolinecarboxamide;
- (105) N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-6-(3-hydroxy-3-methylbutyl)-3-quinolinecarboxamide;
- (106) N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-6-(5-hydroxy-1-pentynyl)-3-quinolinecarboxamide;
- (107) 6-{3-[benzyl(methyl)amino]propyl}-N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-3-quinolinecarboxamide;
- (108) methyl 3-{[(4-chlorobenzyl)amino]carbonyl}-8-fluoro-4-hydroxy-6-quinolinecarboxylate;
- (109) N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-6-(3-hydroxypropyl)-3-quinolinecarboxamide;
- (110) N-(4-chlorobenzyl)-4-hydroxy-7-(3-hydroxy-propyl)-3-quinolinecarboxamide;
 - (111) ethyl
- (E)-3-(3-{[(4-chlorobenzyl)amino]carbonyl}-8-fluoro-4-hydroxy-6-quinolinyl)-2-propenoate;
- (112) sodium $2-[\{8-[3-(3-\{[(4-chlorobenzyl)amino]carbonyl\}-8-fluoro-4-hydroxy-6-chlorobenzyl)amino]carbonyl}-8-fluoro-4-hydroxy-6-$

```
quinolinyl)propoxy]-8-oxooctanoyl}(methyl)amino]-1-
ethanesulfonate;
      (113) 3-(3-\{[(4-\text{chlorobenzyl}) \text{ amino}] \text{ carbonyl}\}-
8-fluoro-4-hydroxy-6-quinolinyl)propanoic acid;
              5-(3-{[(4-chlorobenzyl)amino]carbonyl}-
8-fluoro-4-hydroxy-6-quinolinyl)-4-pentynoic acid;
      (115) N-[(4-\text{chlorophenyl})\text{methyl}]-9]\text{hydroxy-3H-}
pyrazolo[4,3-f]quinoline-8-carboxamide;
      (116) N-(4-chlorobenzyl)-4-hydroxy-6-iodo-8-
methoxy-3-quinolinecarboxamide;
      (117) N-(4-\text{chlorobenzyl})-4-\text{hydroxy}-6-(3-\text{hydroxy}-1-
propynyl)-8-methoxy-3-quinolinecarboxamide;
      (118) N-(4-\text{chlorobenzyl})-4-\text{hydroxy}-8-\text{methoxy}-6-(3-
methoxy-1-propynyl)-3-quinolinecarboxamide;
      (119) N-(4-chlorobenzyl)-4-hydroxy-6-(3-
hydroxypropyl) -8-methoxy-3-quinolinecarboxamide;
      (120) N-(4-\text{chlorobenzyl})-4-\text{hydroxy}-6-(3-\text{hydroxy}-1-
propynyl) -8-(trifluoromethyl) -3-quinolinecarboxamide;
      (121) N-(4-chlorobenzyl)-4-hydroxy-6-(3-hydroxy-1-
propynyl) -8-(trifluoromethoxy) -3-quinolinecarboxamide;
      (122) N-(4-\text{chlorobenzyl})-4-\text{hydroxy}-6-(3-
hydroxypropyl)-8-(trifluoromethyl)-3-
quinolinecarboxamide;
      (123) N-(4-chlorobenzyl)-4-hydroxy-8-(2-
hydroxyethoxy)-6-(3-hydroxypropyl)-3-
quinolinecarboxamide;
      (124) N-(4-chlorobenzyl)-4-hydroxy-6-(3-hydroxy-
1,1-dimethylpropyl)-3-quinolinecarboxamide;
      (125) N-(4-\text{chlorobenzyl})-8-\text{fluoro}-4-\text{hydroxy}-6-[3-
(methylsulfanyl)-1-propynyl]-3-quinolinecarboxamide;
      (126) N-(4-\text{chlorobenzyl})-6-[3-(\text{ethylsulfanyl})-1-
propynyl]-8-fluoro-4-hydroxy-3-quinolinecarboxamide;
      (127) N-(4-\text{chlorobenzyl})-8-\text{fluoro}-4-\text{hydroxy}-6-[(Z)-
3-(methylsulfanyl)-1-propenyl]-3-quinolinecarboxamide;
```

```
(128) N-(4-chlorobenzyl)-6-[(Z)-3-(ethylsulfanyl)-1-propenyl]-8-fluoro-4-hydroxy-3-quinolinecarboxamide;
```

- (129) N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-6-[3-(methylsulfanyl)propyl]-3-quinolinecarboxamide;
- (130) 3-(3-{[(4-chlorobenzyl)amino]carbonyl}-8-fluoro-4-hydroxy-6-quinolinyl)-2-propynyl formate;
- (131) N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-6-(3-hydroxybutyl)-3-quinolinecarboxamide;
- (132) N-(4-chlorobenzyl)-6-[(E)-2-cyanoethenyl]-8-fluoro-4-hydroxy-3-quinolinecarboxamide;
- (133) N-(4-chlorobenzyl)-4-hydroxy-6-(3-hydroxy-1-propynyl)-3-quinolinecarboxamide;
- (134) N-(4-chlorobenzyl)-6-[(Z)-3-hydroxy-1-propenyl]-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (135) N-(4-chlorobenzyl)-6-[(E)-3-hydroxy-1-propenyl]-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (136) N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-6-[(Z)-3-hydroxy-1-propenyl]-3-quinolinecarboxamide;
- (137) N-(4-chlorobenzyl)-6-(2-cyanoethyl)-8-fluoro-4-hydroxy-3-quinolinecarboxamide;
- (138) N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-6-(3-oxopropyl)-3-quinolinecarboxamide;
- (139) N-(4-chlorobenzyl)-4-hydroxy-7-(4-hydroxybutyl)-3-quinolinecarboxamide;
- (140) N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-6-(hydroxymethyl)-3-quinolinecarboxamide;
- (141) 3-(3-{[(4-chlorobenzyl)amino]carbonyl}-8-fluoro-4-hydroxy-6-quinolinyl)propyl methanesulfonate;
- (142) N-(4-chlorobenzyl)-8-fluoro-6-(3-fluoro-1-propynyl)-4-hydroxy-3-quinolinecarboxamide;
- (143) N-(4-chlorobenzyl)-4-hydroxy-6-(3-hydroxypropyl)-3-quinolinecarboxamide;
- (144) 3-(3-{[(4-chlorobenzyl)amino]carbonyl}-8-fluoro-4-hydroxy-6-quinolinyl)propyl 2-bromoacetate;

- (145) 3-(3-{[(4-chlorobenzyl)amino]carbonyl}-8-fluoro-4-hydroxy-6-quinolinyl)propyl 2-[(tert-butoxycarbonyl)amino]-3-methylbutanoate;
- (146) 3-(3-{[(4-chlorobenzyl)amino]carbonyl}-8fluoro-4-hydroxy-6-quinolinyl)propyl 2-(4morpholinyl)acetate;
- (147) 3-(3-{[(4-chlorobenzyl)amino]carbonyl}-8-fluoro-4-hydroxy-6-quinolinyl)propyl 2-(dimethylamino)acetate;
- (148) 3-(3-{[(4-chlorobenzyl)amino]carbonyl}-8-fluoro-4-hydroxy-6-quinolinyl)propyl 2-amino-3-methylbutanoate;
- (149) 3-(3-{[(4-chlorobenzyl)amino]carbonyl}-8-fluoro-4-hydroxy-6-quinolinyl)-2-propynyl phenylcarbamate;
- (150) N-(4-chlorobenzyl)-4-hydroxy-6-propyl-3-quinolinecarboxamide;
- (151) N-(4-chlorobenzyl)-4-hydroxy-6-(3-hydroxy-1-butynyl)-3-quinolinecarboxamide;
- (152) N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-6-[(E)-3-oxo-1-butenyl]-3-quinolinecarboxamide;
- (153) N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-6-(5-hydroxypentyl)-3-quinolinecarboxamide;
- (154) 3-(3-{[(4-chlorobenzyl)amino]carbonyl}-8-fluoro-4-hydroxy-6-quinolinyl)propyl 2,6-bis[(tert-butoxycarbonyl)amino]hexanoate;
- (155) 3-(3-{[(4-chlorobenzyl)amino]carbonyl}-8fluoro-4-hydroxy-6-quinolinyl)propyl 2,6diaminohexanoate, trifluoroacetic acid salt;
- (156) N-(4-chlorobenzyl)-4-hydroxy-6-(3-hydroxybutyl)-3-quinolinecarboxamide;
- (157) N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-6-(4-morpholinylmethyl)-3-quinolinecarboxamide;
- (158) 3-(3-{[(4-chlorobenzyl)amino]carbonyl}-8-fluoro-4-hydroxy-6-quinolinyl)propyl phenylcarbamate;

- (159) N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-6-(3-oxobutyl)-3-quinolinecarboxamide;
- (160) 3-(3-{[(4-chlorobenzyl)amino]carbonyl}-4hydroxy-6-quinolinyl)-2-propynyl 2,6-bis[(tertbutoxycarbonyl)amino]hexanoate;
- (161) 3-(3-{[(4-chlorobenzyl)amino]carbonyl}-4-hydroxy-6-quinolinyl)-2-propynyl 2,6-diaminohexanoate, trifluoroacetic acid salt;
- (162) N-(4-chlorobenzyl)-4-hydroxy-6-[(2-hydroxyethoxy)methyl]-3-quinolinecarboxamide;
- (163) N-(4-chlorobenzyl)-4-hydroxy-6-{[2-hydroxy-1-(hydroxymethyl)ethoxy]methyl}-3-quinolinecarboxamide;
- (164) Methyl 3-{[(4-chlorobenzyl)amino]carbonyl}-4-hydroxy-6-quinolinecarboxylate;
- (165) N-(4-chlorobenzyl)-4-hydroxy-6-(hydroxymethyl)-3-quinolinecarboxamide;
- (166) 6-chloro-N-(4-chlorobenzyl)-4-hydroxy-8-methyl-3-quinolinecarboxamide;
- (167) N-(4-chlorobenzyl)-5,6,8-trifluoro-4-hydroxy-3-quinolinecarboxamide;
- (168) N-(4-chlorobenzyl)-6,7-difluoro-4-hydroxy-3-quinolinecarboxamide;
- (169) N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-6-(methylsulfanyl)-3-quinolinecarboxamide;
- (170) N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-6-[(2-hydroxyethyl)sulfanyl]-3-quinolinecarboxamide;
- (171) 6-[(2-aminoethyl)sulfanyl]-N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-3-quinolinecarboxamide hydrobromide;
- (172) $N-(4-\text{chlorobenzyl})-8-\text{fluoro}-4-\text{hydroxy}-6-\{[(2-\text{methoxyethoxy})\,\text{methyl}]\,\text{sulfanyl}\}-3-\text{quinolinecarboxamide};$
- (173) N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-6-{[2-(4-morpholinyl)ethyl]sulfanyl}-3-quinolinecarboxamide;
- (174) N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-6-(methylsulfinyl)-3-quinolinecarboxamide;

- (175) N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-6-(methylsulfonyl)-3-quinolinecarboxamide;
- (176) $N-(4-\text{chlorobenzyl})-8-\text{fluoro}-4-\text{hydroxy}-6-[(2-\text{hydroxyethyl})\,\text{sulfinyl}]-3-quinolinecarboxamide;$
- (177) N-(4-chlorobenzyl)-4-hydroxy-6-(2-thienyl)-3-quinolinecarboxamide;
- (178) N-(4-chlorobenzyl)-4-hydroxy-6-(2-hydroxyethoxy)-3-quinolinecarboxamide;
- (179) N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-6-(4-morpholinylcarbonyl)-3-quinolinecarboxamide;
- (180) N^3 -(4-chlorobenzyl)-8-fluoro-4-hydroxy- N^6 -(2-hydroxyethyl)-3,6-quinolinedicarboxamide;
- (181) N^3 -(4-chlorobenzyl)-8-fluoro-4-hydroxy- N^6 , N^6 -dimethyl-3, 6-quinolinedicarboxamide;
- (182) N^3 -(4-chlorobenzyl)-8-fluoro-4-hydroxy- N^6 -(4-hydroxyphenethyl)-3,6-quinolinedicarboxamide;
- (183) N^3 -(4-chlorobenzyl)-8-fluoro-4-hydroxy-3,6-quinolinedicarboxamide;
- (184) N^3 , N^6 -bis (4-chlorobenzyl)-8-fluoro-4-hydroxy-3,6-quinolinedicarboxamide;
- (185) 6-amino-N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-3-guinolinecarboxamide;
- (186) $N-(4-\text{chlorobenzyl})-8-\text{fluoro}-4-\text{hydroxy}-6-\{[(4-\text{methoxyphenyl})\,\text{sulfonyl}]\,\text{amino}\}-3-\text{quinolinecarboxamide};$
- (187) N-(4-chlorobenzyl)-4-hydroxy-6-[(2-hydroxyethyl)amino]-3-quinolinecarboxamide;
 - (188) N-(4-chlorobenzyl)-6-[ethyl(2-
- hydroxyethyl)amino]-4-hydroxy-3-quinolinecarboxamide;
- (189) N-(4-chlorobenzyl)-4-hydroxy-6-(2-oxo-1,3-oxazolidin-3-yl)-3-quinolinecarboxamide;
- (190) N-(4-chlorobenzyl)-4-hydroxy-6-(4-morpholinylmethyl)-3-quinolinecarboxamide;
- (191) $N-(4-\text{chlorobenzyl})-8-\text{fluoro}-4-\text{hydroxy}-6-\{[(1-\text{naphthylmethyl})\,\text{amino}]\,\text{sulfonyl}\}-3-\text{quinoline}\text{carboxamide};$

```
(192) N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-6-({[2-
(1H-indol-3-yl)ethyl]amino}sulfonyl)-3-
quinolinecarboxamide;
(193) N-(4-chlorobenzyl)-8-fluoro-6-{[(2-
```

- (193) N-(4-chlorobenzyl)-8-fluoro-6-{[(2furylmethyl)amino]sulfonyl}-4-hydroxy-3quinolinecarboxamide;
- (194) 6-{[bis(2-hydroxyethyl)amino]sulfonyl}-N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-3-quinolinecarboxamide;
- (195) ethyl 2-{[(3-{[(4chlorobenzyl)amino]carbonyl}-8-fluoro-4-hydroxy-6quinolinyl)sulfonyl]amino}acetate;
- (196) N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-6-{[(2-hydroxyethyl)amino]sulfonyl}-3-quinolinecarboxamide;
- (197) N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-6-(4-morpholinylsulfonyl)-3-quinolinecarboxamide;
- (198) $N-(4-\text{chlorobenzyl})-8-\text{fluoro}-4-\text{hydroxy}-6-\{[(2-\text{pyridinylmethyl})\,\text{amino}]\,\text{sulfonyl}\}-3-\text{quinolinecarboxamide};$
- (199) $N-(4-\text{chlorobenzyl})-8-\text{fluoro}-4-\text{hydroxy}-6-[(2-\text{pyridinylamino})\,\text{sulfonyl}]-3-\text{quinolinecarboxamide};$
- (200) N-(4-chlorobenzyl)-6{[(cyclohexylmethyl)amino]sulfonyl}-8-fluoro-4-hydroxy-3quinolinecarboxamide;
- (201) N-(4-chlorobenzy1)-8-fluoro-4-hydroxy-6-({[2-(1-methyl-2-pyrrolidinyl)ethyl]amino}sulfonyl)-3quinolinecarboxamide;
- (202) N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-6-({[2-(1-pyrrolidinyl)ethyl]amino}sulfonyl)-3quinolinecarboxamide;
- (203) N-(4-chlorobenzyl)-8-fluoro-6-{[(2-furylmethyl)amino]sulfonyl}-4-hydroxy-3-quinolinecarboxamide;
- (204) N-(4-chlorobenzyl)-6-({[3-(cyclohexylamino)propyl]amino}sulfonyl)-8-fluoro-4-hydroxy-3-guinolinecarboxamide;

- (205) N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-6-{[(1-naphthylmethyl)amino]sulfonyl}-3-quinolinecarboxamide;
- (206) N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-6-({[2-(1H-imidazol-4-yl)ethyl]amino}-sulfonyl)-3-quinolinecarboxamide;
- (207) N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-6-{[(tetrahydro-2-furanylmethyl)amino]-sulfonyl}-3-quinolinecarboxamide;
- (208) N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-6-{[(2-thienylmethyl)amino]sulfonyl}-3-quinolinecarboxamide;
- (209) N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-6-({[2-(1H-indol-3-yl)ethyl]amino}sulfonyl)-3-quinolinecarboxamide;
- (210) N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-6-({[2-(5-methoxy-1H-indol-3-yl)ethyl]amino}sulfonyl)-3-quinolinecarboxamide;
- (211) 6-{[(1,3-benzodioxol-5-ylmethyl)amino]sulfonyl}-N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-3-quinolinecarboxamide;
- (212) N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-6-({[2-(4-morpholinyl)ethyl]amino}-sulfonyl)-3-quinolinecarboxamide;
- (213) N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-6-({[3-(4-morpholinyl)propyl]amino}-sulfonyl)-3-quinolinecarboxamide;
- (214) N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-6-[({2-[(5-nitro-2-pyridinyl)amino]ethyl}-amino)sulfonyl]-3-quinolinecarboxamide;
- (215) $N-(4-\text{chlorobenzyl})-8-\text{fluoro}-4-\text{hydroxy}-6-\{[(2-\text{pyridinylmethyl}) amino] sulfonyl}-3-quinolinecarboxamide;$
- (216) N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-6-({[2-(2-pyridinyl)ethyl]amino}sulfonyl)-3quinolinecarboxamide;
- (217) $N-(4-\text{chlorobenzyl})-8-\text{fluoro}-4-\text{hydroxy}-6-\{[(3-\text{pyridinylmethyl})amino]sulfonyl}-3-quinolinecarboxamide;$

- (218) $N-(4-\text{chlorobenzyl})-8-\text{fluoro}-4-\text{hydroxy}-6-\{[(4-\text{pyridinylmethyl})\,\text{amino}]\,\text{sulfonyl}\}-3-\text{quinolinecarboxamide};$
- (219) N-(4-chlorobenzyl)-6-{[(4-chlorobenzyl)amino]sulfonyl}-8-fluoro-4-hydroxy-3-quinolinecarboxamide;
- $(220) \quad \textit{N-} (4-\text{chlorobenzyl}) 8-\text{fluoro-}4-\text{hydroxy-}6-\{ \text{[(4-methoxybenzyl)amino]sulfonyl} \} 3-\text{quinolinecarboxamide;}$
- (221) N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-6-[(neopentylamino)sulfonyl]-3-quinolinecarboxamide;
- (222) $N-(4-\text{chlorobenzyl})-8-\text{fluoro}-4-\text{hydroxy}-6-\{[(2-\text{hydroxypropyl}) amino] sulfonyl}-3-quinolinecarboxamide;$
- (223) $N-(4-\text{chlorobenzyl})-6-\{[(2,3-\text{dihydroxypropyl})amino]sulfonyl}-8-fluoro-4-hydroxy-3-quinolinecarboxamide;$
- (224) N-(4-chlorobenzyl)-6-{[(2,2-diphenylethyl)amino]sulfonyl}-8-fluoro-4-hydroxy-3-quinolinecarboxamide;
- (225) 11-{[(3-{[(4-chlorobenzyl)amino]carbonyl}-8-fluoro-4-hydroxy-6-quinolinyl)sulfonyl]amino}undecanoic acid;
- (226) $6-(\{[2-(acetylamino)ethyl]amino\}sulfonyl)-N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-3-quinolinecarboxamide;$
- (227) N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-6-({[2-(2-hydroxyethoxy)ethyl]amino}-sulfonyl)-3-quinolinecarboxamide;
- (228) $N-(4-\text{chlorobenzyl})-8-\text{fluoro}-4-\text{hydroxy}-6-\{[(2-\text{hydroxyethyl})\,\text{amino}]\,\text{sulfonyl}\}-3-\text{quinolinecarboxamide};$
- (229) N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-6- [(phenethylamino)sulfonyl]-3-quinolinecarboxamide;
- (230) $N-(4-\text{chlorobenzyl})-6-\{[(4-\text{chlorophenethyl}) = \text{amino}] = 8-\text{fluoro}-4-\text{hydroxy}-3-\text{quinolinecarboxamide};$
- (231) N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-6-[(2-propynylamino)sulfonyl]-3-quinolinecarboxamide;

```
(232) N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-6-
[(isopentylamino)sulfonyl]-3-quinolinecarboxamide;
     (233) N-(4-\text{chlorobenzyl})-8-\text{fluoro}-4-\text{hydroxy}-6-\{[(3-
phenylpropyl)amino]sulfonyl}-3-quinolinecarboxamide;
            N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-6-
[(pentylamino)sulfonyl]-3-quinolinecarboxamide;
     (235) 6-({[3,5-}
bis(trifluoromethyl)benzyl]amino\}sulfonyl)-N-(4-
chlorobenzyl) -8-fluoro-4-hydroxy-3-quinolinecarboxamide;
     (236) N-(4-\text{chlorobenzyl})-6-(\{[2-(1-\text{cyclohexen}-1-
yl) ethyl] amino} sulfonyl) -8-fluoro-4-hydroxy-3-
quinolinecarboxamide;
            N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-6-({[2-
(1-naphthylamino)ethyllamino}-sulfonyl)-3-
quinolinecarboxamide;
           N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-6-
     (238)
[(methylamino)sulfonyl]-3-quinolinecarboxamide;
     (239) N-(4-chlorobenzyl)-6-
{ [(cyanomethyl)amino]sulfonyl}-8-fluoro-4-hydroxy-3-
quinolinecarboxamide;
     (240) N-(4-chlorobenzyl)-6-{[(2,4-
dimethoxybenzyl)amino]sulfonyl}-8-fluoro-4-hydroxy-3-
quinolinecarboxamide;
     (241) N-(4-\text{chlorobenzyl})-8-\text{fluoro}-4-\text{hydroxy}-6-\{[(3-
iodobenzyl)amino]sulfonyl}-3-quinolinecarboxamide;
            N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-6-
\{[(2,2,2-trifluoroethyl) amino] sulfonyl\}-3-
quinolinecarboxamide;
             6-\{[(2-bromoethyl)amino]sulfonyl\}-N-(4-
     (243)
chlorobenzyl)-8-fluoro-4-hydroxy-3-quinolinecarboxamide;
```

(244) N- $(4-chlorobenzyl)-6-{(2-$

quinolinecarboxamide;

chloroethyl)amino]sulfonyl}-8-fluoro-4-hydroxy-3-

- (245) $N-(4-\text{chlorobenzyl})-6-\{[(3,4-\text{dihydroxyphenethyl}) \text{ amino}] \text{ sulfonyl}\}-8-\text{fluoro-}4-\text{hydroxy-}3-\text{quinolinecarboxamide};$
- (246) N-(4-chlorobenzyl)-6-({[2-(ethylsulfanyl)ethyl]amino}sulfonyl)-8-fluoro-4-hydroxy-3-quinolinecarboxamide;
- (247) 6-{[(3-bromopropyl)amino]sulfonyl}-N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-3-quinolinecarboxamide;
- (248) 6-({[4-(aminosulfonyl)benzyl]amino}sulfonyl)N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-3quinolinecarboxamide;
- $(249) \quad 6-[(\{2-[bis(2-hydroxyethyl)amino]ethyl\}amino)sulfonyl]-N-(4-hydroxy-3-quinolinecarboxamide;$
- (250) N-(4-chlorobenzyl)-6-({[2(ethylsulfanyl)ethyl]amino}sulfonyl)-8-fluoro-4-hydroxy3-quinolinecarboxamide;
- (251) $N-(4-\text{chlorobenzyl})-6-\{[(3,4-\text{dimethylbenzyl})\,\text{amino}]\,\text{sulfonyl}\}-8-\text{fluoro}-4-\text{hydroxy}-3-\text{quinolinecarboxamide};$
- (252) N-(4-chlorobenzyl)-6- { [(cyclopropylmethyl)amino]sulfonyl}-8-fluoro-4-hydroxy-3-quinolinecarboxamide;
- (253) 6-{[(4-bromobenzyl)amino]sulfonyl}-N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-3-quinolinecarboxamide;
- (254) $N-(4-\text{chlorobenzyl})-8-\text{fluoro}-4-\text{hydroxy}-6-({[2-(2-\text{thienyl})ethyl]amino}sulfonyl)-3-quinolinecarboxamide;$
- (255) $N-(4-\text{chlorobenzyl})-8-\text{fluoro}-4-\text{hydroxy}-6-\{[(2-\text{phenoxyethyl})\,\text{amino}]\,\text{sulfonyl}\}-3-\text{quinolinecarboxamide};$
- (256) tert-butyl 2-{[(3-{[(4chlorobenzyl)amino]carbonyl}-8-fluoro-4-hydroxy-6quinolinyl)sulfonyl]amino}acetate;
- (257) tert-butyl 3-{[(3-{[(4chlorobenzyl)amino]carbonyl}-8-fluoro-4-hydroxy-6quinolinyl)sulfonyl]amino}propanoate;

```
(258) N-(4-\text{chlorobenzyl})-8-\text{fluoro}-4-\text{hydroxy}-6-({[3-(trifluoromethoxy)benzyl]amino}-\text{sulfonyl})-3-quinolinecarboxamide;
```

 $(259) \quad \textit{N-} (4-\text{chlorobenzyl}) - 8-\text{fluoro-}4-\text{hydroxy-}6-\{ \ [(2-(\text{hydroxymethyl}) \text{phenyl}] \text{ sulfanyl} \}-$

benzyl)amino]sulfonyl}-3-quinolinecarboxamide;

- (260) N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-6-({[4-(1,2,3-thiadiazol-4-yl)benzyl]amino}sulfonyl)-3-quinolinecarboxamide;
- (261) $N-(4-\text{chlorobenzyl})-6-\{[(4-\text{chloro-}2-\text{fluorobenzyl}) \text{ amino}] \text{ sulfonyl}\}-8-\text{fluoro-}4-\text{hydroxy-}3-\text{quinolinecarboxamide};$
- (262) N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-6-[({2-[(2-hydroxyethyl)sulfanyl]ethyl}-amino)sulfonyl]-3-guinolinecarboxamide;
- (263) 6-{[(2-amino-2-methylpropyl)amino]sulfonyl}N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-3quinolinecarboxamide;
- (264) 6-{[(2-amino-2-oxoethy1)amino]sulfony1}-N-(4-chlorobenzy1)-8-fluoro-4-hydroxy-3-quinolinecarboxamide;
- $(265) \qquad 6-\{ \text{[(4-aminobenzyl)amino]sulfonyl}\}-N-\text{(4-chlorobenzyl)}-8-\text{fluoro-4-hydroxy-3-quinolinecarboxamide;}$
- (266) di(tert-butyl) 3-(3-{[(4chlorobenzyl)amino]carbonyl}-8-fluoro-4-hydroxy-6quinolinyl)propyl phosphate;
- (267) 3-(3-{[(4-chlorobenzyl)amino]carbonyl}-8fluoro-4-hydroxy-6-quinolinyl)propyl dihydrogen
 phosphate;
- (268) 3-(3-{[(4-chlorobenzyl)amino]carbonyl}-4-hydroxy-6-quinolinyl)propyl dihydrogen phosphate;
- (269) tert-butyl 3-(3-{[(4chlorobenzyl)amino]carbonyl}-4-hydroxy-6quinolinyl)propyl phosphonate;

- (270) tert-butyl 3-(3-{[(4chlorobenzyl)amino]carbonyl}-8-fluoro-4-hydroxy-6quinolinyl)propyl phosphonate;
- (271) (E)-3-(3-{[(4-chlorobenzyl)amino]carbonyl}-8-fluoro-4-hydroxy-6-quinolinyl)-2-propenoic acid; or
- (272) N-[(4-chlorophenyl)methyl]-4-hydroxy-7-iodo-3-quinolinecarboamide.
- 4. The method of Claim 2, wherein the compound administered is
- (1) 7-amino-N-(4-chlorobenzyl)-4-hydroxy-3-quinolinecarboxamide;
- (2) N-(4-chlorobenzyl)-4-hydroxy-7-methoxy-3-quinolinecarboxamide;
- (3) N-(4-chlorobenzyl)-7-fluoro-4-hydroxy-3-quinolinecarboxamide;
- (4) N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-3-quinolinecarboxamide;
- (5) 6-chloro-N-(4-chlorobenzyl)-4-hydroxy-3-quinolinecarboxamide;
- (6) N-(4-chlorobenzyl)-4-hydroxy-6-methyl-3-quinolinecarboxamide;
- (7) N-(4-chlorobenzyl)-4-hydroxy-6-methoxy-3-quinolinecarboxamide;
- (8) N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-6-methyl-3-quinolinecarboxamide;
- (9) N-(4-chlorobenzyl)-4-hydroxy-6-iodo-3-quinolinecarboxamide;
- (10) N-(4-chlorobenzyl)-4-hydroxy-6-phenyl-3-quinolinecarboxamide;
- (11) N-(4-chlorobenzyl)-4-hydroxy-6,8-dimethoxy-3-quinolinecarboxamide;
- (12) 6-(tert-butyl)-N-(4-chlorobenzyl)-4-hydroxy-3-quinolinecarboxamide;

- (13) N-(4-chlorobenzyl)-6-(cyanomethyl)-4-hydroxy- 3-quinolinecarboxamide;
- (14) N-(4-chlorobenzyl)-9-hydroxy[1,3]thiazolo[5,4-f]quinoline-8-carboxamide;
- (15) N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-6-(3-hydroxy-1-propynyl)-3-quinolinecarboxamide;
- (16) N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-6-(1,3-thiazol-2-yl)-3-quinolinecarboxamide;
- (17) N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-6-(2-thienyl)-3-quinolinecarboxamide;
- (18) N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-6-(3-methoxy-1-propynyl)-3-quinolinecarboxamide;
- (19) 6-(4-bromo-2-thienyl)-N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-3-quinolinecarboxamide;
- (20) N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-6-(4-hydroxybutyl)-3-quinolinecarboxamide;
- (21) N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-6-[(Z)-4-hydroxy-1-butenyl]-3-quinolinecarboxamide;
- (22) N-((4-chlorobenzyl)-6,8-difluoro-4-hydroxy-7-[4-(hydroxymethyl)phenoxy]-3-quinolinecarboxamide;
- (23) N-((4-chlorobenzyl)-6,8-difluoro-4-hydroxy-7-methoxy-3-quinolinecarboxamide;
- (24) N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-6-(5-hydroxy-1-pentynyl)-3-quinolinecarboxamide;
- (25) 3-(3-{[(4-chlorobenzyl)amino]carbonyl}-8-fluoro-4-hydroxy-6-quinolinyl)-2-propynyl formate;
- (26) N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-6-(3-hydroxypropyl)-3-quinolinecarboxamide;
- (27) N-(4-chlorobenzyl)-4-hydroxy-7-(3-hydroxypropyl)-3-quinolinecarboxamide;
- (28) N-((4-chlorobenzyl)-8-fluoro-4-hydroxy-6-(3-hydroxybutyl)-3-quinolinecarboxamide;
- (29) N-((4-chlorobenzyl)-6-[(E)-2-cyanoethenyl]-8-fluoro-4-hydroxy-3-quinolinecarboxamide;

- (30) N-((4-chlorobenzyl)-4-hydroxy-6-(3-hydroxy-1-propynyl)-8-methoxy-3-quinolinecarboxamide;
- (31) N-(4-chlorobenzyl)-4-hydroxy-6-(3-hydroxy-1-propynyl)-3-quinolinecarboxamide;
- (32) N-(4-chlorobenzyl)-4-hydroxy-8-methoxy-6-(3-methoxy-1-propynyl)-3-quinolinecarboxamide;
- (33) N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-6-[(Z)-3-hydroxy-1-propenyl]-3-quinolinecarboxamide;
- (34) N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-6-(3-oxopropyl)-3-quinolinecarboxamide;
- (35) N-(4-chlorobenzyl)-4-hydroxy-7-(4-hydroxybutyl)-3-quinolinecarboxamide;
- (36) N-(4-chlorobenzyl)-4-hydroxy-6-iodo-8-methoxy-3-quinolinecarboxamide;
- (37) N-(4-chlorobenzyl)-8-fluoro-6-(3-fluoro-1-propynyl)-4-hydroxy-3-quinolinecarboxamide;
- (38) N-(4-chlorobenzyl)-4-hydroxy-6-(3-hydroxypropyl)-3-quinolinecarboxamide;
- (39) 3-(3-{[(4-chlorobenzyl)amino]carbonyl}-8fluoro-4-hydroxy-6-quinolinyl)propyl 2-bromoacetate;
- (40) 3-(3-{[(4-chlorobenzyl)amino]carbonyl}-8fluoro-4-hydroxy-6-quinolinyl)propyl 2-[(tertbutoxycarbonyl)amino]-3-methylbutanoate;
- (41) 3-(3-{[(4-chlorobenzyl)amino]carbonyl}-8fluoro-4-hydroxy-6-quinolinyl)propyl 2-amino-3methylbutanoate;
- (42) 3-(3-{[(4-chlorobenzyl)amino]carbonyl}-8fluoro-4-hydroxy-6-quinolinyl)-2-propynyl
 phenylcarbamate;
- (43) N-((4-chlorobenzyl)-4-hydroxy-6-propyl-3-quinolinecarboxamide;
- (44) N-((4-chlorobenzyl)-4-hydroxy-6-(3-hydroxypropyl)-8-methoxy-3-quinolinecarboxamide;
- (45) N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-6-(methylsulfanyl)-3-quinolinecarboxamide;

- (46) $N-(4-\text{chlorobenzyl})-4-\text{hydroxy-}7-\{[(1-\text{naphthylmethyl})amino]sulfonyl}-3-quinolinecarboxamide;$
- (47) N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-6-[(E)-3-oxo-1-butenyl]-3-quinolinecarboxamide;
- (48) N-(4-chlorobenzyl)-4-hydroxy-6-(3-hydroxy-1-propynyl)-8-(trifluoromethoxy)-3-quinolinecarboxamide;
- (49) sodium 2-[{8-[3-(3-{[(4chlorobenzyl)amino]carbonyl}-8-fluoro-4-hydroxy-6quinolinyl)propoxy]-8-oxooctanoyl}(methyl)amino]-1ethanesulfonate;
- (50) 3-(3-{[(4-chlorobenzyl)amino]carbonyl}-8-fluoro-4-hydroxy-6-quinolinyl)propyl dihydrogen phosphate;
- (51) 3-(3-{[(4-chlorobenzyl)amino]carbonyl}-8fluoro-4-hydroxy-6-quinolinyl)propyl 2,6-bis[(tertbutoxycarbonyl)amino]hexanoate;
- (52) tert-butyl 3-(3-{[(4-chlorobenzyl)amino]carbonyl}-8-fluoro-4-hydroxy-6-quinolinyl)propyl phosphonate;
- (53) sodium 2-[(8-{[3-(3-{[(4chlorobenzyl)amino]carbonyl}-8-fluoro-4-hydroxy-6quinolinyl)-2-propynyl]oxy}-8-oxooctanoyl) (methyl)amino]1-ethanesulfonate;
- (54) N-(4-chlorobenzyl)-4-hydroxy-6-(2-hydroxyethoxy)-3-quinolinecarboxamide;
- (55) 3-(3-{[(4-chlorobenzyl)amino]carbonyl}-8fluoro-4-hydroxy-6-quinolinyl)propyl 2,6-diaminohexanoate
 trifluoroacetic acid salt;
- (56) $N-(4-\text{chlorobenzyl})-4-\text{hydroxy-}6-[(2-\text{hydroxyethyl})amino}]-3-quinolinecarboxamide;$
- (57) N-(4-chlorobenzyl)-4-hydroxy-6-(3-hydroxybutyl)-3-quinolinecarboxamide;
- (58) sodium $2-[(8-\{[3-(3-\{[4-(h-(b-1)])-2-(h-(b-1)])-2-(h-(b-1))])]$

- propynyl]oxy}-8-oxooctanoyl) (methyl)amino]-1ethanesulfonate;
- (59) sodium 2-[{8-[3-(3-{[(4chlorobenzyl)amino]carbonyl}-4-hydroxy-6quinolinyl)propoxy]-8-oxooctanoyl}(methyl)amino]-1ethanesulfonate;
- (60) tert-butyl 3-(3-{[(4chlorobenzyl)amino]carbonyl}-4-hydroxy-6quinolinyl)propyl phosphonate;
- (61) 3-(3-{[(4-chlorobenzyl)amino]carbonyl}-4hydroxy-6-quinolinyl)propyl dihydrogen phosphate;
- (62) N-(4-chlorobenzyl)-4-hydroxy-8-(2-hydroxyethoxy)-6-(3-hydroxypropyl)-3-quinolinecarboxamide;
- (63) N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-6-(4-morpholinylmethyl)-3-quinolinecarboxamide;
- (64) N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-6-(3-oxobutyl)-3-quinolinecarboxamide;
- (65) N-(4-chlorobenzyl)-4-hydroxy-6-(2-oxo-1,3-oxazolidin-3-yl)-3-quinolinecarboxamide;
- (66) 3-(3-{[(4-chlorobenzyl)amino]carbonyl}-4hydroxy-6-quinolinyl)-2-propynyl 2,6-bis[(tertbutoxycarbonyl)amino]hexanoate;
- (67) N-(4-chlorobenzyl)-6-[(Z)-3-hydroxy-1-propenyl]-4-oxo-1, 4-dihydro-3-quinolinecarboxamide;
- (68) N-(4-chlorobenzyl)-6-[(E)-3-hydroxy-1-propenyl]-4-oxo-1, 4-dihydro-3-quinolinecarboxamide;
- (69) 3-(3-{[(4-chlorobenzyl)amino]carbonyl}-4-hydroxy-6-quinolinyl)-2-propynyl 2,6-diaminohexanoate trifluoroacetic acid salt;
- (70) 3-(3-{[(4-chlorobenzyl)amino]carbonyl}-4-hydroxy-6-quinolinyl)propyl hydrogen phosphonate;
- (71) N-(4-chlorobenzyl)-4-hydroxy-6-(2-thienyl)-3-quinolinecarboxamide;

- (72) N-((4-chlorobenzyl)-4-hydroxy-6-[(2-hydroxyethoxy) methyl]-3-quinolinecarboxamide;
- (73) N-(4-chlorobenzyl)-4-hydroxy-6-(3-hydroxy-1,1-dimethylpropyl)-3-quinolinecarboxamide;
- (74) N-(4-chlorobenzyl)-4-hydroxy-6-{[2-hydroxy-1-(hydroxymethyl)ethoxy]methyl}-3-quinolinecarboxamide;
- (75) N-((4-chlorobenzyl)-4-hydroxy-6-(hydroxymethyl)-3-quinolinecarboxamide;
- (76) Methyl 3-{[(4-chlorobenzyl)amino]carbonyl}-4-hydroxy-6-quinolinecarboxylate; or
- (77) N-(4-chlorobenzyl)-4-hydroxy-6-(4-morpholinylmethyl)-3-quinolinecarboxamide.
- 5. The method of Claim 2, wherein the compound administered is
- (1) N-(4-chlorobenzyl)-4-hydroxy-7-methoxy-3-quinolinecarboxamide;
- (2) N-(4-chlorobenzyl)-7-fluoro-4-hydroxy-3-quinolinecarboxamide;
- (3) N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-3-quinolinecarboxamide;
- (4) N-(4-chlorobenzyl)-4-hydroxy-6-methoxy-3-quinolinecarboxamide;
- (5) N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-6-(2-thienyl)-3-quinolinecarboxamide;
- (6) N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-6-(4hydroxybutyl)-3-quinolinecarboxamide;
- (7) N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-6-[(Z)-4-hydroxy-1-butenyl]-3-quinolinecarboxamide;
- (8) N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-6-(3-hydroxypropyl)-3-quinolinecarboxamide;
- (9) N-(4-chlorobenzyl)-4-hydroxy-7-(3hydroxypropyl)-3-quinolinecarboxamide;
- (10) N-(4-chlorobenzyl)-4-hydroxy-6-(3-hydroxy-1-propynyl)-8-methoxy-3-quinolinecarboxamide;

- (11) N-(4-chlorobenzyl)-4-hydroxy-6-(3-hydroxy-1-propynyl)-3-quinolinecarboxamide;
- (12) N-(4-chlorobenzyl)-4-hydroxy-8-methoxy-6-(3-methoxy-1-propynyl)-3-quinolinecarboxamide;
- (13) N-(4-chlorobenzyl)-4-hydroxy-7-(4-hydroxybutyl)-3-quinolinecarboxamide;
- (14) N-(4-chlorobenzyl)-4-hydroxy-6-(3-hydroxypropyl)-3-quinolinecarboxamide;
- (15) 3-(3-{[(4-chlorobenzyl)amino]carbonyl}-8fluoro-4-hydroxy-6-quinolinyl)propyl 2-bromoacetate;
- (16) 3-(3-{[(4-chlorobenzyl)amino]carbonyl}-8fluoro-4-hydroxy-6-quinolinyl)propyl 2-amino-3methylbutanoate;
- (17) N-(4-chlorobenzyl)-4-hydroxy-6-(3-hydroxypropyl)-8-methoxy-3-quinolinecarboxamide;
- (18) sodium 2-[{8-[3-(3-{[(4chlorobenzyl)amino]carbonyl}-8-fluoro-4-hydroxy-6quinolinyl)propoxy]-8-oxooctanoyl}(methyl)amino]-1ethanesulfonate;
- (19) 3-(3-{[(4-chlorobenzyl)amino]carbonyl}-8fluoro-4-hydroxy-6-quinolinyl)propyl dihydrogen
 phosphate;
- (20) 3-(3-{[(4-chlorobenzyl)amino]carbonyl}-8fluoro-4-hydroxy-6-quinolinyl)propyl 2,6-bis[(tertbutoxycarbonyl)amino]hexanoate;
- (21) tert-butyl 3-(3-{[(4chlorobenzyl)amino]carbonyl}-8-fluoro-4-hydroxy-6quinolinyl)propyl phosphonate;
- (22) 3-(3-{[(4-chlorobenzyl)amino]carbonyl}-8-fluoro-4-hydroxy-6-quinolinyl)propyl 2,6-diaminohexanoate trifluoroacetic acid salt;
- (23) N-(4-chlorobenzyl)-4-hydroxy-6-[(2-hydroxyethyl)amino]-3-quinolinecarboxamide;
- (24) N-(4-chlorobenzyl)-4-hydroxy-6-(3-hydroxybutyl)-3-quinolinecarboxamide;

- (25) sodium 2-[(8-{[3-(3-{[(4chlorobenzyl)amino]carbonyl}-4-hydroxy-6-quinolinyl)-2propynyl]oxy}-8-oxooctanoyl) (methyl)amino]-1ethanesulfonate;
- (26) sodium 2-[{8-[3-(3-{[(4chlorobenzyl)amino]carbonyl}-4-hydroxy-6quinolinyl)propoxy]-8-oxooctanoyl}(methyl)amino]-1ethanesulfonate;
- (27) tert-butyl 3-(3-{[(4chlorobenzyl)amino]carbonyl}-4-hydroxy-6quinolinyl)propyl phosphonate;
- (28) 3-(3-{[(4-chlorobenzyl)amino]carbonyl}-4hydroxy-6-quinolinyl)propyl dihydrogen phosphate;
- (29) N-(4-chlorobenzyl)-4-hydroxy-8-(2-hydroxyethoxy)-6-(3-hydroxypropyl)-3-quinolinecarboxamide;
- (30) N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-6-(4-morpholinylmethyl)-3-quinolinecarboxamide;
- (31) 3-(3-{[(4-chlorobenzyl)amino]carbonyl}-4hydroxy-6-quinolinyl)-2-propynyl 2,6-bis[(tertbutoxycarbonyl)amino]hexanoate;
- (32) N-(4-chlorobenzyl)-6-[(Z)-3-hydroxy-1-propenyl]-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (33) N-(4-chlorobenzyl)-6-[(E)-3-hydroxy-1-propenyl]-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (34) 3-(3-{[(4-chlorobenzyl)amino]carbonyl}-4-hydroxy-6-quinolinyl)-2-propynyl 2,6-diaminohexanoate trifluoroacetic acid salt;
- (35) 3-(3-{[(4-chlorobenzyl)amino]carbonyl}-4-hydroxy-6-quinolinyl)propyl hydrogen phosphonate;
- (36) N-(4-chlorobenzyl)-4-hydroxy-6-(2-thienyl)-3-quinolinecarboxamide;
- (37) N-(4-chlorobenzyl)-4-hydroxy-6-[(2-hydroxyethoxy)methyl]-3-quinolinecarboxamide;

- (38) N-(4-chlorobenzyl)-4-hydroxy-6-(3-hydroxy-1,1-dimethylpropyl)-3-quinolinecarboxamide;
- (39) methyl 3-{[(4-chlorobenzyl)amino]carbonyl}-4hydroxy-6-quinolinecarboxylate; or
- (40) N-(4-chlorobenzyl)-4-hydroxy-6-(4-morpholinylmethyl)-3-quinolinecarboxamide.
- 6. The method of Claim 2, wherein the compound administered is
- (1) N-(4-chlorobenzyl)-8-fluoro-4-hydroxy-6-(3-hydroxypropyl)-3-quinolinecarboxamide;
- (2) N-(4-chlorobenzyl)-4-hydroxy-6-(3-hydroxy-1-propynyl)-8-methoxy-3-quinolinecarboxamide;
- (3) N-(4-chlorobenzyl)-4-hydroxy-8-methoxy-6-(3-methoxy-1-propynyl)-3-quinolinecarboxamide;
- (4) N-(4-chlorobenzyl)-4-hydroxy-6-(3-hydroxypropyl)-3-quinolinecarboxamide;
- (5) N-(4-chlorobenzyl)-4-hydroxy-6-(3-hydroxypropyl)-8-methoxy-3-quinolinecarboxamide;
- (6) sodium 2-[(8-{[3-(3-{[(4chlorobenzyl)amino]carbonyl}-4-hydroxy-6-quinolinyl)-2propynyl]oxy}-8-oxooctanoyl) (methyl)amino]-1ethanesulfonate;
- (7) sodium 2-[{8-[3-(3-{[(4chlorobenzyl)amino]carbonyl}-4-hydroxy-6quinolinyl)propoxy]-8-oxooctanoyl}(methyl)amino]-1ethanesulfonate;
- (8) 3-(3-{[(4-chlorobenzyl)amino]carbonyl}-4-hydroxy-6-quinolinyl)propyl dihydrogen phosphate;
- (9) N-(4-chlorobenzyl)-6-[(Z)-3-hydroxy-1-propenyl]-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (10) N-(4-chlorobenzyl)-6-[(E)-3-hydroxy-1-propenyl]-4-oxo-1,4-dihydro-3-quinolinecarboxamide;

- (11) 3-(3-{[(4-chlorobenzyl)amino]carbonyl}-4-hydroxy-6-quinolinyl)-2-propynyl 2,6-diaminohexanoate trifluoroacetic acid salt;
- (12) 3-(3-{[(4-chlorobenzyl)amino]carbonyl}-4-hydroxy-6-quinolinyl)propyl hydrogen phosphonate;
- (13) N-(4-chlorobenzyl)-4-hydroxy-6-(2-thienyl)-3-quinolinecarboxamide;
- (14) N-((4-chlorobenzyl)-4-hydroxy-6-[(2-hydroxyethoxy)methyl]-3-quinolinecarboxamide; or
- (15) N-(4-chlorobenzyl)-4-hydroxy-6-(4-morpholinylmethyl)-3-quinolinecarboxamide.
- 7. A method of Claim 1, wherein the compound administered has the Formula II

ΙI

or a pharmaceutically acceptable salt thereof, wherein

 $R^{\text{II-1}}$ is C_{1-7} alkyl, optionally substituted by hydroxy or $NR^{\text{II-4}}R^{\text{II-5}};$

 $R^{\text{II-2}}$ is C_{1-7} alkyl substituted by hydroxy or $NR^{\text{II-4}}R^{\text{II-5}}$;

 R^{II-3} is H, F or C_{1-7} alkoxy;

R^{II-4} and R^{II-5} together with N are a 5- or 6-membered heterocyclic moiety having 1-3 heteroatoms selected from the group consisting of nitrogen, oxygen and sulfur in which sulfur may be substituted by one (1) or two (2) oxygen atoms;

and a pharmaceutically acceptable salt thereof.

- 8. The method of Claim 7, wherein the compound administered is
- (a) N-(4-chlorobenzyl)-6-(3-hydroxy-1,1-dimethylpropyl)-1-methyl-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (b) N-(4-chlorobenzyl)-1-methyl-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (c) N-(4-chlorobenzyl)-1-(2-hydroxyethyl)-6-(3-hydroxypropyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (d) N-(4-chlorobenzyl)-6-(3-hydroxypropyl)-1-methyl-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (e) 1-(tert-butyl)-N-(4-chlorobenzyl)-6-(3-hydroxypropyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (f) N-(4-chlorobenzyl)-6-[(1,1-dioxo-1',4-thiazinan-4-yl)methyl]-1-methyl-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (g) N-(4-chlorobenzyl)-1-methyl-4-oxo-6-[(1-oxo1',4-thiazinan-4-yl)methyl]-1,4-dihydro-3quinolinecarboxamide;
- (h) N-(4-chlorobenzyl)-8-fluoro-1-methyl-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide; or a pharmaceutically acceptable salt thereof.
- 9. The method of Claim 7, wherein the compound administered is
- (a) N-(4-chlorobenzyl)-6-(3-hydroxy-1,1-dimethylpropyl)-1-methyl-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (b) N-(4-chlorobenzyl)-1-methyl-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;

- (c) N-(4-chlorobenzyl)-1-(2-hydroxyethyl)-6-(3-hydroxypropyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (d) N-(4-chlorobenzyl)-6-(3-hydroxypropyl)-1- methyl-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (e) N-(4-chlorobenzyl)-6-[(1,1-dioxo-1',4-thiazinan-4-yl)methyl]-1-methyl-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (f) N-(4-chlorobenzyl)-1-methyl-4-oxo-6-[(1-oxo1',4-thiazinan-4-yl)methyl]-1,4-dihydro-3quinolinecarboxamide;
- (g) N-(4-chlorobenzyl)-8-fluoro-1-methyl-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide; or a pharmaceutically acceptable salt thereof.
- 10. The method of Claim 7, wherein the compound administered is
- (a) N-(4-chlorobenzyl)-1-methyl-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (b) N-(4-chlorobenzyl)-6-(3-hydroxypropyl)-1- methyl-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (c) N-(4-chlorobenzyl)-6-[(1,1-dioxo-1',4-thiazinan-4-yl)methyl]-1-methyl-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (d) N-(4-chlorobenzyl)-1-methyl-4-oxo-6-[(1-oxo1',4-thiazinan-4-yl)methyl]-1,4-dihydro-3quinolinecarboxamide;
- (e) N-(4-chlorobenzyl)-8-fluoro-1-methyl-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide; or a pharmaceutically acceptable salt thereof.

- 11. The method of Claim 7, wherein the compound administered is N-(4-chlorobenzyl)-1-methyl-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3- quinolinecarboxamide, or a pharmaceutically acceptable salt thereof.
- 12. The method of Claim 1, wherein the compound administered is Formula III

III

or a pharmaceutically acceptable salt thereof wherein,

 X^{III} is

- a) 0, or
- b) S;

W is

- a) R^{III-2} ;
- b) $NR^{III-7}R^{III-8}$,
- c) OR^{III-9}, or
- d) SO_iR^{III-9};

 R^{III-1} is

- a) Cl,
- b) F,
- c) Br,
- d) CN, or
- e) NO₂;

 R^{III-2} is

- a) $(CH_2CH_2O)_mR^{III-10}$,
- b) het^{III}, wherein said het^{III} is bonded via a carbon atom,

- c) C_{1-7} alkyl which may be partially unsaturated and is optionally substituted by one or more substituents selected from a group consisting of $NR^{III-7}R^{III-8}$, R^{III-11} , CN, SO_iR^{III-9} , or OC_{2-4} alkyl which is further substituted by het^{III} , OR^{III-10} , OC(=0) aryl^{III}, or $NR^{III-7}R^{III-8}$, or
- d) C_{3-8} cycloalkyl, which may be partially unsaturated and is optionally substituted by $R^{\text{III-11}}$, $NR^{\text{III-7}}R^{\text{III-8}}$, $SO_{i}R^{\text{III-9}}$, or C_{1-7} alkyl optionally substituted by $R^{\text{III-11}}$, $NR^{\text{III-7}}R^{\text{III-8}}$, or $SO_{i}R^{\text{III-9}}$;

R^{III-3} is

- a) H,
- b) halo, or
- c) C_{1-4} alkyl, optionally substituted by one to three halo;

R^{III-4} is

- a) H,
- b) aryl^{III},
- c) het^{III},
- d) SO_2NHR^{III-12} ,
- e) CONHR^{III-12},
- f) $NR^{III-7}R^{III-8}$,
- g) NHCOR^{III-12},
- h) $NHSO_2R^{III-12}$,
- i) OC_{2-7} alkyl optionally substituted by -OH,
- j) SC_{2-7} alkyl optionally substituted by OH, or
- k) C_{1-8} alkyl which may be partially unsaturated and is optionally substituted by one or more substituents selected from a group consisting of N₃, OR^{III-10} , $NR^{III-7}R^{III-8}$, halo, SO_iR^{III-9} , OR^{III-13} or R^{III-11} ;

R^{III-5} is

- a) H,
- b) halo,

- c) C≡CR^{III-14},
- d) $NR^{III-7}R^{III-8}$,
- e) SO_2NHR^{III-12} ,
- f) het^{III}, or
- g) C_{1-7} alkyl, optionally substituted by OH;

R^{III-6} is

- a) H,
- b) halo,
- c) SC_{1-7} alkyl,
- d) C_{1-7} alkoxy, optionally substituted by one or more halo or OH, or
- e) C_{1-7} alkyl, which may be partially unsaturated and is optionally substituted by halo, $NR^{\text{III}-10}R^{\text{III}-10}$, $(CH_2)_nOR^{\text{III}-13}$, $R^{\text{III}-11}$, OC_{1-7} alkyl which is further substituted with het III, $III^{\text{III}-7}R^{\text{III}-8}$, or $III^{\text{III}-9}$;

$R^{\text{III-7}}$ and $R^{\text{III-8}}$ are independently

- a) H,
- b) aryl^{III},
- c) C₁₋₇alkyl which may be partially unsaturated and is optionally substituted by one or more substituents selected from a group consisting of NR^{III-10}R^{III-10}, CONR^{III-10}R^{III-10}, R^{III-11}, SO_iR^{III-9}, halo; or
- d) R^{III-7} and R^{III-8} together with the nitrogen to which they are attached to form a het^{III};

R^{III-9} is

- a) aryl^{III},
- b) het^{III},
- c) C_{3-8} cycloalkyl, or
- d) C_{1-7} alkyl which may be partially unsaturated and optionally substituted by one or more OR^{III-10} , $Oaryl^{III}$, het^{III} , $aryl^{III}$, $NR^{III-10}R^{III-10}$, CN, SH, SO_iC_{1-6} alkyl, SO_i aryl^{III}, halo, or

```
CONR<sup>III-10</sup>R<sup>III-10</sup>;
R^{III-10} is
               H, or
        a)
               C_{1-7} alkyl, optionally substituted by OH;
        b)
R<sup>III-11</sup> is
               OR<sup>III-10</sup>,
        a)
               Ohet<sup>III</sup>,
        b)
                Oaryl<sup>III</sup>,
        C)
                CO_2R^{III-10},
        d)
                het<sup>III</sup>,
        e)
                aryl<sup>III</sup>, or
        f)
                CN;
        g)
R^{III-12} is
                Η,
        a)
                het<sup>III</sup>,
        b)
                aryl<sup>III</sup>,
         c)
                C_{3-8} cycloalkyl, or
         d)
                C_{1-7} alkyl optionally substituted by NR^{\text{III}-7}R^{\text{III}-8},
                 or R<sup>III-11</sup>;
 R^{III-13} is
         a)
                 (P=O) (OH)_2,
                 (P=O)(C_{1-7} alkoxy)_2,
         b)
                 CO(CH_2)_nCON(CH_3)(CH_2)_nSO_3^-M^{III+},
         C)
                 an amino acid,
         d)
               C(=0) aryl<sup>III</sup>,
         e)
                 C(=0)C_{1-6}alkyl, optionally substituted by
         f)
                 NR<sup>III-10</sup>R<sup>III-10</sup>, or
                 CO (CH<sub>2</sub>)<sub>n</sub>CO<sub>2</sub>H;
          g)
 R^{III-14} is
                 het<sup>III</sup>,
          a)
                  (CH_2)_nOR^{III-13}, or
          b)
                 C_{1-7} alkyl substituted by one or more
          C)
                  substituents selected from a group consisting
                  of R^{III-11}, OC <sub>1-7</sub> alkyl which is further
                  substituted with het ^{III}, NR^{III-7}R^{III-8}, or SO_iR^{III-9};
```

- aryl^{III} is a phenyl radical or an ortho-fused bicyclic carbocyclic radical wherein at least one ring is aromatic;
- het^{III} is a four- (4), five- (5), six- (6), or seven- (7) membered saturated or unsaturated heterocyclic ring having 1, 2, or 3 heteroatoms selected from the group consisting of oxygen, sulfur, and nitrogen, which is optionally fused to a benzene ring, or any bicyclic heterocycle group;
- wherein any aryl^{III} is optionally substituted with one or more substituents selected from the group consisting of halo, OH, CF₃, C₁₋₆alkoxy, and C₁₋₆ alkyl which maybe further substituted by one to three SR^{III-10} , $NR^{III-10}R^{III-10}$, OR^{III-10} , or CO_2R^{III-10} ;
- wherein any ^{III-}het is optionally substituted with one or more substituents selected from the group consisting of halo, OH, CF₃, C₁₋₆alkoxy, oxo, oxine, and C₁₋₆ alkyl which maybe further substituted by one to three SR^{III-10} , NR^{III-10} R^{III-10} , OR^{III-10} , or CO_2R^{III-10} ;

i^{III} is 0, 1, or 2; m^{III} is 1, 2, or 3; n^{III} is 1, 2, 3, 4, 5, or 6; and

 M^{III} is sodium, potassium, or lithium.

13. The method of Claim 12, wherein the compound administered is

or a pharmaceutically acceptable salt thereof.

14. The method of Claim 12, wherein the compound administered is

or a pharmaceutically acceptable salt thereof.

15. The method of Claim 12, wherein the compound administered is

or a pharmaceutically acceptable salt thereof.

16. The method of Claim 12, wherein the compound administered is

or a pharmaceutically acceptable salt thereof.

17. The method of Claim 12, wherein the compound administered is

or a pharmaceutically acceptable salt thereof.

18. The method of Claim 12, wherein the compound administered is

or a pharmaceutically acceptable salt thereof.

19. The method of Claim 12, wherein the compound administered is

$$\begin{array}{c} \text{HO} \\ \text{CH}_3\text{O} \\ \end{array} \\ \begin{array}{c} \text{HO} \\ \text{CH}_3 \\ \end{array} \\ \begin{array}{c} \text{CI} \\ \text{CH}_3 \\ \end{array} \\ \begin{array}{c} \text{HO} \\ \text{CH}_3 \\ \end{array} \\ \begin{array}{c} \text{CI} \\ \text{CI} \\ \end{array} \\ \begin{array}{c} \text{CI} \\ \text{CI} \\ \end{array} \\ \begin{array}{c} \text{CI} \\ \text{CI} \\ \end{array} \\ \end{array}$$

or a pharmaceutically acceptable salt thereof.

20. The method of Claim 12, wherein the compound administered is

or a pharmaceutically acceptable salt thereof.

21. The method of Claim 12, wherein the compound administered is

or a pharmaceutically acceptable salt thereof.

- 22. The method of Claim 12, wherein the compound administered is
- (1) N-(4-chlorobenzyl)-6-(3-hydroxy-1-propynyl)-1- isopropyl-4-oxo-1,4-dihydro-3-quinolinecarboxamide;

- (2) 1-(sec-butyl)-N-(4-chlorobenzyl)-6-(3-hydroxy-1-propynyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (3) 1-(sec-butyl)-N-(4-chlorobenzyl)-6-(3-hydroxy-1-propynyl)-8-methoxy-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (4) N-(4-chlorobenzyl)-6-[3-hydroxy-1-propenyl]-1[2-(4-morpholinyl)ethyl]-4-oxo-1,4-dihydro-3quinolinecarboxamide;
- (5) N-(4-chlorobenzyl)-8-fluoro-6-(3-hydroxy-1-propynyl)-1-methyl-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (6) N-(4-chlorobenzyl)-8-fluoro-6-[(Z)-3-hydroxy-1-propenyl]-1-methyl-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (7) N-(4-chlorobenzyl)-1-[2-(diethylamino)ethyl]-8-fluoro-6-(3-hydroxy-1-propynyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (8) N-(4-chlorobenzyl)-6-(3-hydroxy-1-propynyl)-4-oxo-1-propyl-1,4-dihydro-3-quinolinecarboxamide;
- (9) N-(4-chlorobenzyl)-1-[2-(diethylamino)ethyl]-6-(3-hydroxy-1-propynyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (10) N-(4-chlorobenzyl)-1-[2-(dimethylamino)ethyl]-6-(3-hydroxy-1-propynyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide hydrochloride;
- (11) N-(4-chlorobenzyl)-6-(3-hydroxy-1-propynyl)-4-oxo-1-[2-(1-piperidinyl)ethyl]-1,4-dihydro-3-quinolinecarboxamide;
- (12) N-(4-chlorobenzyl)-6-(3-hydroxy-1-propynyl)-4-oxo-1-[3-(1-piperidinyl)propyl]-1,4-dihydro-3-quinolinecarboxamide;
- (13) N-(4-chlorobenzyl)-6-(3-hydroxy-1-propynyl)-1-[2-(1-methyl-2-pyrrolidinyl)ethyl]-4-oxo-1,4-dihydro-3-quinolinecarboxamide;

- (14) N-(4-chlorobenzyl)-1-[2-(diisopropylamino)ethyl]-6-(3-hydroxy-1-propynyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (15) N-(4-chlorobenzyl)-6-(3-hydroxy-1-propynyl)-4oxo-1-[2-(1-pyrrolidinyl)ethyl]-1,4-dihydro-3quinolinecarboxamide;
- (16) N-(4-chlorobenzyl)-6-(3-hydroxy-1-propynyl)-1[2-(4-morpholinyl)ethyl]-4-oxo-1,4-dihydro-3quinolinecarboxamide;
- (17) N-(4-chlorobenzyl)-1-[3-(dimethylamino)propyl]-6-(3-hydroxy-1-propynyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (18) N-(4-chlorobenzyl)-6-(3-hydroxy-1-propynyl)-4-oxo-1-vinyl-1,4-dihydro-3-quinolinecarboxamide;
- (19) N-(4-chlorobenzyl)-6-[(E)-3-hydroxy-1-propenyl]-1-methyl-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (20) N-(4-chlorobenzyl)-6-[(Z)-3-hydroxy-1-propenyl]-1-methyl-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (21) N-(4-chlorobenzyl)-1-cyclopropyl-6-(3-hydroxy-1-propynyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (22) tert-butyl 2-[3-{[(4chlorobenzyl)amino]carbonyl}-6-(3-hydroxy-1-propynyl)-4oxo-1(4H)-quinolinyl]acetate;
- (23) 2-[3-{[(4-chlorobenzyl)amino]carbonyl}-6-(3-hydroxy-1-propynyl)-4-oxo-1(4H)-quinolinyl]acetic acid;
- (24) N-(4-chlorobenzyl)-1-(2-hydroxyethyl)-6-(3-hydroxy-1-propynyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (25) N-(4-chlorobenzyl)-6-(3-hydroxy-1-propynyl)-1- methyl-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (26) di(tert-butyl) 3-(3-{[(4chlorobenzyl)amino]carbonyl}-1-methyl-4-oxo-1,4-dihydro-6-quinolinyl)propyl phosphate;

- (27) 3-(3-{[(4-chlorobenzyl)amino]carbonyl}-1-methyl-4-oxo-1,4-dihydro-6-quinolinyl)propyl dihydrogen phosphate;
- (28) di(tert-butyl) 3-(3-{[(4chlorobenzyl)amino]carbonyl}-1-cyclopropyl-4-oxo-1,4dihydro-6-quinolinyl)propyl phosphate;
- (29) sodium 2-[{8-[3-(3-{[(4chlorobenzyl)amino]carbonyl}-1-cyclopropyl-4-oxo-1,4dihydro-6-quinolinyl)propoxy]-8oxooctanoyl}(methyl)amino]-1-ethanesulfonate;
- (30) sodium 2-[(8-{[3-(3-{[(4chlorobenzyl)amino]carbonyl}-1-methyl-4-oxo-1,4-dihydro6-quinolinyl)-2-propynyl]oxy}-8oxooctanoyl)(methyl)amino]-1-ethanesulfonate;
- (31) sodium 2-[(8-{[3-(3-{[(4chlorobenzyl)amino]carbonyl}-1-methyl-4-oxo-1,4-dihydro6-quinolinyl)-2-propynyl]oxy}-8oxooctanoyl)(methyl)amino]-1-ethanesulfonate;
- (32) sodium 2-[(8-{[3-(3-{[(4chlorobenzyl)amino]carbonyl}-1-cyclopropyl-4-oxo-1,4dihydro-6-quinolinyl)-2-propynyl]oxy}-8oxooctanoyl)(methyl)amino]-1-ethanesulfonate;
- (33) 1-(tert-butyl)-N-(4-chlorobenzyl)-6-(3-hydroxy-1-propynyl)-4-oxo-1, 4-dihydro-3-quinolinecarboxamide;
- (34) sodium 2-[{8-[3-(1-(tert-butyl)-3-{[(4-chlorobenzyl)amino]-carbonyl}-4-oxo-1,4-dihydro-6-quinolinyl)propoxy]-8-oxooctanoyl}(methyl)amino]-1-ethanesulfonate;
- (35) sodium 2-[(8-{[3-(1-(tert-butyl)-3-{[(4chlorobenzyl)amino]-carbonyl}-4-oxo-1,4-dihydro-6quinolinyl)-2-propynyl]oxy}-8-oxooctanoyl)(methyl)amino]-1-ethanesulfonate;

- (36) N-(4-chlorobenzyl)-6-(3-hydroxy-1-propynyl)-1-[2-(2-methoxyethoxy)-ethyl]-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (37) N-(4-cyanobenzyl)-6-(3-hydroxy-1-propynyl)-1-methyl-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (38) N-(4-chlorobenzyl)-1-methyl-6-(1,4-oxazepan-4-ylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (39) N-(4-chlorobenzyl)-1-methyl-4-oxo-6-(1,4-thiazepan-4-ylmethyl)-1,4-dihydro-3-quinolinecarboxamide;
- (40) N-(4-chlorobenzyl)-1-methyl-6-(2-oxa-5-azabicyclo[2.2.1]hept-5-ylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (41) N-(4-chlorobenzyl)-6-(2,3-dihydro-4H-1,4-benzoxazin-4-ylmethyl)-1-methyl-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (42) 6-(azidomethyl)-N-(4-chlorobenzyl)-1-methyl-4-oxo-1,4-dihydro-3-quinoline-carboxamide;
- (43) N-(4-chlorobenzyl)-1-methyl-4-oxo-6-vinyl-1,4-dihydro-3-quinoline-carboxamide;
- (44) N-(4-chlorobenzyl)-1-[2-(2-hydroxyethoxy)ethyl]-6-(3-hydroxy-1-propynyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (45) N-(4-chlorobenzyl)-1-{2-[2-(2-methoxyethoxy)ethoxy]ethyl}-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (46) N-(4-chlorobenzyl)-1-[2-(2-hydroxyethoxy)ethyl]-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (47) N-(4-chlorobenzyl)-1-[2-(2-ethoxyethoxy) ethyl]-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (48) N-(4-chlorobenzyl)-6-(4-morpholinylmethyl)-4-oxo-1-(2-propynyl)-1,4-dihydro-3-quinolinecarboxamide;

- (49) N-(4-chlorobenzyl)-1-[2-(ethylsulfanyl)ethyl]6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3quinolinecarboxamide;
- (50) N-(4-chlorobenzyl)-1-[3-(methylsulfanyl)propyl]-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (51) N-(4-chlorobenzyl)-1-(4-hydroxy-2-butynyl)-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (52) N-(4-chlorobenzyl)-6-{[(2-hydroxy-2-phenylethyl)(methyl)amino]methyl}-1-methyl-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (53) N-(4-chlorobenzyl)-1-[3(methylsulfinyl)propyl]-6-(4-morpholinylmethyl)-4-oxo1,4-dihydro-3-quinolinecarboxamide;
- (54) $N-(4-\text{chlorobenzyl})-1-\{3-[(3-\text{hydroxypropyl}) \text{ sulfanyl}] \text{propyl}\}-6-(4-\text{morpholinylmethyl})-4-oxo-1,4-dihydro-3-quinolinecarboxamide;}$
- (55) N-(4-chlorobenzyl)-1-[3(methylsulfonyl)propyl]-6-(4-morpholinylmethyl)-4-oxo1,4-dihydro-3-quinolinecarboxamide;
- (56) $N-(4-\text{chlorobenzyl})-1-[2-(\text{ethylsulfinyl})\,\text{ethyl}]-6-(4-\text{morpholinylmethyl})-4-\text{oxo}-1,4-\text{dihydro}-3-$ quinolinecarboxamide;
- (57) $N-(4-\text{chlorobenzyl})-1-[2-(\text{ethylsulfonyl})\,\text{ethyl}]-6-(4-\text{morpholinylmethyl})-4-\text{oxo}-1,4-\text{dihydro}-3-$ quinolinecarboxamide;
- (58) $N-(4-\text{chlorobenzyl})-1-\{3-[(3-\text{hydroxypropyl})\,\text{sulfinyl}]\,\text{propyl}\}-6-(4-\text{morpholinylmethyl})-4-oxo-1,4-dihydro-3-quinolinecarboxamide;$
- (59) N-(4-chlorobenzyl)-1-{3-[(3-hydroxypropyl)sulfonyl]propyl}-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;

- (60) N-(4-chlorobenzyl)-6-(4-morpholinylmethyl)-4-oxo-1-[2-(phenylsulfanyl)ethyl]-1,4-dihydro-3-quinolinecarboxamide;
- (61) N-(4-chlorobenzyl)-1-[(methylsulfanyl)methyl]6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3quinolinecarboxamide;
- (62) N-(4-chlorobenzyl)-6-{[[2-hydroxy-2-(4-hydroxyphenyl)ethyl] (methyl)-amino]methyl}-1-methyl-4oxo-1,4-dihydro-3-quinolinecarboxamide;
- (63) N-(4-chlorobenzyl)-6-[(3-hydroxy-1-azetidinyl)methyl]-1-methyl-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (64) N-(4-chlorobenzyl)-6-(4-morpholinylmethyl)-4-oxo-1-[(phenylsulfanyl)-methyl]-1,4-dihydro-3-quinolinecarboxamide;
- (65) N-(4-chlorobenzyl)-6-{[[2-hydroxy-2-(4-hydroxy-3-methoxyphenyl)ethyl]-(methyl)amino]methyl}-1-methyl-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (66) N-(4-chlorobenzyl)-6-[(3,3-dihydroxy-1-azetidinyl)methyl]-1-methyl-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (67) N-(4-chlorobenzyl)-1-[(methylsulfinyl)methyl]6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3quinolinecarboxamide;
- (68) N-(4-chlorobenzyl)-1-[(methylsulfonyl)methyl]6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3quinolinecarboxamide;
- (69) N-(4-chlorobenzyl)-6-(4-morpholinylmethyl)-4-oxo-1-[(phenylsulfinyl)-methyl]-1,4-dihydro-3-quinolinecarboxamide;
- (70) N-(4-chlorobenzyl)-6-(4-morpholinylmethyl)-4-oxo-1-[(phenylsulfonyl)-methyl]-1,4-dihydro-3-quinolinecarboxamide;

- (71) N-(4-chlorobenzyl)-6-(3-hydroxypropyl)-1-[2-(2-methoxyethoxy)ethyl]-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (72) N-(4-chlorobenzyl)-1-[2-(2-methoxyethoxy)ethyl]-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (73) N-(4-chlorobenzyl)-1-[2-(2-methoxyethoxy) ethyl]-4-oxo-6-[(4-oxo-1-piperidinyl) methyl]-1,4-dihydro-3-quinolinecarboxamide;
- (74) N-(4-chlorobenzyl)-6{[(cyanomethyl) (methyl) amino]methyl}-1-[2-(2-methoxyethoxy)ethyl]-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (75) $N-(4-\text{chlorobenzyl})-6-\{[(3R)-3-\text{hydroxypyrrolidinyl}]\text{methyl}\}-1-[2-(2-\text{methoxyethoxy})\text{ethyl}]-4-\text{oxo}-1,4-\text{dihydro}-3-\text{quinolinecarboxamide};$
- (76) N-(4-chlorobenzyl)-1-[2-(2-methoxyethoxy)ethyl]-6-[(methylsulfanyl)methyl]-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (77) $N-(4-\text{chlorobenzyl})-6-\{[(1R,2S)-2-\text{hydroxy-1-methyl-2-phenylethyl}] (methyl)-amino]methyl}-1-[2-(2-methoxyethoxy)ethyl]-4-oxo-1,4-dihydro-3-quinoline-carboxamide;$
- (78) N-(4-chlorobenzyl)-6-{[(2-hydroxy-2-phenylethyl)(methyl)amino]methyl}-1-[2-(2-methoxyethoxy)ethyl]-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (79) N-(4-chlorobenzyl)-6-{[[2-hydroxy-2-(4-hydroxyphenyl)ethyl](methyl)amino]-methyl}-1-[2-(2-methoxyethoxy)ethyl]-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (80) $1-\{2-[2-(tert-butoxy)ethoxy]ethyl-N-(4-chlorobenzyl)-6-(4-morpholinyl-methyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;$

- (81) 1-{2-[2-(tert-butoxy)ethoxy]ethyl-N-(4-chlorobenzyl)-6-{[[2-hydroxy-2-(4-hydroxyphenyl)ethyl](methyl)amino]methyl-4-oxo-1,4-dihydro-3-quinoline-carboxamide;
- (82) N-(4-chlorobenzyl)-6-(3-hydroxy-1-propynyl)-1methyl-4-oxo-1,4-dihydro-3-quinolinecarbothioamide;
- (83) N-(4-chlorobenzyl)-8-(3-hydroxy-1-propynyl)-1methyl-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (84) N-(4-chlorobenzyl)-8-(4-hydroxy-1-butynyl)-1methyl-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (85) N-(4-chlorobenzyl)-6-{[3-(hydroxyimino)-1-azetidinyl]methyl}-1-methyl-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (86) $N-(4-\text{chlorobenzyl})-1-\{2-[2-(4-\text{morpholinyl})\text{ethoxy}]\text{ethyl}\}-6-(4-\text{morpholinylmethyl})-4-oxo-1,4-dihydro-3-quinolinecarboxamide;$
- (87) N-(4-chlorobenzyl)-1-([(4-chlorophenyl)sulfanyl]methyl)-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (88) N-(4-chlorobenzyl)-1-([(4-chlorobenzyl)-1-([(4-chlorophenyl)sulfinyl]methyl)-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (89) N-(4-chlorobenzyl)-1-([(4-chlorophenyl)sulfonyl]methyl)-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (90) N-(4-chlorobenzyl)-1-[(4-chlorophenoxy)methyl]-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (91) $N-(4-\text{chlorobenzyl})-1-[(2-\text{methoxyethoxy})\,\text{methyl}]-6-(4-\text{morpholinylmethyl})-4-oxo-1,4-dihydro-3-quinolinecarboxamide;$
- (92) 2-{[3-{[(4-chlorobenzyl)amino]carbonyl}-6-(4-morpholinylmethyl)-4-oxo-1(4H)-quinolinyl]methoxy}ethyl benzoate;

- (93) N-(4-chlorobenzyl)-1-[(2-hydroxyethoxy)methyl]-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (94) N-(4-chlorobenzyl)-6-(4-morpholinylmethyl)-4-oxo-1-tetrahydro-2H-pyran-4-yl-1,4-dihydro-3-quinolinecarboxamide;
- (95) N-(4-chlorobenzyl)-1-(1-methyl-4-piperidinyl)-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (96) N-(4-chlorobenzyl)-6-(4-morpholinylmethyl)-4- 0xo-1-(4-piperidinyl)-1,4-dihydro-3-quinolinecarboxamide;
- (97) N-(4-chlorobenzyl)-1-(1,1-dioxohexahydrothiopyran-4-yl)-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (98) N-(4-chlorobenzyl)-1-(4-morpholinyl)-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (99) N-(4-chlorobenzyl)-1-(4-methyl-1-piperazinyl)-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (100) N-(4-chlorobenzyl)-6-(4-morpholinylmethyl)-4-oxo-1-(1-piperidinyl)-1,4-dihydro-3-quinolinecarboxamide;
- (101) N-(4-chlorobenzyl)-6-(4-morpholinylmethyl)-4-oxo-1-(1-pyrrolidinyl)-1,4-dihydro-3-quinolinecarboxamide;
- (102) N-(4-chlorobenzyl)-1-[(2R)-2-(methoxymethyl)pyrrolidinyl]-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (103) N-(4-chlorobenzyl)-1-(dimethylamino)-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (104) 1-Amino-N-(4-chlorobenzyl)-6-(3-hydroxy-1-propynyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (105) 1-Amino-N-(4-chlorobenzyl)-6-(3-hydroxypropyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;

- (106) N-(4-chlorobenzyl)-1-(dimethylamino)-6-(3-hydroxy-1-propynyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (107) N-(4-chlorobenzyl)-1-(dimethylamino)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (108) 1-(allyloxy)-N-(4-chlorobenzyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (109) N-(4-chlorobenzyl)-1-methoxy-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (110) N-(4-bromobenzyl)-1-(4-morpholinyl)-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (111) N-(4-fluorobenzyl)-1-(4-morpholinyl)-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (112) N-(4-chlorobenzyl)-1-{[2-(4-morpholinyl)ethoxy]methyl}-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (113) N-(4-chlorobenzyl)-1-{[2-(dimethylamino)ethoxy]methyl}-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (114) $N-(4-\text{chlorobenzyl})-1-\{[2-(4-\text{methyl}-1-\text{piperazinyl})\text{ethoxy}]\text{methyl}\}-6-(4-\text{morpholinylmethyl})-4-oxo-1,4-dihydro-3-quinolinecarboxamide;$
- (115) N-(4-chlorobenzyl)-6-(4-morpholinylmethyl)-4-oxo-1-{[2-(1-piperidinyl)ethoxy]methyl}-1,4-dihydro-3-quinolinecarboxamide;
- (116) N-(4-chlorobenzyl)-6-(4-morpholinylmethyl)-4-oxo-1-{[2-(1-pyrrolidinyl)ethoxy]methyl}-1,4-dihydro-3-quinolinecarboxamide; or a pharmaceutically acceptable salt thereof.
- 23. The method of Claim 12, wherein the compound administered is:

- (1) 1-(sec-butyl)-N-(4-chlorobenzyl)-6-(3-hydroxy-1-propynyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (2) 1-(sec-butyl)-N-(4-chlorobenzyl)-6-(3-hydroxy-1-propynyl)-8-methoxy-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (3) N-(4-chlorobenzyl)-6-[3-hydroxy-1-propenyl]-1[2-(4-morpholinyl)ethyl]-4-oxo-1,4-dihydro-3quinolinecarboxamide;
- (4) N-(4-chlorobenzyl)-8-fluoro-6-(3-hydroxy-1-propynyl)-1-methyl-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (5) N-(4-chlorobenzyl)-8-fluoro-6-[(Z)-3-hydroxy-1-propenyl]-1-methyl-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (6) N-(4-chlorobenzyl)-1-[2-(diethylamino)ethyl]-6-(3-hydroxy-1-propynyl)-4-oxo-1,4-dihydro-3guinolinecarboxamide;
- (7) N-(4-chlorobenzyl)-1-[2-(dimethylamino)ethyl]-6-(3-hydroxy-1-propynyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide hydrochloride;
- (8) N-(4-chlorobenzyl)-6-(3-hydroxy-1-propynyl)-4oxo-1-[2-(1-piperidinyl)ethyl]-1,4-dihydro-3quinolinecarboxamide;
- (9) N-(4-chlorobenzyl)-6-(3-hydroxy-1-propynyl)-4oxo-1-[3-(1-piperidinyl)propyl]-1,4-dihydro-3quinolinecarboxamide;
- (10) N-(4-chlorobenzyl)-6-(3-hydroxy-1-propynyl)-1-[2-(1-methyl-2-pyrrolidinyl)ethyl]-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (11) N-(4-chlorobenzyl)-1-[2-(diisopropylamino)ethyl]-6-(3-hydroxy-1-propynyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (12) N-(4-chlorobenzyl)-6-(3-hydroxy-1-propynyl)-4-oxo-1-[2-(1-pyrrolidinyl)ethyl]-1,4-dihydro-3-quinolinecarboxamide;

- (13) N-(4-chlorobenzyl)-6-(3-hydroxy-1-propynyl)-1[2-(4-morpholinyl)ethyl]-4-oxo-1,4-dihydro-3quinolinecarboxamide;
- (14) N-(4-chlorobenzyl)-1-[3-(dimethylamino)propyl]-6-(3-hydroxy-1-propynyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (15) N-(4-chlorobenzyl)-6-(3-hydroxy-1-propynyl)-4-oxo-1-vinyl-1,4-dihydro-3-quinolinecarboxamide;
- (16) N-(4-chlorobenzyl)-6-[(E)-3-hydroxy-1-propenyl]-1-methyl-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (17) N-(4-chlorobenzyl)-6-[(Z)-3-hydroxy-1-propenyl]-1-methyl-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (18) N-(4-chlorobenzyl)-1-cyclopropyl-6-(3-hydroxy-1-propynyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (19) tert-butyl 2-[3-{[(4chlorobenzyl)amino]carbonyl}-6-(3-hydroxy-1-propynyl)-4oxo-1(4H)-quinolinyl]acetate;
- (20) N-(4-chlorobenzyl)-1-(2-hydroxyethyl)-6-(3-hydroxy-1-propynyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (21) N-(4-chlorobenzyl)-6-(3-hydroxy-1-propynyl)-1-methyl-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (22) 3-(3-{[(4-chlorobenzyl)amino]carbonyl}-1-methyl-4-oxo-1,4-dihydro-6-quinolinyl)propyl dihydrogen phosphate;
- (23) di(tert-butyl) 3-(3-{[(4chlorobenzyl)amino]carbonyl}-1-cyclopropyl-4-oxo-1,4dihydro-6-quinolinyl)propyl phosphate;
- (24) sodium 2-[{8-[3-(3-{[(4chlorobenzyl)amino]carbonyl}-1-cyclopropyl-4-oxo-1,4dihydro-6-quinolinyl)propoxy]-8oxooctanoyl}(methyl)amino]-1-ethanesulfonate;

- (25) sodium 2-[(8-{[3-(3-{[(4chlorobenzyl)amino]carbonyl}-1-methyl-4-oxo-1,4-dihydro-6-quinolinyl)-2-propynyl]oxy}-8oxooctanoyl)(methyl)amino]-1-ethanesulfonate;
- (26) N-(4-chlorobenzyl)-6-(3-hydroxy-1-propynyl)-1[2-(2-methoxyethoxy)-ethyl]-4-oxo-1,4-dihydro-3quinolinecarboxamide;
- (27) N-(4-cyanobenzyl)-6-(3-hydroxy-1-propynyl)-1-methyl-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (28) N-(4-chlorobenzyl)-6-(3-hydroxy-1-propynyl)-4-oxo-1-propyl-1,4-dihydro-3-quinolinecarboxamide;
- (29) N-(4-chlorobenzyl)-1-methyl-6-(1,4-oxazepan-4-ylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (30) N-(4-chlorobenzyl)-1-methyl-4-oxo-6-(1,4-thiazepan-4-ylmethyl)-1,4-dihydro-3-quinolinecarboxamide;
- (31) 6-(azidomethyl)-N-(4-chlorobenzyl)-1-methyl-4- ∞ 0x0-1,4-dihydro-3-quinolinecarboxamide;
- (32) N-(4-chlorobenzyl)-6-[(4,4-difluoro-1-piperidinyl)methyl]-1-methyl-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (33) N-(4-chlorobenzyl)-4-hydroxy-6-iodo-3-quinolinecarbothioamide;
- (34) N-(4-chlorobenzyl)-6-(2,3-dihydro-4H-1,4-benzoxazin-4-ylmethyl)-1-methyl-4-oxo-1,4-dihydro-3-quinolinecarboxamide.
- (35) N-(4-chlorobenzyl)-1-methyl-4-oxo-6-vinyl-1,4-dihydro-3-quinoline-carboxamide;
- (36) N-(4-chlorobenzyl)-1-[2-(2-hydroxyethoxy)ethyl]-6-(3-hydroxy-1-propynyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (37) $N-(4-\text{chlorobenzyl})-1-\{2-[2-(2-methoxyethoxy)] ethyl\}-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;$

- (38) N-(4-chlorobenzyl)-1-[2-(2-hydroxyethoxy)ethyl]-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (39) N-(4-chlorobenzyl)-1-[2-(2-ethoxyethoxy)ethyl]-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (40) N-(4-chlorobenzyl)-1-[2-(ethylsulfanyl)ethyl]6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3quinolinecarboxamide;
- (41) N-(4-chlorobenzyl)-1-[3(methylsulfanyl)propyl]-6-(4-morpholinylmethyl)-4-oxo1,4-dihydro-3-quinolinecarboxamide;
- (42) N-(4-chlorobenzyl)-1-(4-hydroxy-2-butynyl)-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-guinolinecarboxamide;
- (43) N-(4-chlorobenzyl)-6-{[(2-hydroxy-2-phenylethyl)(methyl)amino]methyl}-1-methyl-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (44) N-(4-chlorobenzyl)-1-[3-(methylsulfinyl)propyl]-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (45) N-(4-chlorobenzyl)-1-{3-[(3-hydroxypropyl)sulfanyl]propyl}-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (46) N-(4-chlorobenzyl)-1-[3(methylsulfonyl)propyl]-6-(4-morpholinylmethyl)-4-oxo1,4-dihydro-3-quinolinecarboxamide;
- (47) N-(4-chlorobenzyl)-1-[2-(ethylsulfinyl)ethyl]-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (48) N-(4-chlorobenzyl)-1-[2-(ethylsulfonyl)ethyl]-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;

- (49) $N-(4-\text{chlorobenzyl})-1-\{3-[(3-\text{hydroxypropyl})\,\text{sulfinyl}]\,\text{propyl}\}-6-(4-\text{morpholinylmethyl})-4-oxo-1,4-dihydro-3-quinolinecarboxamide;$
- (50) $N-(4-\text{chlorobenzyl})-1-\{3-[(3-\text{hydroxypropyl})\,\text{sulfonyl}]\,\text{propyl}\}-6-(4-\text{morpholinylmethyl})-4-oxo-1,4-dihydro-3-quinolinecarboxamide;$
- (51) N-(4-chlorobenzyl)-6-(4-morpholinylmethyl)-4-oxo-1-[2-(phenylsulfanyl)ethyl]-1,4-dihydro-3-quinolinecarboxamide;
- (52) N-(4-chlorobenzyl)-1-[(methylsulfanyl)methyl]-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (53) $N-(4-\text{chlorobenzyl})-6-\{[[2-\text{hydroxy-}2-(4-\text{hydroxyphenyl})ethyl] (methyl)-amino]methyl}-1-methyl-4-oxo-1,4-dihydro-3-quinolinecarboxamide;$
- (54) N-(4-chlorobenzyl)-6-[(3-hydroxy-1-azetidinyl)methyl]-1-methyl-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (55) N-(4-chlorobenzyl)-6-(4-morpholinylmethyl)-4-oxo-1-[(phenylsulfanyl)-methyl]-1,4-dihydro-3-quinolinecarboxamide
- (56) $N-(4-\text{chlorobenzyl})-6-\{[[2-\text{hydroxy-}2-(4-\text{hydroxy-}3-\text{methoxyphenyl})ethyl]-(methyl)amino]methyl}-1-methyl-4-oxo-1,4-dihydro-3-quinolinecarboxamide;$
- (57) N-(4-chlorobenzyl)-6-[(3,3-dihydroxy-1-azetidinyl)methyl]-1-methyl-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (58) N-(4-chlorobenzyl)-1-[(methylsulfinyl)methyl]-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (59) N-(4-chlorobenzyl)-1-[(methylsulfonyl)methyl]-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;

- (60) N-(4-chlorobenzyl)-6-(4-morpholinylmethyl)-4oxo-1-[(phenylsulfinyl)-methyl]-1,4-dihydro-3quinolinecarboxamide;
- (61) N-(4-chlorobenzyl)-6-(4-morpholinylmethyl)-4oxo-1-[(phenylsulfonyl)-methyl]-1,4-dihydro-3quinolinecarboxamide;
- (62) N-(4-chlorobenzyl)-6-(3-hydroxypropyl)-1-[2-(2-methoxyethoxy)ethyl]-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (63) N-(4-chlorobenzyl)-1-[2-(2-methoxyethoxy)ethyl]-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (64) N-(4-chlorobenzyl)-1-[2-(2-methoxyethoxy) ethyl]-4-oxo-6-[(4-oxo-1-piperidinyl) methyl]-1,4-dihydro-3-quinolinecarboxamide;
- (65) $N-(4-\text{chlorobenzyl})-6-\{[(3R)-3-\text{hydroxypyrrolidinyl}]\text{methyl}\}-1-[2-(2-\text{methoxyethoxy})\text{ethyl}]-4-\text{oxo}-1,4-\text{dihydro}-3-\text{quinolinecarboxamide};$
- (66) $N-(4-\text{chlorobenzyl})-6-\{[(1R,2S)-2-\text{hydroxy-1-methyl-2-phenylethyl}] (methyl)-amino]methyl}-1-[2-(2-methoxyethoxy)ethyl]-4-oxo-1,4-dihydro-3-quinoline-carboxamide;$
- (67) N-(4-chlorobenzyl)-6-{[[2-hydroxy-2-(4-hydroxyphenyl)ethyl](methyl)amino]-methyl}-1-[2-(2-methoxyethoxy)ethyl]-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (68) $1-\{2-[2-(tert-butoxy)ethoxy]ethyl-N-(4-chlorobenzyl)-6-(4-morpholinyl-methyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;$
- (69) 1-{2-[2-(tert-butoxy)ethoxy]ethyl-N-(4-chlorobenzyl)-6-{[[2-hydroxy-2-(4-hydroxyphenyl)ethyl](methyl)amino]methyl-4-oxo-1,4-dihydro-3-quinoline-carboxamide;
- (70) N-(4-chlorobenzyl)-6-(3-hydroxy-1-propynyl)-1-methyl-4-oxo-1,4-dihydro-3-quinolinecarbothioamide;

- (71) N-(4-chlorobenzyl)-8-(3-hydroxy-1-propynyl)-1-methyl-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (72) N-(4-chlorobenzyl)-8-(4-hydroxy-1-butynyl)-1-methyl-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (73) N-(4-chlorobenzyl)-6-{[3-(hydroxyimino)-1-azetidinyl]methyl}-1-methyl-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (74) N-(4-chlorobenzyl)-1-{2-[2-(4-morpholinyl)ethoxy]ethyl}-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-guinolinecarboxamide;
- (75) N-(4-chlorobenzyl)-1-([(4-chlorophenyl)sulfanyl]methyl)- 6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (76) N-(4-chlorobenzyl)-1-([(4-chlorophenyl)sulfinyl]methyl)-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (77) N-(4-chlorobenzyl)-1-([(4-chlorophenyl)sulfonyl]methyl)-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (78) N-(4-chlorobenzyl)-1-[(4-chlorophenoxy) methyl]-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (79) N-(4-chlorobenzyl)-1-[(2-methoxyethoxy)methyl]-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (80) 2-{[3-{[(4-chlorobenzyl)amino]carbonyl}-6-(4morpholinylmethyl)-4-oxo-1(4H)-quinolinyl]methoxy}ethyl
 benzoate;
- (81) N-(4-chlorobenzyl)-1-[(2-hydroxyethoxy)methyl]6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3quinolinecarboxamide;
- (82) N-(4-chlorobenzyl)-6-(4-morpholinylmethyl)-4-oxo-1-tetrahydro-2H-pyran-4-yl-1,4-dihydro-3-quinolinecarboxamide;

- (83) N-(4-chlorobenzyl)-1-(1-methyl-4-piperidinyl)6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3quinolinecarboxamide;
- (84) N-(4-chlorobenzyl)-6-(4-morpholinylmethyl)-4- oxo-1-(4-piperidinyl)-1,4-dihydro-3-quinolinecarboxamide;
- (85) N-(4-chlorobenzyl)-1-(1,1-dioxohexahydrothiopyran-4-yl)-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (86) N-(4-chlorobenzyl)-1-(4-morpholinyl)-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (87) N-(4-chlorobenzyl)-1-(4-methyl-1-piperazinyl)-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (88) N-(4-chlorobenzyl)-6-(4-morpholinylmethyl)-4-oxo-1-(1-piperidinyl)-1,4-dihydro-3-quinolinecarboxamide;
- (89) N-(4-chlorobenzyl)-6-(4-morpholinylmethyl)-4-oxo-1-(1-pyrrolidinyl)-1,4-dihydro-3-quinolinecarboxamide;
- (90) N-(4-chlorobenzyl)-1-[(2R)-2-(methoxymethyl)pyrrolidinyl]-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (91) N-(4-chlorobenzyl)-1-(dimethylamino)-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (92) 1-amino-N-(4-chlorobenzyl)-6-(3-hydroxy-1-propynyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (93) 1-amino-N-(4-chlorobenzyl)-6-(3-hydroxypropyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (94) N-(4-chlorobenzyl)-1-(dimethylamino)-6-(3-hydroxy-1-propynyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (95) 1-(allyloxy)-N-(4-chlorobenzyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide; or a pharmaceutically acceptable salt thereof.

- 24. The method of Claim 12, wherein the compound administered is
- (1) 1-(sec-butyl)-N-(4-chlorobenzyl)-6-(3-hydroxy-1-propynyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (2) 1-(sec-butyl)-N-(4-chlorobenzyl)-6-(3-hydroxy-1-propynyl)-8-methoxy-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (3) N-(4-chlorobenzyl)-6-[3-hydroxy-1-propenyl]-1[2-(4-morpholinyl)ethyl]-4-oxo-1,4-dihydro-3quinolinecarboxamide;
- (4) N-(4-chlorobenzyl)-8-fluoro-6-(3-hydroxy-1-propynyl)-1-methyl-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (5) N-(4-chlorobenzyl)-8-fluoro-6-[(Z)-3-hydroxy-1-propenyl]-1-methyl-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (6) N-(4-chlorobenzyl)-1-[2-(dimethylamino)ethyl]6-(3-hydroxy-1-propynyl)-4-oxo-1,4-dihydro-3quinolinecarboxamide hydrochloride;
- (7) N-(4-chlorobenzyl)-6-(3-hydroxy-1-propynyl)-4-oxo-1-[2-(1-piperidinyl)ethyl]-1,4-dihydro-3-quinolinecarboxamide;
- (8) N-(4-chlorobenzyl)-6-(3-hydroxy-1-propynyl)-4-oxo-1-[3-(1-piperidinyl)propyl]-1,4-dihydro-3-quinolinecarboxamide;
- (9) N-(4-chlorobenzyl)-6-(3-hydroxy-1-propynyl)-1[2-(1-methyl-2-pyrrolidinyl)ethyl]-4-oxo-1,4-dihydro-3quinolinecarboxamide;
- (10) N-(4-chlorobenzyl)-1-[2-(diisopropylamino)ethyl]-6-(3-hydroxy-1-propynyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (11) N-(4-chlorobenzyl)-6-(3-hydroxy-1-propynyl)-4-oxo-1-[2-(1-pyrrolidinyl)ethyl]-1,4-dihydro-3-quinolinecarboxamide;

- (12) N-(4-chlorobenzyl)-6-(3-hydroxy-1-propynyl)-1[2-(4-morpholinyl)ethyl]-4-oxo-1,4-dihydro-3quinolinecarboxamide;
- (13) N-(4-chlorobenzyl)-1-[3-(dimethylamino)propyl]-6-(3-hydroxy-1-propynyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (14) N-(4-chlorobenzyl)-6-(3-hydroxy-1-propynyl)-4-oxo-1-vinyl-1,4-dihydro-3-quinolinecarboxamide;
- (15) N-(4-chlorobenzyl)-6-[(E)-3-hydroxy-1-propenyl]-1-methyl-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (16) N-(4-chlorobenzyl)-6-[(Z)-3-hydroxy-1-propenyl]-1-methyl-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (17) N-(4-chlorobenzyl)-1-cyclopropyl-6-(3-hydroxy-1-propynyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (18) tert-butyl 2-[3-{[(4chlorobenzyl)amino]carbonyl}-6-(3-hydroxy-1-propynyl)-4oxo-1(4H)-quinolinyl]acetate;
- (19) N-(4-chlorobenzyl)-1-(2-hydroxyethyl)-6-(3-hydroxy-1-propynyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (20) N-(4-chlorobenzyl)-6-(3-hydroxy-1-propynyl)-1-methyl-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (21) 3-(3-{[(4-chlorobenzyl)amino]carbonyl}-1-methyl-4-oxo-1,4-dihydro-6-quinolinyl)propyl dihydrogen phosphate;
- (22) di(tert-butyl) 3-(3-{[(4chlorobenzyl)amino]carbonyl}-1-cyclopropyl-4-oxo-1,4dihydro-6-quinolinyl)propyl phosphate;
- (23) sodium 2-[{8-[3-(3-{[(4chlorobenzyl)amino]carbonyl}-1-cyclopropyl-4-oxo-1,4dihydro-6-quinolinyl)propoxy]-8oxooctanoyl}(methyl)amino]-1-ethanesulfonate;

- (24) sodium 2-[(8-{[3-(3-{[(4chlorobenzyl)amino]carbonyl}-1-methyl-4-oxo-1,4-dihydro-6-quinolinyl)-2-propynyl]oxy}-8oxooctanoyl)(methyl)amino]-1-ethanesulfonate;
- (25) N-(4-chlorobenzyl)-6-(3-hydroxy-1-propynyl)-1[2-(2-methoxyethoxy)ethyl]-4-oxo-1,4-dihydro-3quinolinecarboxamide;
- (26) N-(4-cyanobenzyl)-6-(3-hydroxy-1-propynyl)-1-methyl-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (27) N-(4-chlorobenzyl)-6-(3-hydroxy-1-propynyl)-4-oxo-1-propyl-1,4-dihydro-3-quinolinecarboxamide;
- (28) 6-(azidomethyl)-N-(4-chlorobenzyl)-1-methyl-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (29) N-(4-chlorobenzyl)-6-(2,3-dihydro-4H-1,4-benzoxazin-4-ylmethyl)-1-methyl-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (30) N-(4-chlorobenzyl)-1-methyl-4-oxo-6-vinyl-1,4-dihydro-3-quinoline-carboxamide;
- (31) N-(4-chlorobenzyl)-1-[2-(2-hydroxyethoxy)ethyl]-6-(3-hydroxy-1-propynyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (32) N-(4-chlorobenzyl)-1-{2-[2-(2-methoxyethoxy)ethoxy]ethyl}-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (33) N-(4-chlorobenzyl)-1-[2-(2-hydroxyethoxy)ethyl]-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (34) N-(4-chlorobenzyl)-1-[2-(2-ethoxyethoxy)ethyl]-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (35) N-(4-chlorobenzyl)-1-[2-(ethylsulfanyl)ethyl]-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;

- (36) N-(4-chlorobenzyl)-1-[3-(methylsulfanyl)propyl]-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (37) N-(4-chlorobenzyl)-1-(4-hydroxy-2-butynyl)-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (38) N-(4-chlorobenzyl)-1-[3-(methylsulfinyl)propyl]-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (39) N-(4-chlorobenzyl)-1-{3-[(3-hydroxypropyl)sulfanyl]propyl}-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (40) N-(4-chlorobenzyl)-1-[3(methylsulfonyl)propyl]-6-(4-morpholinylmethyl)-4-oxo1,4-dihydro-3-quinolinecarboxamide;
- (41) N-(4-chlorobenzyl)-1-[2-(ethylsulfinyl)ethyl]6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3quinolinecarboxamide;
- (42) N-(4-chloróbenzyl)-1-[2-(ethylsulfonyl)ethyl]-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (43) N-(4-chlorobenzyl)-1-{3-[(3-hydroxypropyl)sulfinyl]propyl}-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (44) N-(4-chlorobenzyl)-1-{3-[(3-hydroxypropyl)sulfonyl]propyl}-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (45) N-(4-chlorobenzyl)-6-(4-morpholinylmethyl)-4-oxo-1-[2-(phenylsulfanyl)ethyl]-1,4-dihydro-3-quinolinecarboxamide;
- (46) N-(4-chlorobenzyl)-1-[(methylsulfanyl)methyl]6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3quinolinecarboxamide;

- (47) N-(4-chlorobenzyl)-6-{[[2-hydroxy-2-(4-hydroxyphenyl)ethyl](methyl)-amino]methyl}-1-methyl-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (48) N-(4-chlorobenzyl)-6-[(3-hydroxy-1-azetidinyl)methyl]-1-methyl-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (49) N-(4-chlorobenzyl)-6-(4-morpholinylmethyl)-4-oxo-1-[(phenylsulfanyl)-methyl]-1,4-dihydro-3-quinolinecarboxamide;
- (50) N-(4-chlorobenzyl)-6-{[[2-hydroxy-2-(4-hydroxy-3-methoxyphenyl)ethyl]-(methyl)amino]methyl}-1-methyl-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (51) N-(4-chlorobenzyl)-6-[(3,3-dihydroxy-1-azetidinyl)methyl]-1-methyl-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (52) N-(4-chlorobenzyl)-1-[(methylsulfinyl)methyl]6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3quinolinecarboxamide;
- (53) N-(4-chlorobenzyl)-1-[(methylsulfonyl)methyl]6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3quinolinecarboxamide;
- (54) N-(4-chlorobenzyl)-6-(4-morpholinylmethyl)-4-oxo-1-[(phenylsulfinyl)-methyl]-1,4-dihydro-3-quinolinecarboxamide;
- (55) N-(4-chlorobenzyl)-6-(4-morpholinylmethyl)-4-oxo-1-[(phenylsulfonyl)-methyl]-1,4-dihydro-3-quinolinecarboxamide;
- (56) N-(4-chlorobenzyl)-6-(3-hydroxypropyl)-1-[2-(2-methoxyethoxy)ethyl]-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (57) N-(4-chlorobenzyl)-1-[2-(2-methoxyethoxy) ethyl]-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;

- (58) N-(4-chlorobenzyl)-1-[2-(2-methoxyethoxy)ethyl]-4-oxo-6-[(4-oxo-1-piperidinyl)methyl]-1,4-dihydro-3-quinolinecarboxamide;
- (59) $N-(4-\text{chlorobenzyl})-6-\{[(3R)-3-\text{hydroxypyrrolidinyl}]\text{methyl}\}-1-[2-(2-\text{methoxyethoxy})\text{ethyl}]-4-\text{oxo}-1,4-\text{dihydro}-3-\text{quinolinecarboxamide};$
- (60) N-(4-chlorobenzyl)-6-{[[2-hydroxy-2-(4-hydroxyphenyl)ethyl](methyl)amino]-methyl}-1-[2-(2-methoxyethoxy)ethyl]-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (61) 1-{2-[2-(tert-butoxy)ethoxy]ethyl-N-(4chlorobenzyl)-6-(4-morpholinyl-methyl)-4-oxo-1,4-dihydro3-quinolinecarboxamide;
- (62) 1-{2-[2-(tert-butoxy)ethoxy]ethyl-N-(4-chlorobenzyl)-6-{[[2-hydroxy-2-(4-hydroxyphenyl)ethyl](methyl)amino]methyl-4-oxo-1,4-dihydro-3-quinoline-carboxamide;
- (63) N-(4-chlorobenzyl)-6-(3-hydroxy-1-propynyl)-1-methyl-4-oxo-1,4-dihydro-3-quinolinecarbothioamide;
- (64) N-(4-chlorobenzyl)-8-(3-hydroxy-1-propynyl)-1- methyl-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (65) N-(4-chlorobenzyl)-8-(4-hydroxy-1-butynyl)-1- methyl-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (66) N-(4-chlorobenzyl)-6-{[3-(hydroxyimino)-1azetidinyl]methyl}-1-methyl-4-oxo-1,4-dihydro-3quinolinecarboxamide;
- (67) N-(4-chlorobenzyl)-1-{2-[2-(4-morpholinyl)ethoxy]ethyl}-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (68) $N-(4-\text{chlorobenzyl})-1-([(4-\text{chlorophenyl})\,\text{sulfanyl}]\,\text{methyl})-6-(4-\text{morpholinylmethyl})-4-oxo-1,4-dihydro-3-quinolinecarboxamide;$
- (69) N-(4-chlorobenzyl)-1-([(4chlorophenyl)sulfinyl]methyl)-6-(4-morpholinylmethyl)-4oxo-1,4-dihydro-3-quinolinecarboxamide;

- (70) N-(4-chlorobenzyl)-1-([(4-chlorophenyl)sulfonyl]methyl)-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (71) N-(4-chlorobenzyl)-1-[(2-methoxyethoxy)methyl]-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (72) 2-{[3-{[(4-chlorobenzyl)amino]carbonyl}-6-(4-morpholinylmethyl)-4-oxo-1(4H)-quinolinyl]methoxy}ethyl benzoate;
- (73) N-(4-chlorobenzyl)-1-[(2-hydroxyethoxy)methyl]-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (74) N-(4-chlorobenzyl)-6-(4-morpholinylmethyl)-4-oxo-1-tetrahydro-2H-pyran-4-yl-1,4-dihydro-3-quinolinecarboxamide;
- (75) N-(4-chlorobenzyl)-1-(1-methyl-4-piperidinyl)-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (76) N-(4-chlorobenzyl)-6-(4-morpholinylmethyl)-4- $0\times0-1-(4-\text{piperidinyl})-1,4-\text{dihydro}-3-\text{quinolinecarboxamide};$
- (77) N-(4-chlorobenzyl)-1-(1,1-dioxohexahydrothiopyran-4-yl)-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (78) N-(4-chlorobenzyl)-1-(4-morpholinyl)-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (79) N-(4-chlorobenzyl)-1-(4-methyl-1-piperazinyl)-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (80) N-(4-chlorobenzyl)-6-(4-morpholinylmethyl)-4- oxo-1-(1-piperidinyl)-1,4-dihydro-3-quinolinecarboxamide;
- (81) N-(4-chlorobenzyl)-1-(dimethylamino)-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;

- (82) 1-amino-N-(4-chlorobenzyl)-6-(3-hydroxy-1-propynyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (83) 1-amino-N-(4-chlorobenzyl)-6-(3-hydroxypropyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide; or a pharmaceutically acceptable salt thereof.
- 25. The method of Claim 12, wherein the compound administered is
- (1) $N-(4-\text{chlorobenzyl})-8-\text{fluoro}-6-[(Z)-3-\text{hydroxy-1-propenyl}]-1-\text{methyl}-4-\text{oxo}-1,4-\text{dihydro}-3-quinolinecarboxamide;}$
- (2) N-(4-chlorobenzyl)-6-(3-hydroxy-1-propynyl)-1[2-(4-morpholinyl)ethyl]-4-oxo-1,4-dihydro-3quinolinecarboxamide;
- (3) N-(4-chlorobenzyl)-6-(3-hydroxy-1-propynyl)-4-oxo-1-vinyl-1,4-dihydro-3-quinolinecarboxamide;
- (4) N-(4-chlorobenzyl)-6-[(Z)-3-hydroxy-1-propenyl]-1-methyl-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (5) N-(4-chlorobenzyl)-1-cyclopropyl-6-(3-hydroxy-1-propynyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (6) N-(4-chlorobenzyl)-1-(2-hydroxyethyl)-6-(3-hydroxy-1-propynyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (7) N-(4-chlorobenzyl)-6-(3-hydroxy-1-propynyl)-1- methyl-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (8) 3-(3-{[(4-chlorobenzyl)amino]carbonyl}-1-methyl-4-oxo-1,4-dihydro-6-quinolinyl)propyl dihydrogen phosphate;
- (9) sodium 2-[(8-{[3-(3-{[(4chlorobenzyl)amino]carbonyl}-1-methyl-4-oxo-1,4-dihydro-6-quinolinyl)-2-propynyl]oxy}-8oxooctanoyl)(methyl)amino]-1-ethanesulfonate;

- (10) N-(4-chlorobenzyl)-6-(3-hydroxy-1-propynyl)-1[2-(2-methoxyethoxy)-ethyl]-4-oxo-1,4-dihydro-3quinolinecarboxamide;
- (11) N-(4-chlorobenzyl)-1-methyl-4-oxo-6-vinyl-1,4-dihydro-3-quinoline-carboxamide;
- (12) N-(4-chlorobenzyl)-1-[2-(2-hydroxyethoxy)ethyl]-6-(3-hydroxy-1-propynyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (13) N-(4-chlorobenzyl)-1-[2-(2-hydroxyethoxy) ethyl]-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (14) N-(4-chlorobenzyl)-1-[2-(2-ethoxyethoxy)ethyl]-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (15) N-(4-chlorobenzyl)-1-[2-(ethylsulfanyl)ethyl]6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3quinolinecarboxamide;
- (16) N-(4-chlorobenzyl)-1-[3(methylsulfanyl)propyl]-6-(4-morpholinylmethyl)-4-oxo1,4-dihydro-3-quinolinecarboxamide;
- (17) N-(4-chlorobenzyl)-1-(4-hydroxy-2-butynyl)-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (18) N-(4-chlorobenzyl)-1-[3(methylsulfinyl)propyl]-6-(4-morpholinylmethyl)-4-oxo1,4-dihydro-3-quinolinecarboxamide;
- (19) N-(4-chlorobenzyl)-1-{3-[(3-hydroxypropyl)sulfanyl]propyl}-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (20) N-(4-chlorobenzyl)-1-[3-(methylsulfonyl)propyl]-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (21) N-(4-chlorobenzyl)-1-[2-(ethylsulfinyl)ethyl]-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;

- (22) N-(4-chlorobenzyl)-1-[2-(ethylsulfonyl)ethyl]-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (23) N-(4-chlorobenzyl)-1-{3-[(3-hydroxypropyl)sulfonyl]propyl}-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (24) N-(4-chlorobenzyl)-6-(4-morpholinylmethyl)-4-oxo-1-[2-(phenylsulfanyl)ethyl]-1,4-dihydro-3-quinolinecarboxamide;
- (25) N-(4-chlorobenzyl)-1-[(methylsulfanyl)methyl]6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3quinolinecarboxamide;
- (26) N-(4-chlorobenzyl)-6-{[[2-hydroxy-2-(4-hydroxyphenyl)ethyl](methyl)-amino]methyl}-1-methyl-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (27) N-(4-chlorobenzyl)-6-(4-morpholinylmethyl)-4-oxo-1-[(phenylsulfanyl)-methyl]-1,4-dihydro-3-quinolinecarboxamide;
- (28) $N-(4-\text{chlorobenzyl})-6-\{[[2-\text{hydroxy-}2-(4-\text{hydroxy-}3-\text{methoxyphenyl})]-(\text{methyl})\text{amino}]\text{methyl}\}-1-\text{methyl-}4-$ oxo-1, 4-dihydro-3-quinolinecarboxamide;
- (29) N-(4-chlorobenzyl)-6-[(3,3-dihydroxy-1-azetidinyl)methyl]-1-methyl-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (30) N-(4-chlorobenzyl)-1-[(methylsulfinyl)methyl]-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (31) N-(4-chlorobenzyl)-1-[(methylsulfonyl)methyl]-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (32) N-(4-chlorobenzyl)-6-(4-morpholinylmethyl)-4-oxo-1-[(phenylsulfinyl)-methyl]-1,4-dihydro-3-quinolinecarboxamide;

- (33) N-(4-chlorobenzyl)-6-(4-morpholinylmethyl)-4-oxo-1-[(phenylsulfonyl)-methyl]-1,4-dihydro-3-quinolinecarboxamide;
- (34) N-(4-chlorobenzyl)-6-(3-hydroxypropyl)-1-[2-(2-methoxyethoxy)ethyl]-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (35) N-(4-chlorobenzyl)-1-[2-(2-methoxyethoxy)ethyl]-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (36) $1-\{2-[2-(tert-butoxy)ethoxy]ethyl-N-(4-chlorobenzyl)-6-(4-morpholinyl-methyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;$
- (37) N-(4-chlorobenzyl)-6-(3-hydroxy-1-propynyl)-1-methyl-4-oxo-1,4-dihydro-3-quinolinecarbothioamide;
- (38) N-(4-chlorobenzyl)-8-(3-hydroxy-1-propynyl)-1-methyl-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (39) N-(4-chlorobenzyl)-8-(4-hydroxy-1-butynyl)-1-methyl-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (40) N-(4-chlorobenzyl)-1-([(4-chlorophenyl)sulfanyl]methyl)- 6-(4-morpholinylmethyl)-4-oxo- 1,4-dihydro-3-quinolinecarboxamide;
- (41) $N-(4-\text{chlorobenzyl})-1-([(4-\text{chlorophenyl})\,\text{sulfinyl}]\,\text{methyl})-6-(4-\text{morpholinylmethyl})-4-oxo-1,4-dihydro-3-quinolinecarboxamide;$
- (42) N-(4-chlorobenzyl)-1-[(2-methoxyethoxy)methyl]6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3quinolinecarboxamide;
- (43) 2-{[3-{[(4-chlorobenzyl)amino]carbonyl}-6-(4morpholinylmethyl)-4-oxo-1(4H)-quinolinyl]methoxy}ethyl
 benzoate;
- (44) N-(4-chlorobenzyl)-1-[(2-hydroxyethoxy)methyl]6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3quinolinecarboxamide;

- (45) N-(4-chlorobenzyl)-6-(4-morpholinylmethyl)-4-oxo-1-tetrahydro-2H-pyran-4-yl-1,4-dihydro-3-quinolinecarboxamide;
- (46) N-(4-chlorobenzyl)-1-(1-methyl-4-piperidinyl)6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3quinolinecarboxamide;
- (47) N-(4-chlorobenzyl)-6-(4-morpholinylmethyl)-4-oxo-1-(4-piperidinyl)-1,4-dihydro-3-quinolinecarboxamide;
- (48) N-(4-chlorobenzyl)-1-(1,1-dioxohexahydrothiopyran-4-yl)-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (49) N-(4-chlorobenzyl)-1-(4-morpholinyl)-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (50) 1-amino-N-(4-chlorobenzyl)-6-(3-hydroxy-1-propynyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (51) 1-amino-N-(4-chlorobenzyl)-6-(3-hydroxypropyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide; or a pharmaceutically acceptable salt thereof.
- 26. The method of Claim 12, wherein the compound administered is
- (1) N-(4-chlorobenzyl)-1-methyl-4-oxo-6-(tetrahydro-2H-pyran-4-ylmethyl)-1,4-dihydro-3quinolinecarboxamide;
- (2) N-(4-chlorobenzyl)-1-methyl-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarbothioamide;
- (3) N-(4-chlorobenzyl)-8-(2-hydroxyethoxy)-6-(3-hydroxypropyl)-1-methyl-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (4) N-(4-chlorobenzyl)-1-cyclopropyl-6-(3-hydroxypropyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamid;

- (5) $1-\{2-[bis(2-hydroxyethyl)amino]ethyl\}-N-(4-chlorobenzyl)-6-(4-morpholinyl-methyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide; or a pharmaceutically acceptable salt thereof.$
- 27. The method of Claim 12, wherein the compound administered is
- (1) N-(4-chlorobenzyl)-8-[2-hydroxy-1(hydroxymethyl)ethoxy]-6-(3-hydroxypropyl)-1-methyl-4oxo-1,4-dihydro-3-quinolinecarboxamide;
- (2) N-(4-chlorobenzyl)-8-fluoro-6-(hydroxymethyl)-4-oxo-1-[3-(tetrahydro-2H-pyran-2-yloxy)propyl]-1,4-dihydro-3-quinolinecarboxamide;
- (3) N-(4-chlorobenzyl)-6-[ethyl(2hydroxyethyl)amino]-1-methyl-4-oxo 1,4-dihydro-3quinolinecarboxamide;
- (4) N-(4-chlorobenzyl)-1-cyclopropyl-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (5) 6-{[bis(2-hydroxyethyl)amino]methyl}-N-(4-chlorobenzyl)-1-methyl-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (6) N-(4-chlorobenzyl)-6-{[(2hydroxyethyl) (methyl) amino]methyl}-1-methyl-4-oxo-1,4dihydro-3-quinolinecarboxamide;
- (7) 6-((benzyl(2-hydroxyethyl)amino)methyl)-N-(4-chlorobenzyl)-1-methyl-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (8) N-(4-chlorobenzyl)-6-[(4,4-difluoro-1-piperidinyl)methyl]-1-methyl-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (9) N-(4-chlorobenzyl)-6-{[4-fluoro-3,6-dihydro-1(2H)-pyridinyl]methyl}-1-methyl-4-oxo-1,4-dihydro-3-quinolinecarboxamide; or a pharmaceutically acceptable salt thereof.

- 28. The method of Claim 12, wherein the compound administered is
- (1) N-(4-chlorobenzyl)-1-[2-(2-hydroxyethoxy)ethyl]-6-(3-hydroxy-1-propynyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (2) N-(4-chlorobenzyl)-6-{[[2-hydroxy-2-(4-hydroxyphenyl)ethyl](methyl) amino] methyl}-1-methyl-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (3) N-(4-chlorobenzyl)-6-{[[2-hydroxy-2-(4-hydroxy-3-methoxyphenyl) ethyl] (methyl)amino]methyl}-1-methyl-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (4) N-(4-chlorobenzyl)-6-[(3,3-dihydroxy-1-azetidinyl)methyl]-1-methyl-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (5) N-(4-chlorobenzyl)-8-fluoro-6-[(Z)-3-hydroxy-1-propenyl]-1-methyl-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (6) N-(4-chlorobenzyl)-6-(3-hydroxy-1-propynyl)-1[2-(4-morpholinyl)ethyl]-4-oxo-1,4-dihydro-3quinolinecarboxamide;
- (7) N-(4-chlorobenzyl)-6-[(Z)-3-hydroxy-1-propenyl]-1-methyl-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (8) N-(4-chlorobenzyl)-1-cyclopropyl-6-(3-hydroxy-1-propynyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (9) N-(4-chlorobenzyl)-1-(2-hydroxyethyl)-6-(3-hydroxy-1-propynyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (10) N-(4-chlorobenzyl)-6-(3-hydroxy-1-propynyl)-1-methyl-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (11) N-(4-chlorobenzyl)-6-(3-hydroxy-1-propynyl)-1[2-(2-methoxyethoxy)ethyl]-4-oxo-1,4-dihydro-3quinolinecarboxamide;

- (12) N-(4-chlorobenzyl)-6-(3-hydroxy-1-propynyl)-1-methyl-4-oxo-1,4-dihydro-3-quinolinecarbothioamide;
- (13) N-(4-chlorobenzyl)-8-(3-hydroxy-1-propynyl)-1-methyl-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (14) N-(4-chlorobenzyl)-8-(4-hydroxy-1-butynyl)-1-methyl-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (15) N-(4-chlorobenzyl)-1-methyl-4-oxo-6-(tetrahydro-2H-pyran-4-ylmethyl)-1,4-dihydro-3quinolinecarboxamide; or a pharmaceutically acceptable salt thereof.
- 29. The method of Claim 12, wherein the compound administered is
- (1) N-(4-chlorobenzyl)-1-(4-morpholinyl)-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (2) 1-amino-N-(4-chlorobenzyl)-6-(3-hydroxy-1-propynyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (3) 1-amino-N-(4-chlorobenzyl)-6-(3-hydroxypropyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (4) N-(4-bromobenzyl)-1-(4-morpholinyl)-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (5) N-(4-fluorobenzyl)-1-(4-morpholinyl)-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide; or a pharmaceutically acceptable salt thereof.
- 30. The method of Claim 12, wherein the compound administered is
- (1) $N-(4-\text{chlorobenzyl})-1-\{[(4-\text{chlorophenyl})\,\text{sulfanyl}]\,\text{methyl}\}-6-(4-\text{morpholinylmethyl})-4-oxo-1,4-dihydro-3-quinolinecarboxamide;}$

- (2) $N-(4-\text{chlorobenzyl})-1-\{[(4-\text{chlorophenyl}) \text{ sulfinyl}] \text{methyl}\}-6-(4-\text{morpholinylmethyl})-4-oxo-1, 4-dihydro-3-quinolinecarboxamide;}$
- (3) N-(4-chlorobenzyl)-1-[(2-methoxyethoxy)methyl]6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3quinolinecarboxamide;
- (4) 2-{[3-{[(4-chlorobenzyl)amino]carbonyl}-6-(4morpholinylmethyl)-4-oxo-1(4H)-quinolinyl]methoxy}ethyl
 benzoate;
- (5) N-(4-chlorobenzyl)-1-[(2-hydroxyethoxy)methyl]6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3quinolinecarboxamide;
- (6) N-(4-chlorobenzyl)-6-(4-morpholinylmethyl)-4-oxo-1-tetrahydro-2H-pyran-4-yl-1,4-dihydro-3-quinolinecarboxamide;
- (7) N-(4-chlorobenzyl)-1-(1-methyl-4-piperidinyl)-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (8) N-(4-chlorobenzyl)-6-(4-morpholinylmethyl)-4-oxo-1-(4-piperidinyl)-1,4-dihydro-3-quinolinecarboxamide;
- (9) N-(4-chlorobenzyl)-1-(1,1-dioxohexahydro-1) 11ambda~6~-thiopyran-4-yl)-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (10) N-(4-chlorobenzyl)-1-(4-morpholinyl)-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (11) N-(4-chlorobenzyl)-1-[2-(2-hydroxyethoxy)ethyl]-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (12) N-(4-chlorobenzyl)-1-[2-(2-ethoxyethoxy)ethyl]-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (13) N-(4-chlorobenzyl)-1-[2-(ethylsulfanyl)ethyl]6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3quinolinecarboxamide;

- (14) N-(4-chlorobenzyl)-1-[3-(methylsulfanyl)propyl]-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (15) N-(4-chlorobenzyl)-1-(4-hydroxy-2-butynyl)-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (16) $1-\{2-[bis(2-hydroxyethyl)amino]ethyl\}-N-(4-chlorobenzyl)-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;$
- (17) N-(4-chlorobenzyl)-1-[3-(methylsulfinyl)propyl]-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (18) $N-(4-\text{chlorobenzyl})-1-\{3-[(3-\text{hydroxypropyl})\,\text{sulfanyl}]\,\text{propyl}\}-6-(4-\text{morpholinylmethyl})-4-oxo-1,4-dihydro-3-quinolinecarboxamide;$
- (19) N-(4-chlorobenzyl)-1-[3(methylsulfonyl)propyl]-6-(4-morpholinylmethyl)-4-oxo1,4-dihydro-3-quinolinecarboxamide;
- (20) N-(4-chlorobenzyl)-1-[2-(ethylsulfinyl)ethyl]-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (21) N-(4-chlorobenzyl)-1-[2-(ethylsulfonyl)ethyl]-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (22) N-(4-chlorobenzyl)-1-{3-[(3-hydroxypropyl)sulfonyl]propyl}-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (23) N-(4-chlorobenzyl)-6-(4-morpholinylmethyl)-4-oxo-1-[2-(phenylsulfanyl)ethyl]-1,4-dihydro-3-quinolinecarboxamide;
- (24) N-(4-chlorobenzyl)-1-[(methylsulfanyl)methyl]-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;

- (25) N-(4-chlorobenzyl)-6-(4-morpholinylmethyl)-4-oxo-1-[(phenylsulfanyl)methyl]-1,4-dihydro-3-quinolinecarboxamide;
- (26) N-(4-chlorobenzyl)-1-[(methylsulfinyl)methyl]6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3quinolinecarboxamide;
- (27) N-(4-chlorobenzyl)-1-[(methylsulfonyl)methyl]-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (28) N-(4-chlorobenzyl)-6-(4-morpholinylmethyl)-4-oxo-1-[(phenylsulfinyl)methyl]-1,4-dihydro-3-quinolinecarboxamide;
- (29) N-(4-chlorobenzyl)-6-(4-morpholinylmethyl)-4-oxo-1-[(phenylsulfonyl)methyl]-1,4-dihydro-3-quinolinecarboxamide;
- (30) N-(4-chlorobenzyl)-1-[2-(2-methoxyethoxy) ethyl]-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (31) $1-\{2-[2-(\text{tert-butoxy})\text{ethoxy}]\text{ethyl}\}-N-(4-\text{chlorobenzyl})-6-(4-\text{morpholinylmethyl})-4-\text{oxo}-1,4-\text{dihydro-3-quinolinecarboxamide};$
- (32) N-(4-chlorobenzyl)-1-cyclopropyl-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3- quinolinecarboxamide; or a pharmaceutically acceptable salt thereof.
- 31. The method of Claim 1, wherein the compound administered has the Formula IV

IV

or a pharmaceutically acceptable salt, racemate, solvate, tautomer or optical isomer or prodrug derivative thereof. wherein $R^{\text{IV-1}}$ is C_{1-6} alkyl, optionally substituted with

 $-\mathrm{OH}$, $-\mathrm{OC}_{1-4}$ alkyl or het^{IV}; wherein C_{1-6} alkyl is optionally partially unsaturated; wherein het^{IV} is a radical of a five- or six-membered heterocyclic ring having one or two heteroatoms selected from the group consisting of oxygen, sulfur and N.

- 32. The method of Claim 31, wherein the compound administered is N-(4-Chlorobenzyl)-9-(4-morpholinylmethyl)-7-oxo-2,3-dihydro-7H- [1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide; or a pharmaceutically acceptable salt thereof.
- 33. The method of Claim 1, wherein the compound administered has the Formula \ensuremath{V}

$$R^{V-5}$$
 $R^{V-11}X^{V}$
 X^{V}
 R^{V-1}
 R^{V-4}
 R^{V-3}

V

or a pharmaceutically acceptable salt, racemate, solvate, tautomer or optical isomer or prodrug derivative thereof, wherein

each X^{V} is independently O or S; Y is Cl, F, Br, CN or NO_2 ;

 R^{V-1} , R^{V-2} , R^{V-3} and R^{V-4} are independently

- a) hydrogen,
- b) N_3 ,

- c) CN,
- d) fluoro,
- e) trifluoromethyl,
- f) aryl^v,
- g) het v ,
- h) C_{1-8} alkyl, optionally substituted with R^{V-6} or OR^{V-7} , or
- i) R^{V-1} and R^{V-2} or R^{V-3} and R^{V-4} together with the carbon to which they are attached form C_{3-8} cycloalkyl or het^V;
- R^{V-5} is C_{1-8} alkyl, which may be partially unsaturated and optionally substituted with one to three N_3 , halo, CN, R^{V-6} or R^{V-7} ;

R^{V-6} is

- a) aryl^v,
- b) het^v,
- c) SO_iR^{V-8} ,
- d) OR^{V-8} ,
- e) $C (=0) OR^{V-8}$,
- f) $C (=0) R^{V-8}$, or
- q) $NR^{V-8}R^{V-9}$;

R^{V-7} is

- a) $P(=0) (OR^{V-10})_2$,
- b) $CO(CH_2)_iCON(CH_3)(CH_2)_kSO_3^-M^{V+}$,
- c) an amino acid,
- d) $C(=0)C_{1-6}alkyl$, optionally substituted by $NR^{V-10}R^{V-10}$, or
- e) $CO(CH_2)_nCO_2H$;

 $\ensuremath{\mbox{R}^{V-8}}$ and $\ensuremath{\mbox{R}^{V-9}}$ are independently

- a) hydrogen,
- b) C_{3-8} cycloalkyl,
- c) aryl^v,
- d) het^v, or
- e) C_{1-8} alkyl which is further optionally

substituted with one or more aryl^{v} , het^{v} , halo, CN , $\operatorname{CO}_2 \operatorname{R}^{v-10}$, $\operatorname{SO}_i \operatorname{R}^{v-10}$, OR^{v-10} , $\operatorname{NR}^{v-10} \operatorname{R}^{v-10}$, CF_3 , or $\operatorname{C}_{3-8} \operatorname{cycloalkyl}$;

R^{V-10} is

- a) H or
- b) C_{1-8} alkyl, optionally substituted with OH or OC_{1-4} alkyl;

 R^{V-11} and R^{V-12} are independently

- a) hydrogen,
- b) halo,
- C) NO_2 ,
- d) CN,
- e) R^{V-6} ,
- f) $SO_iNR^{v-8}R^{v-9}$, or
- g) C_{1-8} alkyl, which may be partially unsaturated and optionally substituted with one to three N_3 , halo, CN, R^{V-6} or OR^{V-7} ;

$aryl^{v}$ is

a phenyl radical, optionally fused with a saturated or unsaturated carbocyclic or heterocyclic ring; at each occurrence, aryl may be substituted with one or more halo, CN, $\text{CO}_2\text{R}^{\text{V}-10}$, $\text{SO}_i\text{R}^{\text{V}-10}$, $\text{OR}^{\text{V}-10}$, $\text{NR}^{\text{V}-10}\text{R}^{\text{V}-10}$, CF_3 , $\text{C}_{3-8}\text{cycloalkyl}$, or $\text{C}_{1-4}\text{alkyl}$ wherein $\text{C}_{1-4}\text{alkyl}$ is optionally substituted with $\text{OR}^{\text{V}-10}$;

het^V is

a four- (4), five- (5), six- (6), or seven- (7) membered saturated or unsaturated heterocyclic ring having 1, 2, or 3 heteroatoms selected from the group consisting of O, S, and NW, wherein W is hydrogen, C₁₋₄alkyl, C(=O)OC₁₋₄alkyl or absent, wherein het^v is optionally fused with a benzene ring, a carbcyclic or a heterocyclic ring; at each occurrence, het^v may be substituted with one or more halo, CN, CO₂R^{v-10}, SO_iR^{v-10}, OR^{v-10}, NR^{v-10}R^{v-10}, C₁₋₄alkyl, CF₃, C₃₋₈cycloalkyl, oxo or oxine; at each occurrence,

a cycloalkyl may be substituted with C_{1-4} alkyl, OR^{V-10} , oxo, oxine, or a spiro fused het^v;

 i^{V} is 0, 1 or 2;

 j^{v} is 1, 2, 3, 4, 5, or 6;

 k^{V} is 1, 2, 3, 4, 5, or 6;

 n^{V} is 1, 2, 3, 4, 5, or 6;

 M^{V} is sodium, potassium, or lithium.

- 34. The method of Claim 33, wherein the compound administered is
- (a) N-(4-Chlorobenzyl)-2-(hydroxymethyl)-9-(morpholin-4-ylmethyl)-7-oxo-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (b) $N-(4-\text{Chlorobenzyl})-2-(R \text{ or } S)-(\text{hydroxymethyl})-9-(\text{morpholin}-4-\text{ylmethyl})-7-\text{oxo}-2,3-\text{dihydro}-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,}$
- (c) N-(4-Chlorobenzyl)-9-(morpholin-4-ylmethyl)-7-0xo-2-pyridin-3-yl-2,3-dihydro-7H-[1,4]0xazino[2,3,4-ij]quinoline-6-carboxamide,
- (d) N-(4-Chlorobenzyl)-9-(morpholin-4-ylmethyl)-7-oxo-2-pyridin-4-yl-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (e) N-(4-Chlorobenzyl)-9-(morpholin-4-ylmethyl)-7-oxo-2-pyridin-2-yl-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (f) N-(4-Chlorobenzyl)-9-(morpholin-4-ylmethyl)-7- ∞ 0x0-2-(R or S)-pyridin-3-yl-2,3-dihydro-7H-[1,4]0xazino[2,3,4-ij]quinoline-6-carboxamide,
- (g) N-(4-Chlorobenzyl)-2,9-bis(morpholin-4-ylmethyl)-7-oxo-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (h) 2-[(tert-Butylsulfanyl)methyl]-N-(4-chlorobenzyl)-9-(morpholin-4-ylmethyl)-7-oxo-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,

- (i) N-(4-Chlorobenzyl)-2-{[(2hydroxyethyl)sulfanyl]methyl}-9-(morpholin-4-ylmethyl)-7oxo-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6carboxamide,
- (j) $N-(4-\text{Chlorobenzyl})-2-\{[(1-\text{methyl}-1H-\text{imidazol}-2-yl)\,\text{sulfanyl}]\,\text{methyl}\}-9-(\text{morpholin}-4-yl\text{methyl})-7-\text{oxo}-2,3-dihydro-7H-[1,4]\,\text{oxazino}[2,3,4-ij]\,\text{quinoline}-6-\text{carboxamide},$
- (k) $N-(4-\text{Chlorobenzyl})-9-(\text{morpholin}-4-\text{ylmethyl})-7-0x0-2-{[(3-pyridinylmethyl)amino]methyl}-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,$
- (1) [6-{[(4-Chlorobenzyl)amino]carbonyl}-9(morpholin-4-ylmethyl)-7-oxo-2,3-dihydro-7H[1,4]oxazino[2,3,4-ij]quinolin-2-yl]methyl acetate,
- (m) N-(4-Chlorobenzyl)-9-(morpholin-4-ylmethyl)-7- $0x0-2-(R \text{ or } S)-\{[(3-\text{pyridinylmethyl})\text{ amino}]\text{methyl}\}-2,3-$ dihydro-7H-[1,4]0xazino[2,3,4-ij]quinoline-6-carboxamide,
- (n) N-(4-Chlorobenzyl)-2-(3-hydroxyphenyl)-9-(morpholin-4-ylmethyl)-7-oxo-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (o) N-(4-Chlorobenzyl)-9-(morpholin-4-ylmethyl)-7- ∞ 0x0-2-(R or S)-pyridin-2-yl-2,3-dihydro-7H-[1,4]0xazino[2,3,4-ij]quinoline-6-carboxamide,
- (p) N-(4-Chlorobenzyl)-2-[3-(hydroxymethyl)phenyl]9-(morpholin-4-ylmethyl)-7-oxo-2,3-dihydro-7H[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (q) N-(4-Chlorobenzyl)-2-[2-(hydroxymethyl)phenyl]9-(morpholin-4-ylmethyl)-7-oxo-2,3-dihydro-7H[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (r) N-(4-Chlorobenzyl)-2-(1-methyl-1H-imidazol-2-yl)-9-(morpholin-4-ylmethyl)-7-oxo-2,3-dihydro-7H- [1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (s) N-(4-Chlorobenzyl)-2-(2-furyl)-9-(morpholin-4-ylmethyl)-7-oxo-2, 3-dihydro-7H-[1,4] oxazino[2,3,4-ij] quinoline-6-carboxamide,

- (t) N-(4-Chlorobenzyl)-2-(3-cyanophenyl)-9-(morpholin-4-ylmethyl)-7-oxo-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (u) N-(4-Chlorobenzyl)-2-(3-furyl)-9-(morpholin-4-ylmethyl)-7-oxo-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (v) N-(4-Chlorobenzyl)-9-(morpholin-4-ylmethyl)-7-oxo-2-thien-2-yl-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (w) N-(4-Chlorobenzyl)-2-(3,5-difluorophenyl)-9-(morpholin-4-ylmethyl)-7-oxo-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (x) 2-(1,3-Benzodioxol-5-yl)-N-(4-chlorobenzyl)-9- (morpholin-4-ylmethyl)-7-oxo-2,3-dihydro-7H- [1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (y) N-(4-Chlorobenzyl)-2-(2,3-dihydro-1,4-benzodioxin-6-yl)-9-(morpholin-4-ylmethyl)-7-oxo-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (z) 2-(1,3-Benzodioxol-4-yl)-N-(4-chlorobenzyl)-9- (morpholin-4-ylmethyl)-7-oxo-2,3-dihydro-7H- [1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (aa) 2-[3,5-bis(Methoxymethoxy)phenyl]-N-(4-chlorobenzyl)-9-(morpholin-4-ylmethyl)-7-oxo-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (bb) N-(4-Chlorobenzyl)-9-(morpholin-4-ylmethyl)-7- oxo-2-thien-3-yl-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (cc) N-(4-Chlorobenzyl)-2,2-bis[(methoxymethoxy)methyl]-9-(morpholin-4-ylmethyl)-7-oxo-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (dd) N-[(4-Chlorophenyl)methyl]-9'-(4-morpholinylmethyl)-4,7'-dioxospiro[cyclohexane-1,2'(3'H)-[7H]pyrido[1,2,3-de] [1,4]benzoxazine]-6'-carboxamide,

```
(ee) N-[(4-Chlorophenyl)methyl]-4-hydroxy-9'-(4-morpholinylmethyl)-7'-oxospiro[cyclohexane-1,2'(3'H)-[7H]pyrido[1,2,3-de] [1,4]benzoxazine]-6'-carboxamide,
```

- (ff) N-(4-Chlorobenzyl)-3,9-bis(morpholin-4-ylmethyl)-7-oxo-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (gg) N-(4-Chlorobenzyl)-9-(morpholin-4-ylmethyl)-7-oxo-2-phenyl-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (hh) N-(4-Chlorobenzyl)-2,2-difluoro-9-(morpholin-4-ylmethyl)-7-oxo-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (ii) N-(4-Chlorobenzyl)-2-[(methylsulfanyl)methyl]9-(morpholin-4-ylmethyl)-7-oxo-2,3-dihydro-7H[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (jj) $N-(4-\text{Chlorobenzyl})-2-[(\text{dimethylamino})\,\text{methyl}]-9-(\text{morpholin}-4-\text{ylmethyl})-7-\text{oxo}-2,3-\text{dihydro}-7H-[1,4]\,\text{oxazino}[2,3,4-\text{ij}]\,\text{quinoline}-6-\text{carboxamide},$
- (kk) N-(4-Chlorobenzyl)-2-[(4-methyl-1-piperazinyl)methyl]-9-(morpholin-4-ylmethyl)-7-oxo-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (11) Methyl ({[6-{[(4-chlorobenzyl)amino]carbonyl}9-(morpholin-4-ylmethyl)-7-oxo-2,3-dihydro-7H[1,4]oxazino[2,3,4-ij]quinolin-2-yl]methyl}thio)acetate,
- (mm) N-(4-Chlorobenzyl)-9-(morpholin-4-ylmethyl)-7-oxo-2-(1-pyrrolidinylmethyl)-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (nn) N-(4-Chlorobenzyl)-2-{[(2,3-dihydroxypropyl)sulfanyl]methyl}-9-(morpholin-4-ylmethyl)-7-oxo-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (oo) $N-(4-\text{Chlorobenzyl})-2-\{[(2,3-\text{dihydroxypropyl}) \text{ amino}] \text{methyl}\}-9-(\text{morpholin-}4-\text{ylmethyl})-7-\text{oxo-}2,3-\text{dihydro-}7H-[1,4] \text{oxazino}[2,3,4-\text{ij}] \text{quinoline-}6-\text{carboxamide},$

- (pp) N-(4-Chlorobenzyl)-2-{[(2-hydroxyethyl)amino]methyl}-9-(morpholin-4-ylmethyl)-7-oxo-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (qq) N-(4-Chlorobenzyl)-9-(morpholin-4-ylmethyl)-7- ∞ 0x0-2-(1-piperidinylmethyl)-2,3-dihydro-7H-[1,4]0xazino[2,3,4-ij]quinoline-6-carboxamide,
- (rr) 2-{[bis(2-Hydroxyethyl)amino]methyl}-N-(4-chlorobenzyl)-9-(morpholin-4-ylmethyl)-7-oxo-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (ss) N-(4-Chlorobenzyl)-9-(morpholin-4-ylmethyl)-7- $0x0-2-\{[(2-\text{pyridinylmethyl})\text{amino}]\text{methyl}\}-2,3-\text{dihydro}-7H-$ [1,4] 0xazino[2,3,4-ij] quinoline-6-carboxamide,
- (tt) 2-[(8-{[6-{[(4-Chlorobenzyl)amino]carbonyl}-9(morpholin-4-ylmethyl)-7-oxo-2,3-dihydro-7H[1,4]oxazino[2,3,4-ij]quinolin-2-yl]methoxy}-8oxooctanoyl)(methyl)amino]ethanesulfonic acid sodium
 salt,
- (uu) [6-{[(4-Chlorobenzyl)amino]carbonyl}-9(morpholin-4-ylmethyl)-7-oxo-2,3-dihydro-7H[1,4]oxazino[2,3,4-ij]quinolin-2-yl]methyl dimethyl
 phosphate,
- (vv) N-(4-Chlorobenzyl)-9-(morpholin-4-ylmethyl)-7-oxo-2-{[(4pyridinylmethyl)amino]methyl}-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (ww) N-(4-Chlorobenzyl)-2-(1H-imidazol-1-ylmethyl)9-(morpholin-4-ylmethyl)-7-oxo-2,3-dihydro-7H[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (xx) $N-(4-\text{Chlorobenzyl})-2-\{[(4-\text{Chlorobenzyl}) \text{ amino}] \text{ methyl}\}-9-(\text{morpholin-}4-\text{ylmethyl})-7-\text{oxo-}2,3-\text{dihydro-}7H-[1,4] \text{ oxazino}[2,3,4-\text{ij}] \text{ quinoline-}6-\text{carboxamide},$
- (yy) N-(4-Chlorobenzyl)-3-(hydroxymethyl)-9(morpholin-4-ylmethyl)-7-oxo-2,3-dihydro-7H[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,

```
(zz) N-(4-Chlorobenzyl)-2-(4-hydroxyphenyl)-9-
(morpholin-4-ylmethyl)-7-oxo-2,3-dihydro-7H-
[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
     (aaa) N-(4-Chlorobenzyl)-2-{3-}
[(methoxymethoxy)methyl]phenyl}-9-(morpholin-4-ylmethyl)-
7-oxo-2, 3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-
carboxamide,
     (bbb) N-(4-\text{Chlorobenzyl})-2-\{2-
[(methoxymethoxy)methyl]phenyl}-9-(morpholin-4-ylmethyl)-
7-oxo-2, 3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-
carboxamide,
     (ccc) N-(4-Chlorobenzyl)-2-(2-hydroxyphenyl)-9-
(morpholin-4-ylmethyl)-7-oxo-2,3-dihydro-7H-
[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
     (ddd) N-[(4-Chlorophenyl)methyl]-2,3,5,6-tetrahydro-
9'-(4-morpholinylmethyl)-7'-oxospiro[4H-pyran-4,2'(3'H)-
[7H]pyrido[1,2,3-de] [1,4]benzoxazine]-6'-carboxamide,
     (eee) 1,1-Dimethylethyl 6-[[(4-
chlorophenyl)methyl]amino]carbonyl]-9'-(4-
morpholinylmethyl) -7'-oxospiro[piperidine-4,2'(3'H)-
[7H]pyrido[1,2,3-de] [1,4]benzoxazine]-1-carboxylate,
     (fff) N-[(4-Chlorophenyl)methyl]-9'-(4-
morpholinylmethyl) -7'-oxospiro[piperidine-4,2'(3'H)-
[7H] pyrido [1,2,3-de] [1,4] benzoxazine]-6'-carboxamide,
     (qqq) N-(4-Chlorobenzyl)-2,2-bis(hydroxymethyl)-9-
(morpholin-4-ylmethyl)-7-oxo-2,3-dihydro-7H-
[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
     (hhh) N-[(4-Chlorophenyl)methyl]-2',3',5',6'-
tetrahydro-9-(4-morpholinylmethyl)-7-oxospiro[7H-
pyrido[1,2,3-de]-1,4-benzoxazine-2(3H),4'-[4H]thiopyran]-
6-carboxamide,
     (iii) N-(4-Chlorobenzyl)-9-(morpholin-4-ylmethyl)-7-
oxo-3-phenyl-2,3-dihydro-7H-[1,4]oxazino[2,3,4-
ij|quinoline-6-carboxamide,
```

- (jjj) N-(4-Chlorobenzyl)-3,3-bis(hydroxymethyl)-9-(3-hydroxy-1-propynyl)-7-oxo-2,3-dihydro-7H-
- [1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (kkk) N-(4-Chlorobenzyl)-3,3-bis(hydroxymethyl)-9-(3-hydroxypropyl)-7-oxo-2,3-dihydro-7H-
- [1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (111) N-(4-Chlorobenzyl)-2-[2(methoxymethoxy)phenyl]-9-(morpholin-4-ylmethyl)-7-oxo2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6carboxamide,
- (mmm) N-(4-Chlorobenzyl)-2-{4-[(methoxymethoxy)methyl]phenyl}-9-(morpholin-4-ylmethyl)-7-oxo-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6carboxamide,
- (nnn) 2-[2,3-bis (Methoxymethoxy) phenyl]-N-(4-chlorobenzyl)-9-(morpholin-4-ylmethyl)-7-oxo-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (ooo) N-[(4-Chlorophenyl) methyl]-1-methyl-9'-(4-morpholinylmethyl)-7'-oxospiro[piperidine-4,2'(3'H)-[7H]pyrido[1,2,3-de] [1,4]benzoxazine]-6'-carboxamide,
- (ppp) N-[(4-Chlorophenyl)methyl]-9''-(4-morpholinylmethyl)dispiro[1,3-dioxolane-2,1'-cyclohexane-4',2''(3''H)-[7H] pyrido[1,2,3-de] [1,4]benzoxazine]-6''-carboxamide, or a pharmaceutically acceptable salt thereof.
- 35. The method of Claim 33, wherein the compound administered is
- (a) N-(4-Chlorobenzyl)-2-(hydroxymethyl)-9-(morpholin-4-ylmethyl)-7-thioxo-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (b) $N-(4-\text{Chlorobenzyl})-2-(R \text{ or } S)-(\text{hydroxymethyl})-9-(\text{morpholin}-4-\text{ylmethyl})-7-\text{thioxo}-2,3-\text{dihydro}-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,}$

- (c) N-(4-Chlorobenzyl)-9-(morpholin-4-ylmethyl)-7- thioxo-2-pyridin-3-yl-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (d) N-(4-Chlorobenzyl)-9-(morpholin-4-ylmethyl)-7-thioxo-2-pyridin-4-yl-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (e) N-(4-Chlorobenzyl)-9-(morpholin-4-ylmethyl)-7- thioxo-2-pyridin-2-yl-2,3-dihydro-7 H- [1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (f) N-(4-Chlorobenzyl)-9-(morpholin-4-ylmethyl)-7-thioxo-2-(R or S)-pyridin-3-yl-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (g) N-(4-Chlorobenzyl)-2,9-bis(morpholin-4-ylmethyl)-7-thioxo-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (h) 2-[(tert-Butylsulfanyl)methyl]-N-(4-chlorobenzyl)-9-(morpholin-4-ylmethyl)-7-thioxo-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (i) N-(4-Chlorobenzyl)-2-{[(2hydroxyethyl)sulfanyl]methyl}-9-(morpholin-4-ylmethyl)-7thioxo-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6carboxamide,
- (j) N-(4-Chlorobenzyl)-2-{[(1-methyl-1H-imidazol-2-yl)sulfanyl]methyl}-9-(morpholin-4-ylmethyl)-7-thioxo-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (k) N-(4-Chlorobenzyl)-9-(morpholin-4-ylmethyl)-7- thioxo-2-{[(3-pyridinylmethyl)amino]methyl}-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (1) [6-{[(4-Chlorobenzyl)amino]carbonyl}-9(morpholin-4-ylmethyl)-7-thioxo-2,3-dihydro-7H[1,4]oxazino[2,3,4-ij]quinolin-2-yl]methyl acetate,
- (m) N-(4-Chlorobenzyl)-9-(morpholin-4-ylmethyl)-7- thioxo-2-(R or S)-{[(3-pyridinylmethyl)amino]methyl}-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,

- (n) N-(4-Chlorobenzyl)-2-(3-hydroxyphenyl)-9-(morpholin-4-ylmethyl)-7-thioxo-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (o) N-(4-Chlorobenzyl)-9-(morpholin-4-ylmethyl)-7- thioxo-2-(R or S)-pyridin-2-yl-2,3-dihydro-7H- [1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (p) N-(4-Chlorobenzyl)-2-[3-(hydroxymethyl)phenyl]-9-(morpholin-4-ylmethyl)-7-thioxo-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (q) N-(4-Chlorobenzyl)-2-[2-(hydroxymethyl)phenyl]-9-(morpholin-4-ylmethyl)-7-thioxo-2,3-dihydro-7H[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (r) N-(4-Chlorobenzyl)-2-(1-methyl-1H-imidazol-2-yl)-9-(morpholin-4-ylmethyl)-7-thioxo-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (s) N-(4-Chlorobenzyl)-2-(2-furyl)-9-(morpholin-4-ylmethyl)-7-thioxo-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (t) N-(4-Chlorobenzyl)-2-(3-cyanophenyl)-9-(morpholin-4-ylmethyl)-7-thioxo-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (u) N-(4-Chlorobenzyl)-2-(3-furyl)-9-(morpholin-4-ylmethyl)-7-thioxo-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (v) N-(4-Chlorobenzyl)-9-(morpholin-4-ylmethyl)-7- thioxo-2-thien-2-yl-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (w) N-(4-Chlorobenzyl)-2-(3,5-difluorophenyl)-9-(morpholin-4-ylmethyl)-7-thioxo-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (x) 2-(1,3-Benzodioxol-5-yl)-N-(4-chlorobenzyl)-9-(morpholin-4-ylmethyl)-7-thioxo-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,

- (y) N-(4-Chlorobenzyl)-2-(2,3-dihydro-1,4-benzodioxin-6-yl)-9-(morpholin-4-ylmethyl)-7-thioxo-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (z) 2-(1,3-Benzodioxol-4-yl)-N-(4-chlorobenzyl)-9-(morpholin-4-ylmethyl)-7-thioxo-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (aa) 2-[3,5-bis (Methoxymethoxy)phenyl]-N-(4-chlorobenzyl)-9-(morpholin-4-ylmethyl)-7-thioxo-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (bb) N-(4-Chlorobenzyl)-9-(morpholin-4-ylmethyl)-7- thioxo-2-thien-3-yl-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (cc) N-(4-Chlorobenzyl)-2,2-bis[(methoxymethoxy)methyl]-9-(morpholin-4-ylmethyl)-7-thioxo-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (dd) N-[(4-Chlorophenyl) methyl]-9'-(4-morpholinylmethyl)-4-oxo-7'-thioxospiro[cyclohexane-1,2'(3'H)-[7H]pyrido[1,2,3-de] [1,4]benzoxazine]-6'-carboxamide,
- (ee) N-[(4-Chlorophenyl)methyl]-4-hydroxy-9'-(4-morpholinylmethyl)-7'-thioxospiro[cyclohexane-1,2'(3'H)-[7H]pyrido[1,2,3-de] [1,4]benzoxazine]-6'-carboxamide,
- (ff) N-(4-Chlorobenzyl)-3,9-bis(morpholin-4-ylmethyl)-7-thioxo-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (gg) N-(4-Chlorobenzyl)-9-(morpholin-4-ylmethyl)-7-thioxo-2-phenyl-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (hh) N-(4-Chlorobenzyl)-2,2-difluoro-9-(morpholin-4-ylmethyl)-7-thioxo-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (ii) N-(4-Chlorobenzyl)-2-[(methylsulfanyl)methyl]9-(morpholin-4-ylmethyl)-7-thioxo-2,3-dihydro-7H[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,

- (jj) $N-(4-\text{Chlorobenzyl})-2-[(\text{dimethylamino})\,\text{methyl}]-9-(\text{morpholin}-4-\text{ylmethyl})-7-\text{thioxo}-2,3-\text{dihydro}-7H-[1,4]\,\text{oxazino}[2,3,4-ij]\,\text{quinoline}-6-\text{carboxamide},$
- (kk) N-(4-Chlorobenzyl)-2-[(4-methyl-1-piperazinyl)methyl]-9-(morpholin-4-ylmethyl)-7-thioxo-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (11) Methyl ({[6-{[(4-chlorobenzyl)amino]carbonyl}9-(morpholin-4-ylmethyl)-7-thioxo-2,3-dihydro-7H[1,4]oxazino[2,3,4-ij]quinolin-2-yl]methyl}thio)acetate,
- (mm) N-(4-Chlorobenzyl)-9-(morpholin-4-ylmethyl)-7-thioxo-2-(1-pyrrolidinylmethyl)-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (nn) N-(4-Chlorobenzyl)-2-{[(2,3dihydroxypropyl)sulfanyl]methyl}-9-(morpholin-4ylmethyl)-7-thioxo-2,3-dihydro-7H-[1,4]oxazino[2,3,4ij]quinoline-6-carboxamide,
- (oo) N-(4-Chlorobenzyl)-2-{[(2,3-dihydroxypropyl)amino]methyl}-9-(morpholin-4-ylmethyl)-7-thioxo-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (pp) N-(4-Chlorobenzyl)-2-{[(2-hydroxyethyl)amino]methyl}-9-(morpholin-4-ylmethyl)-7-thioxo-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (qq) N-(4-Chlorobenzyl)-9-(morpholin-4-ylmethyl)-7-thioxo-2-(1-piperidinylmethyl)-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (rr) 2-{[bis(2-Hydroxyethyl)amino]methyl}-N-(4chlorobenzyl)-9-(morpholin-4-ylmethyl)-7-thioxo-2,3dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (ss) N-(4-Chlorobenzyl)-9-(morpholin-4-ylmethyl)-7-thioxo-2-{[(2-pyridinylmethyl)amino]methyl}-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,

- (tt) 2-[(8-{[6-{[(4-Chlorobenzyl)amino]carbonyl}-9(morpholin-4-ylmethyl)-7-thioxo-2,3-dihydro-7H[1,4]oxazino[2,3,4-ij]quinolin-2-yl]methoxy}-8oxooctanoyl)(methyl)amino]ethanesulfonic acid sodium
 salt,
- (uu) [6-{[(4-Chlorobenzyl)amino]carbonyl}-9(morpholin-4-ylmethyl)-7-thioxo-2,3-dihydro-7H[1,4]oxazino[2,3,4-ij]quinolin-2-yl]methyl dimethyl
 phosphate,
- (vv) N-(4-Chlorobenzyl)-9-(morpholin-4-ylmethyl)-7thioxo-2-{[(4-pyridinylmethyl)amino]methyl}-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (ww) N-(4-Chlorobenzyl)-2-(1H-imidazol-1-ylmethyl)9-(morpholin-4-ylmethyl)-7-thioxo-2,3-dihydro-7H[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (xx) N-(4-Chlorobenzyl)-2-{[(4chlorobenzyl)amino]methyl}-9-(morpholin-4-ylmethyl)-7thioxo-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6carboxamide,
- (yy) N-(4-Chlorobenzyl)-3-(hydroxymethyl)-9-(morpholin-4-ylmethyl)-7-thioxo-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (zz) N-(4-Chlorobenzyl)-2-(4-hydroxyphenyl)-9-(morpholin-4-ylmethyl)-7-thioxo-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (aaa) N-(4-Chlorobenzyl)-2-{3[(methoxymethoxy)methyl]phenyl}-9-(morpholin-4-ylmethyl)7-thioxo-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline6-carboxamide,
- (bbb) N-(4-Chlorobenzyl)-2-{2-[(methoxymethoxy)methyl]phenyl}-9-(morpholin-4-ylmethyl)-7-thioxo-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,

```
(ccc) N-(4-Chlorobenzyl)-2-(2-hydroxyphenyl)-9-
(morpholin-4-ylmethyl)-7-thioxo-2,3-dihydro-7H-
[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
     (ddd) N-[(4-Chlorophenyl)methyl]-2,3,5,6-tetrahydro-
9'-(4-morpholinylmethyl)-7'-thioxospiro[4H-pyran-
4,2'(3'H)-[7H]pyrido[1,2,3-de] [1,4]benzoxazine]-6'-
carboxamide,
     (eee) 1,1-Dimethylethyl 6-[[(4-
chlorophenyl)methyl]amino]carbonyl]-9'-(4-
morpholinylmethyl) -7'-thioxospiro[piperidine-4,2'(3'H)-
[7H]pyrido[1,2,3-de] [1,4]benzoxazine]-1-carboxylate,
     (fff) N-[(4-Chlorophenyl)methyl]-9'-(4-
morpholinylmethyl) -7'-thioxospiro[piperidine-4,2'(3'H)-
[7H] pyrido[1,2,3-de] [1,4] benzoxazine]-6'-carboxamide,
     (ggg) N-(4-Chlorobenzyl)-2,2-bis(hydroxymethyl)-9-
(morpholin-4-ylmethyl)-7-thioxo-2,3-dihydro-7H-
[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
     (hhh) N-[(4-Chlorophenyl)methyl]-2',3',5',6'-
tetrahydro-9-(4-morpholinylmethyl)-7-thioxospiro[7H-
pyrido[1,2,3-de]-1,4-benzoxazine-2(3H),4'-[4H]thiopyran]-
6-carboxamide,
     (iii) N-(4-Chlorobenzyl)-9-(morpholin-4-ylmethyl)-7-
thioxo-3-phenyl-2,3-dihydro-7H-[1,4]oxazino[2,3,4-
ij]quinoline-6-carboxamide,
     (jij) N-(4-\text{Chlorobenzyl})-3,3-\text{bis}(\text{hydroxymethyl})-9-
(3-hydroxy-1-propynyl)-7-thioxo-2,3-dihydro-7H-
[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
     (kkk) N-(4-Chlorobenzyl)-3,3-bis(hydroxymethyl)-9-
(3-hydroxypropyl)-7-thioxo-2,3-dihydro-7H-
[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
      (111) N-(4-\text{Chlorobenzyl})-2-[2-
(methoxymethoxy)phenyl]-9-(morpholin-4-ylmethyl)-7-
thioxo-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-
carboxamide,
```

- (mmm) N-(4-Chlorobenzyl)-2-{4[(methoxymethoxy)methyl]phenyl}-9-(morpholin-4-ylmethyl)7-thioxo-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline6-carboxamide,
- (nnn) 2-[2,3-bis(Methoxymethoxy)phenyl]-N-(4-chlorobenzyl)-9-(morpholin-4-ylmethyl)-7-thioxo-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (ooo) N-[(4-Chlorophenyl)methyl]-1-methyl-9'-(4-morpholinylmethyl)-7'-thioxospiro[piperidine-4,2'(3'H)-[7H]pyrido[1,2,3-de] [1,4]benzoxazine]-6'-carboxamide; or a pharmaceutically acceptable salt thereof.
- 36. The method of Claim 33, wherein the compound administered is selected from the group consisting of
- (a) N-(4-Chlorobenzyl)-2-(hydroxymethyl)-9-(morpholin-4-ylmethyl)-7-thioxo-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (b) $N-(4-\text{Chlorobenzyl})-2-(R \text{ or } S)-(\text{hydroxymethyl})-9-(\text{morpholin}-4-\text{ylmethyl})-7-\text{thioxo}-2,3-\text{dihydro}-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,}$
- (c) N-(4-Chlorobenzyl)-9-(morpholin-4-ylmethyl)-7-thioxo-2-pyridin-3-yl-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (d) N-(4-Chlorobenzyl)-9-(morpholin-4-ylmethyl)-7-thioxo-2-pyridin-4-yl-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (e) N-(4-Chlorobenzyl)-9-(morpholin-4-ylmethyl)-7- thioxo-2-pyridin-2-yl-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (f) N-(4-Chlorobenzyl)-9-(morpholin-4-ylmethyl)-7thioxo-2-(R or S)-pyridin-3-yl-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (g) N-(4-Chlorobenzyl)-2,9-bis(morpholin-4-ylmethyl)-7-thioxo-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,

- (h) 2-[(tert-Butylsulfanyl)methyl]-N-(4-chlorobenzyl)-9-(morpholin-4-ylmethyl)-7-thioxo-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (i) $N-(4-\text{Chlorobenzyl})-2-\{[(2-\text{hydroxyethyl})\,\text{sulfanyl}]\,\text{methyl}\}-9-(\text{morpholin-}4-\text{ylmethyl})-7-thioxo-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,}$
- (j) N-(4-Chlorobenzyl)-2-{[(1-methyl-1H-imidazol-2-yl)sulfanyl]methyl}-9-(morpholin-4-ylmethyl)-7-thioxo-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (k) N-(4-Chlorobenzyl)-9-(morpholin-4-ylmethyl)-7- thioxo-2-{[(3-pyridinylmethyl)amino]methyl}-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (1) [6-{[(4-Chlorobenzyl)amino]carbonyl}-9(morpholin-4-ylmethyl)-7-thioxo-2,3-dihydro-7H[1,4]oxazino[2,3,4-ij]quinolin-2-yl]methyl acetate,
- (m) N-(4-Chlorobenzyl)-9-(morpholin-4-ylmethyl)-7- thioxo-2-(R or S)-{[(3-pyridinylmethyl)amino]methyl}-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (n) N-(4-Chlorobenzyl)-2-(3-hydroxyphenyl)-9-(morpholin-4-ylmethyl)-7-thioxo-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (o) N-(4-Chlorobenzyl)-9-(morpholin-4-ylmethyl)-7- thioxo-2-(R or S)-pyridin-2-yl-2,3-dihydro-7H- [1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (p) N-(4-Chlorobenzyl)-2-[3-(hydroxymethyl)phenyl]9-(morpholin-4-ylmethyl)-7-thioxo-2,3-dihydro-7H[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (q) N-(4-Chlorobenzyl)-2-[2-(hydroxymethyl)phenyl]9-(morpholin-4-ylmethyl)-7-thioxo-2,3-dihydro-7H[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (r) N-(4-Chlorobenzyl)-2-(1-methyl-1H-imidazol-2-yl)-9-(morpholin-4-ylmethyl)-7-thioxo-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,

- (s) N-(4-Chlorobenzyl)-2-(2-furyl)-9-(morpholin-4-ylmethyl)-7-thioxo-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (t) N-(4-Chlorobenzyl)-2-(3-cyanophenyl)-9-(morpholin-4-ylmethyl)-7-thioxo-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (u) N-(4-Chlorobenzyl)-2-(3-furyl)-9-(morpholin-4-ylmethyl)-7-thioxo-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (v) N-(4-Chlorobenzyl)-9-(morpholin-4-ylmethyl)-7- thioxo-2-thien-2-yl-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (w) N-(4-Chlorobenzyl)-2-(3,5-difluorophenyl)-9-(morpholin-4-ylmethyl)-7-thioxo-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (x) 2-(1,3-Benzodioxol-5-yl)-N-(4-chlorobenzyl)-9- (morpholin-4-ylmethyl)-7-thioxo-2,3-dihydro-7H- [1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (y) N-(4-Chlorobenzyl)-2-(2,3-dihydro-1,4-benzodioxin-6-yl)-9-(morpholin-4-ylmethyl)-7-thioxo-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (z) 2-(1,3-Benzodioxol-4-yl)-N-(4-chlorobenzyl)-9-(morpholin-4-ylmethyl)-7-thioxo-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (aa) 2-[3,5-bis(Methoxymethoxy)phenyl]-N-(4-chlorobenzyl)-9-(morpholin-4-ylmethyl)-7-thioxo-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (bb) N-(4-Chlorobenzyl)-9-(morpholin-4-ylmethyl)-7-thioxo-2-thien-3-yl-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (cc) N-(4-Chlorobenzyl)-2,2-bis[(methoxymethoxy)methyl]-9-(morpholin-4-ylmethyl)-7-thioxo-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,

- (dd) N-[(4-Chlorophenyl) methyl]-9'-(4-morpholinylmethyl)-4-oxo-7'-thioxospiro[cyclohexane-1,2'(3'H)-[7H]pyrido[1,2,3-de] [1,4]benzoxazine]-6'-carboxamide,
- (ee) N-[(4-Chlorophenyl) methyl]-4-hydroxy-9'-(4-morpholinylmethyl)-7'-thioxospiro[cyclohexane-1,2'(3'H)-[7H] pyrido[1,2,3-de] [1,4] benzoxazine]-6'-carboxamide,
- (ff) N-(4-Chlorobenzyl)-3,9-bis(morpholin-4-ylmethyl)-7-thioxo-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (gg) N-(4-Chlorobenzyl)-9-(morpholin-4-ylmethyl)-7-thioxo-2-phenyl-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (hh) N-(4-Chlorobenzyl)-2,2-difluoro-9-(morpholin-4-ylmethyl)-7-thioxo-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (ii) N-(4-Chlorobenzyl)-2-[(methylsulfanyl)methyl]9-(morpholin-4-ylmethyl)-7-thioxo-2,3-dihydro-7H[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (jj) N-(4-Chlorobenzyl)-2-[(dimethylamino)methyl]-9(morpholin-4-ylmethyl)-7-thioxo-2,3-dihydro-7H[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (kk) N-(4-Chlorobenzyl)-2-[(4-methyl-1-piperazinyl)methyl]-9-(morpholin-4-ylmethyl)-7-thioxo-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (11) Methyl({[6-{[(4-chlorobenzyl)amino]carbonyl}-9-(morpholin-4-ylmethyl)-7-thioxo-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinolin-2-yl]methyl}thio)acetate,
- (mm) N-(4-Chlorobenzyl)-9-(morpholin-4-ylmethyl)-7-thioxo-2-(1-pyrrolidinylmethyl)-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (nn) $N-(4-Chlorobenzyl)-2-\{[(2,3-dihydroxypropyl)sulfanyl]methyl\}-9-(morpholin-4-$

- ylmethyl)-7-thioxo-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (oo) N-(4-Chlorobenzyl)-2-{[(2,3-dihydroxypropyl)amino]methyl}-9-(morpholin-4-ylmethyl)-7-thioxo-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (pp) N-(4-Chlorobenzyl)-2-{[(2hydroxyethyl)amino]methyl}-9-(morpholin-4-ylmethyl)-7thioxo-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6carboxamide,
- (qq) N-(4-Chlorobenzyl)-9-(morpholin-4-ylmethyl)-7thioxo-2-(1-piperidinylmethyl)-2,3-dihydro-7H[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (rr) 2-{[bis(2-Hydroxyethyl)amino]methyl}-N-(4chlorobenzyl)-9-(morpholin-4-ylmethyl)-7-thioxo-2,3dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (ss) N-(4-Chlorobenzyl)-9-(morpholin-4-ylmethyl)-7- thioxo-2-{[(2-pyridinylmethyl)amino]methyl}-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (tt) 2-[(8-{[6-{[(4-Chlorobenzyl)amino]carbonyl}-9(morpholin-4-ylmethyl)-7-thioxo-2,3-dihydro-7H[1,4]oxazino[2,3,4-ij]quinolin-2-yl]methoxy}-8oxooctanoyl)(methyl)amino]ethanesulfonic acid sodium
 salt,
- (uu) [6-{[(4-Chlorobenzyl)amino]carbonyl}-9(morpholin-4-ylmethyl)-7-thioxo-2,3-dihydro-7H[1,4]oxazino[2,3,4-ij]quinolin-2-yl]methyl dimethyl
 phosphate,
- (vv) N-(4-Chlorobenzyl)-9-(morpholin-4-ylmethyl)-7-thioxo-2-{[(4-pyridinylmethyl)amino]methyl}-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
- (ww) N-(4-Chlorobenzyl)-2-(1H-imidazol-1-ylmethyl)9-(morpholin-4-ylmethyl)-7-thioxo-2,3-dihydro-7H[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,

```
chlorobenzyl) aminojmethyl) - 2 - (1(4) - 4 - ylmethyl) - 7 - (1) - 4 - ylmethyl) - 2 - (1) - 4 - ylmethyl) - 7 - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - (1) - 
      cnlorobenzyljamlnojmetnylj-9-(morpnolin-4-ylmetnyl)-1-6-
thioxo-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-
                                                                       (yy) N-(4-chlorobenzyl)-3-(hydroxymethyl)-9-
                                     (morpholin-4-ylmethyl)-7-thioxo-2,3-dihydro-7H-
                                            (morphorum-a-yumeunyu) -- unioxo-zi 3-uunyuro-in-
[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
                                                                                                oxallinoiline-o-carooxamiae,

(22) N-(4-chlorobenzyl)
                                                               (morpholin-4-ylmethyl)-7-thioxo-2,3-dihydro-7H-
                    carboxamide,
                                                                      (morphorin-4-yumeunyil-1-unioxo-2,3-uinyuro-in-
[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,
                                                                                        (metnoxymetnoxy)metnyl)pnenyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)pnenyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)-y-(morpholin-4-yimetnyl)-y-(morph
                                                                                                                           [(methoxymethoxy)methyllphenylloron 3-dihvdro-7H-11 Alovarino12 3-dihvdro-7H-11 Alovar
                                                                                                                                  (methoxymethoxy)methyLIPnenyLI-y-(morpholin-4-yimethyLipnenyLI)-y-(morpholin-4-yimethyLipnenyLi-y-(morpholin-4-yimethyLipnenyLi-y-(morpholin-4-yimethyLipnenyLi-y-(morpholin-4-yimethyLipnenyLi-y-(morpholin-4-yimethyLipnenyLi-y-(morpholin-4-yimethyLipnenyLi-y-(morpholin-4-yimethyLipnenyLi-y-(morpholin-4-yimethyLipnenyLi-y-(morpholin-4-yimethyLipnenyLi-y-(morpholin-4-yimethyLipnenyLi-y-(morpholin-4-yimethyLipnenyLi-y-(morpholin-4-yimethyLi-y-(morpholin-4-yimethyLi-y-(morpholin-4-yimethyLi-y-(morpholin-4-yimethyLi-y-(morpholin-4-yimethyLi-y-(morpholin-4-yimethyLi-y-(morpholin-4-yimethyLi-y-(morpholin-4-yimethyLi-y-(morpholin-4-yimethyLi-y-(morpholin-4-yimethyLi-y-(morpholin-4-yimethyLi-y-(morpholin-4-yimethyLi-y-(morpholin-4-yimethyLi-y-(morpholin-4-yimethyLi-y-(morpholin-4-yimethyLi-y-(morpholin-4-yimethyLi-y-(morpholin-4-yimethyLi-y-(morpholin-4-yimethyLi-y-(morpholin-4-yimethyLi-y-(morpholin-4-yimethyLi-y-(morpholin-4-yimethyLi-y-(morpholin-4-yimethyLi-y-(morpholin-4-yimethyLi-y-(morpholin-4-yimethyLi-y-(morpholin-4-yimethyLi-y-(morpholin-4-yimethyLi-y-(morpholin-4-yimethyLi-y-(morpholin-4-yimethyLi-y-(morpholin-4-yimethyLi-y-(morpholin-4-yimethyLi-y-(morpholin-4-yimethyLi-y-(morpholin-4-yimethyLi-y-(morpholin-4-yimethyLi-y-(morpholin-4-yimethyLi-y-(morpholin-4-yimethyLi-y-(morpholin-4-yimethyLi-y-(morpholin-4-yimethyLi-y-(morpholin-4-yimethyLi-y-(morpholin-4-yimethyLi-y-(morpholin-4-yimethyLi-y-(morpholin-4-yimethyLi-y-(morpholin-4-yimethyLi-y-(morpholin-4-yimethyLi-y-(morpholin-4-yimethyLi-y-(morpholin-4-yimethyLi-y-(morpholin-4-yimethyLi-y-(morpholin-4-yimethyLi-y-(morpholin-4-yimethyLi-y-(morpholin-4-yimethyLi-y-(morpholin-4-yimethyLi-y-(morpholin-4-yimethyLi-y-(morpholin-4-yimethyLi-y-(morpholin-4-yimethyLi-y-(morpholin-4-yimethyLi-y-(morpholin-4-yimethyLi-y-(morpholin-4-yimethyLi-y-(morpholin-4-yimethyLi-y-(morpholin-4-yimethyLi-y-(morpholin-4-yimethyLi-y-(morpholin-4-yimethyLi-y-(morpholin-4-yimethyLi-y-(morpholin-4-yimethyLi-y-(morpholin-4-yimethyLi-y-(morpholin-4-yimethyLi-y-(morpholin-4-yimethyLi-y-(mo
                                                                                                                                                                                                  CCC) N-(4-Chlorobenzyl)-2-(2-hydroxyphenyl)-9-
                                                                                                            6-carboxamide,
                                                                                                                                                               (morpholin-4-ylmethyl)-7-thioxo-2,3-dihydro-7H-
                                                                                                                                                                                                                            oxazıno(Z, 3,4-1)|quinoline-b-carpoxemide,
(ddd) N-((4-Chlorophenyl)methyll-2,3,5,6-tetrahydro-
                                                                                                                                                                        (1,410xazino[2,3,4-ij]quinoline-6-carboxamide,
                                                                                                                                                                                       (add) N-1(4-cnlorophenyl)metnyl]-2,3,3,6-tetri
                                                                                                                                                                                                  y. -(4-morpholinyimethyi) -1. -thioxospiro(4H-pyrah-6'-4,2'(3'H)-(7H)pyrido(1,2,3-de) (1,4)benzoxazine) -6'-4,2'(3'H)-(7H)pyrido(1,2,3-de)
                                                                                                                                                6-carboxamide
                                                                                                                                                                                                                                 cnloropnenyl)metnyl)aminolcarbonyl)-y',-(4-
morpholinylmethyl)-7',-thioxospiro(piperidine-4,2'(3'H)-
morpholinylmethyl)-7', hipportovarine'-1-carhovulata
                                                                                                                                                                                                                             chlorophenyl) methyllaminolcarbonyll-9'-(4-
                                                                                                                                                                                                                                              morpholiny imethyll -1. -thloxospirolpiperlaine-4, 2. (3. H)

[7H] pyrido[1,2,3-de]

[7H] pyrido[1,2,3-de]
                                                                                                                                                                                                                                                             morpholinylmethyl) - 2-22 (1 Alberton) methyll-y'-(4-4,2' (3' H)-1'-thioxospiro(piperidine-4,2' (3' H)-1'-th
                                                                                                                                                                                                              carboxamide
                                                                                                                                                                                                                                                                         [7H]pyrido[1,2,3-de]
                                                                                                                                                                                                                                                                                       (ggg) N-(4-cnlorobenzyl)-2,2-(morpholin-4-ylmethyl)-7-bis[(hydroxymethoxy)methyl]-9-(morpholin-4-ylmethyl)-9-(morpholin-4-ylmethyl)-9-(morpholin-4-ylmethyl)-1-6
```

thioxo-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide,

(hhh) N-[(4-Chlorophenyl)methyl]-2',3',5',6'-tetrahydro-9-(4-morpholinylmethyl)-7-thioxospiro[7Hpyrido[1,2,3-de]-1,4-benzoxazine-2(3H),4'-[4H]thiopyran]6-carboxamide; or a pharmaceutically acceptable salt thereof.

- 37. The method of Claim 33, wherein the compound administered is N-(4-chlorobenzyl)-9-(morpholin-4-ylmethyl)-7-oxo-2-(S)-pyridin-2-yl-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide; or a pharmaceutically acceptable salt thereof.
- 38. The method of Claim 33, wherein the compound administered is N-(4-chlorobenzyl)-9-(morpholin-4-ylmethyl)-7-oxo-2-(R)-pyridin-2-yl-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide; or a pharmaceutically acceptable salt thereof.
- 39. The method of Claim 33, wherein the compound administered is N-(4-chlorobenzyl)-9-(morpholin-4-ylmethyl)-7-oxo-2-(R)-pyridin-3-yl-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide; or a pharmaceutically acceptable salt thereof.
- 40. The method of Claim 33, wherein the compound administered is N-(4-chlorobenzyl)-9-(morpholin-4-ylmethyl)-7-oxo-2-(S)-pyridin-3-yl-2,3-dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide; or a pharmaceutically acceptable salt thereof.
- 41. The method of Claim 33, wherein the compound administered is N-(4-Chlorobenzyl)-2-(1-methyl-1H-imidazol-2-yl)-9-(morpholin-4-ylmethyl)-7-oxo-2,3-

dihydro-7H-[1,4]oxazino[2,3,4-ij]quinoline-6-carboxamide; or a pharmaceutically acceptable salt thereof.

42. The method of Claim 1, wherein the compound administered has the compound of Formula $\rm XI$ wherein Formula $\rm XI$ is

$$R^{2}$$
 R^{3}
 R^{4}
 R^{5}

XΤ

or a pharmaceutically acceptable salt thereof; wherein,

 X^{XI} is Cl, F, Br, CN, or NO_2 ;

 $R^{\text{XI-1}}$ is H, halo, or $C_{1\text{-4}}$ alkyl optionally substituted by one to three halo;

R^{XI-2} is

- a) H,
- b) halo,
- c) aryl^{XI},
- d) het^{XI}, wherein said het^{XI} is bound via a carbon atom,
- e) C_{1-7} alkyl which may be partially unsaturated and optionally substituted by one or more substituents of the group R^{XI-10} , $NR^{XI-7}R^{XI-8}$, halo, $(C=0)R^{XI-6}$, or $S(0)_mR^{XI-6}$,
- f) $NR^{XI-7}R^{XI-8}$,
- g) OR^{XI-11} ,
- h) SR^{XI-11} ,
- i) $NHSO_2R^{XI-6}$,
- j) S(O)_mR^{XI-6},
- $(C=0) R^{XI-6}$
- 1) $(C=0) OR^{XI-11}$,

- m) CHO,
- n) cyano, or
- o) C_{3-8} cycloalkyl which may be partially unsaturated and is optionally substituted by one or more substituents selected from halo, oxo, R^{XI-10} , C_{1-7} alkyl, or $NR^{XI-7}R^{XI-8}$;

R^{XI-3} is

- a) H,
- b) halo,
- c) OR^{11} , or
- d) C_{1-7} alkyl which may be partially unsaturated and optionally substituted by one or more substituents of the group OR^{XI-11} , SR^{XI-11} , $NR^{XI-7}R^{XI-8}$, or halo, or
- $R^{\rm XI-2}$ together with $R^{\rm XI-3}$ form a carbocyclic or saturated 5 or 6 membered het which may be optionally substituted by $NR^{\rm XI-7}R^{\rm XI-8}$, het attached through a carbon atom, or C_{1-7} alkyl which may be optionally substituted by $OR^{\rm XI-12}$;

R^{XI-4} is

- a) H,
- b) halo,
- c) OR^{XI-11} , or
- d) C_{1-7} alkyl which may be partially unsaturated and optionally substituted by one or more substituents of the group OR^{XI-11} , SR^{XI-11} , $NR^{XI-7}R^{XI-8}$, $aryl^{XI}$, halo, C_{3-8} cycloalkyl optionally substituted by OR^{XI-12} , or het attached through a carbon atom, or
- e) $NR^{XI-7}R^{XI-8}$;

$R^{\text{XI-5}}$ is

- a) H,
- b) halo,
- C) OR^{XI-11} ,
- d) $O(CH_2CH_2O)_nR^{XI-12}$,

- e) C_{3-8} cycloalkyl which may be partially unsaturated and is optionally substituted by one or more substituents selected from halo, OR^{XI-12} , SR^{XI-12} , oxo, C_{1-7} alkyl or $NR^{XI-12}R^{XI-12}$,
- f) het^{XI},
- g) aryl^{XI},
- h) $NHSO_2R^{XI-6}$,
- i) $S(0)_m R^{XI-6}$,
- $\dot{\uparrow}$) (C=0) R^{XI-6} ,
- $(C=0) OR^{XI-11}$
- l) nitro,
- m) cyano,
- n) SR^{XI-11}
- o) $NR^{XI-7}R^{XI-8}$,
- p) C_{1-7} alkyl which may be partially unsaturated and is optionally substituted by one or more substituents selected from $NR^{XI-7}R^{XI-8}$, R^{XI-10} , $S(0)_mR^{XI-6}$, $(P=0)(0R^{XI-12})_2$, $(C=0)R^{XI-6}$, or halo,
- q) CHO,
- r) SCN,
- s) Any two adjacent $R^{\text{XI-5}}$ substituents taken with the bond connecting them form an aryl^{XI} , or het^{XI} , or
- t) Any two adjacent $R^{\text{XI-5}}$ substituents taken together constitute a C_{3-6} alkyl chain which may be optionally substituted by $R^{\text{XI-9}}$, $NR^{\text{XI-7}}R^{\text{XI-8}}$, cyano, $CO_2R^{\text{XI-12}}$, $OR^{\text{XI-11}}$, $SR^{\text{XI-11}}$, or (=0);

R^{XI-6} is

- a) $C_{1-7}alkyl$,
- b) $NR^{XI-11}R^{XI-11}$,
- c) aryl^{XI}, or
- d) het^{XI};
- R^{XI-7} and R^{XI-8} are independently
 - a) H,
 - b) aryl^{XI},

- C) C_{1-7} alkyl which may be partially unsaturated and is optionally substituted by one or more substituents selected from $S(0)_m R^{XI-6}$, $CONR^{XI-12}R^{XI-12}$, CO_2R^{XI-12} , $(C=0)R^{XI-9}$, het XI , aryl XI , cyano, or halo,
- d) C_{2-7} alkyl which may be partially unsaturated and is substituted by one or more substituents selected from $NR^{XI-12}R^{XI-12}$, OR^{XI-11} , or SR^{XI-11} ,
- e) C_{3-8} cycloalkyl which may be partially unsaturated and is optionally substituted by one or more substituents selected from halo, OR^{XI-12} , SR^{XI-12} , oxo, or $NR^{XI-12}R^{XI-12}$,
- f) $(C=0) R^{XI-9}$, or
- g) R^{XI-7} and R^{XI-8} together with the nitrogen to which they are attached for a het^{XI};

R^{XI-9} is

- a) aryl^{XI},
- b) het^{XI}, wherein said het^{XI} is bound through a carbon atom,
- c) C_{1-7} alkyl optionally substituted by aryl^{XI}, het^{XI}, cyano, OR^{XI-12} , SR^{XI-12} , $NR^{XI-12}R^{XI-12}$, or halo, or
- d) C_{3-8} cycloalkyl which may be partially unsaturated and is optionally substituted by one or more substituents selected from halo, OR^{XI-12} , SR^{XI-12} , or $NR^{XI-12}R^{XI-12}$;

R^{XI-10} is

- a) OR^{XI-11} ,
- b) SR^{XI-11} ,
- c) CO_2R^{XI-12} ,
- d) het^{XI},
- e) aryl^{XI}, or
- f) cyano;

R^{XI-11} is

- a) H,
- b) aryl^{XI},

- c) het^{XI}, wherein said het^{XI} is bound through a carbon atom,
- d) C_{1-7} alkyl optionally substituted by $aryl^{XI}$, het^{XI} wherein said het^{XI} is bound through a carbon atom, C_{3-8} cycloalkyl optionally substituted by OR^{XI-12} , or halo,
- e) C_{2-7} alkyl substituted by $OR^{x_{1}-12}$, $SR^{x_{1}-12}$, or $NR^{x_{1}-12}R^{x_{1}-12}$, or
- f) C_{3-8} cycloalkyl which may be partially unsaturated and is optionally substituted by one or more substituents selected from halo, OR^{XI-12} , SR^{XI-12} , or $NR^{XI-12}R^{XI-12}$,

 R^{XI-12} is H, or C_{1-7} alkyl; each m^{XI} is independently 1 or 2; each n^{XI} is independently 1, 2, or 3;

wherein aryl^{XI} is a phenyl radical or an ortho-fused bicyclic carbocyclic radical wherein at least one ring is aromatic and is optionally substituted with one or more substituents selected from halo, OH, cyano, CO_2R^{XI-12} , CF_3 , C_{1-6} alkoxy, or C_{1-6} alkyl which may be further substituted by one to three SR^{XI-12} , $NR^{XI-12}R^{XI-12}$, OR^{XI-12} , or CO_2R^{XI-12} groups;

wherein het^{XI} is a four- (4), five- (5), six- (6), or seven- (7) membered saturated or unsaturated heterocyclic ring having 1, 2, or 3 heteroatoms selected from oxygen, sulfur, or nitrogen, which is optionally fused to a benzene ring, or any bicyclic heterocyclic group and wherein any het^{XI} is optionally substituted with one or more substituents selected from halo, OH, cyano, phenyl, CO₂R^{XI-12}, CF₃, C₁₋₆alkoxy, oxo, oxime, or C₁₋₆ alkyl which may be further substituted by one to three SR^{XI-12}, NR^{XI-12}R^{XI-12}, OR^{XI-12}, or CO₂R^{XI-12} groups; and

wherein halo is F, Cl, Br, I; or a pharmaceutically acceptable salt thereof.

43. The method according to Claim 42, wherein $\boldsymbol{X}^{\text{XI}}$ is Cl;

RXI-1 is H;

 $R^{\rm XI-2}$ is C_{1-7} alkyl which may be partially unsaturated and is substituted by one or more substituents of the group OH, $NR^{\rm XI-7}R^{\rm XI-8}$, or $^{\rm XI-}$ het bound through a carbon atom; and

 R^{XI-3} is H.

- 44. The method according to Claim 42, wherein $R^{\rm XI-2}$ is C_{1-7} alkyl which may be partially unsaturated and is substituted by one or more substituents of the group OH, $NR^{\rm XI-7}R^{\rm XI-8}$, or het bound through a carbon atom.
- 45. The method according to Claim 42, wherein $R^{\text{XI}-2}$ is C_{1-7} alkyl which is fully saturated and is substituted by one or more substituents of the group OH or $NR^{\text{XI}-7}R^{\text{XI}-8}$.
- 46. The method according to Claim 42, wherein R^{XI-2} is 3-hydroxypropyl.
- 47. The method according to Claim 42, wherein $R^{\text{XI-2}}$ is 3-hydroxy-1-propynyl.
- 48. The method according to Claim 42, wherein R^{XI-2} is tetrahydro-2H-pyran-4-ylmethyl.
- 49. The method according to Claim 42, wherein R^{XI-2} is 4-morpholinylmethyl.
- 50. The method according to Claim 42, wherein the compound administered is selected from the group consisting of

- (1) N-(4-chlorobenzyl)-6-(4-morpholinylmethyl)-4- 0xo-1-phenyl-1,4-dihydro-3-quinolinecarboxamide;
- (2) N-(4-chlorobenzyl)-6-(3-hydroxypropyl)-4-oxo-1-phenyl-1,4-dihydro-3-quinoline-carboxamide;
- (3) N-(4-chlorobenzyl)-6-(3-hydroxy-1-propynyl)-4-oxo-1-phenyl-1,4-dihydro-3-quinolinecarboxamide;
- (4) N-(4-chlorobenzyl)-4-oxo-1-phenyl-6-(tetrahydro-2H-pyran-4-ylmethyl)-1,4-dihydro-3quinolinecarboxamide;
- (5) N-(4-chlorobenzyl)-1-(2-methylphenyl)-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (6) N-(4-chlorobenzyl)-1-(3-iodophenyl)-6-(4morpholinylmethyl)-4-oxo-1,4-dihydro-3quinolinecarboxamideN-(4-chlorobenzyl)-1-(4chlorophenyl)-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro3-quinolinecarboxamide;
- (7) N-(4-chlorobenzyl)-1-(4-isopropylphenyl)-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (8) N-(4-chlorobenzyl)-1-(4-methoxyphenyl)-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (9) N-(4-fluorobenzyl)-1-(4-chlorophenyl)-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (10) N-(4-chlorobenzyl)-6-(4-morpholinylmethyl)-4-oxo-1-(2,4-difluorophenyl)-1,4-dihydro-3-quinolinecarboxamide;
- (11) N-(4-chlorobenzyl)-6-(3-hydroxypropyl)-4-oxo-1-(2,4-difluorophenyl)-1,4-dihydro-3-quinolinecarboxamide;
- (12) N-(4-chlorobenzyl)-6-(3-hydroxy-1-propynyl)-4-oxo-1-(2,4-difluorophenyl)-1,4 -dihydro-3-quinolinecarboxamide;

- (13) N-(4-chlorobenzyl)-4-oxo-1-(2,4-difluorophenyl)-6-(tetrahydro-2H-pyran-4-yl-methyl)-1,4-dihydro-3-quinolinecarboxamide;
- (14) N-(4-Chlorobenzyl)-1-(2-(hydroxymethyl)phenyl)-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (15) N-(4-Chlorobenzyl)-1-(2,3-dihydro-1H-inden-5-yl)-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (16) 1-(1,3-Benzodioxol-5-yl)-N-(4-chlorobenzyl)-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (17) N-(4-Chlorobenzyl)-1-(1H-indol-5-yl)-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (18) N-(4-Fluorobenzyl)-1-(1H-indol-5-yl)-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (19) N-(4-Chlorobenzyl)-1-(3-hydroxyphenyl)-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- . (20) N-(4-Chlorobenzyl)-1-(3-(2-hydroxyethyl)phenyl)-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (21) N-(4-Fluorobenzyl)-1-(3-(2-hydroxyethyl)phenyl)-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (22) N-(4-chlorobenzyl)-1-(3-methoxyphenyl)-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (23) N-(4-chlorobenzyl)-1-(3-(hydroxymethyl)phenyl)-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;

- (24) N-(4-chlorobenzyl)-6-(4-morpholinylmethyl)-1-(4-(4-morpholinyl)phenyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (25) N-(4-chlorobenzyl)-1-(3,4-difluorophenyl)-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (26) N-(4-chlorobenzyl)-1-(3-(3-hydroxy-1-propynyl)phenyl)-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (27) N-(4-chlorobenzyl)-1-(3-(4-hydroxy-1-butynyl)phenyl)-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (28) N-(4-chlorobenzyl)-1-(3-(4-hydroxy-1-butynyl) phenyl)-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (29) N-(4-chlorobenzyl)-1-(3-(5-hydroxypentyl)phenyl)-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (30) N-(4-chlorobenzyl)-1-(3-(4-hydroxybutyl)phenyl)-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide;
- (31) N-(4-chlorobenzyl)-1-[3-(3-hydroxypropyl)phenyl]-6-(4-morpholinylmethyl)-4-oxo-1,4-dihydro-3-quinolinecarboxamide; or a pharmaceutically acceptable salt thereof.
- 51. The method according to Claim 42, which is N- (4-chlorobenzyl)-6-(4-morpholinylmethyl)-4-oxo-1-phenyl-1,4-dihydro-3-quinolinecarboxamide or a pharmaceutically acceptable salt thereof.
- 52. The method according to Claim 42, wherein $^{\rm XI-}X$ is Cl.

- 53. The method according to Claim 42, wherein either $R^{\rm XI-2}$ or $R^{\rm XI-4}$ or both $R^{\rm XI-2}$ and $R^{\rm XI-4}$ do not represent H.
- 54. A method according to Claim 1, wherein said mammal is a human.
- 55. A method according to Claim 1, wherein said mammal is a livestock or companion animal.
- 56. A method according to Claim 1, wherein the effective dose is from about 0.1 to about 300 mg/kg of body weight.
- 57. A method according to Claim 1, wherein the effective dose is about 1 to about 30 mg/kg of body weight.
- 58. A method according to Claim 1, wherein the compound is administered parenterally, topically, intravaginally, orally or rectally.